



1

NIST Special Publication NIST SP 800-63C-4 ipd

2

3

Digital Identity Guidelines

4

Federation and Assertions

5

Initial Public Draft

6

David Temoshok

7

Justin P. Richer

8

Yee-Yin Choong

9

James L. Fenton

10

Naomi Lefkowitz

11

Andrew Regenscheid

12

This publication is available free of charge from:

13

<https://doi.org/10.6028/NIST.SP.800-63c-4.ipd>

14

15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41

NIST Special Publication
NIST SP 800-63C-4 ipd
Digital Identity Guidelines
Federation and Assertions
Initial Public Draft

David Temoshok
Naomi Lefkowitz
Applied Cybersecurity Division
Information Technology Laboratory

Yee-Yin Choong
Information Access Division
Information Technology Laboratory


Andrew Regenscheid
Computer Security Division
Information Technology Laboratory

Justin P. Richer
Bespoke Engineering

James L. Fenton
Altmode Networks

This publication is available free of charge from:
<https://doi.org/10.6028/NIST.SP.800-63c-4.ipd>

December 2022



U.S. Department of Commerce
Gina M. Raimondo, Secretary

National Institute of Standards and Technology
Laurie E. Locascio, NIST Director and Under Secretary of Commerce for Standards and Technology

42 Certain commercial entities, equipment, or materials may be identified in this document
43 in order to describe an experimental procedure or concept adequately. Such identification
44 is not intended to imply recommendation or endorsement by the National Institute of
45 Standards and Technology, nor is it intended to imply that the entities, materials, or
46 equipment are necessarily the best available for the purpose.

47 There may be references in this publication to other publications currently under
48 development by NIST in accordance with its assigned statutory responsibilities. The
49 information in this publication, including concepts and methodologies, may be used by
50 federal agencies even before the completion of such companion publications. Thus, until
51 each publication is completed, current requirements, guidelines, and procedures, where
52 they exist, remain operative. For planning and transition purposes, federal agencies may
53 wish to closely follow the development of these new publications by NIST.

54 Organizations are encouraged to review all draft publications during public comment
55 periods and provide feedback to NIST. Many NIST cybersecurity publications, other than
56 the ones noted above, are available at <https://csrc.nist.gov/publications>.

57 **Authority**

58 This publication has been developed by NIST in accordance with its statutory
59 responsibilities under the Federal Information Security Modernization Act (FISMA)
60 of 2014, 44 U.S.C. § 3551 et seq., Public Law (P.L.) 113-283. NIST is responsible
61 for developing information security standards and guidelines, including minimum
62 requirements for federal information systems, but such standards and guidelines shall
63 not apply to national security systems without the express approval of appropriate federal
64 officials exercising policy authority over such systems. This guideline is consistent with
65 the requirements of the Office of Management and Budget (OMB) Circular A-130.

66 Nothing in this publication should be taken to contradict the standards and guidelines
67 made mandatory and binding on federal agencies by the Secretary of Commerce under
68 statutory authority. Nor should these guidelines be interpreted as altering or superseding
69 the existing authorities of the Secretary of Commerce, Director of the OMB, or any other
70 federal official. This publication may be used by nongovernmental organizations on a
71 voluntary basis and is not subject to copyright in the United States. Attribution would,
72 however, be appreciated by NIST.

73 **NIST Technical Series Policies**

74 [Copyright, Fair Use, and Licensing Statements](#)
75 [NIST Technical Series Publication Identifier Syntax](#)

76 **Publication History**

77 Approved by the NIST Editorial Review Board on YYYY-MM-DD [will be added upon
78 final publication]

79 **How to Cite this NIST Technical Series Publication**

80 Temoshok D, Richer JP, Choong YY, Fenton JL, Lefkovitz N, Regenscheid A (2022)
81 Digital Identity Guidelines: Federation and Assertions. (National Institute of Standards
82 and Technology, Gaithersburg, MD), NIST Special Publication (SP) NIST SP 800-63C-4
83 ipd. <https://doi.org/10.6028/NIST.SP.800-63c-4.ipd>

84 **Author ORCID iDs**

85 David Temoshok: 0000-0001-6195-0331
86 Justin P. Richer: 0000-0003-2130-5180
87 Yee-Yin Choong: 0000-0002-3889-6047
88 James L. Fenton: 0000-0002-2344-4291
89 Naomi Lefkovitz: 0000-0003-3777-3106
90 Andrew Regenscheid: 0000-0002-3930-527X

91 **Public Comment Period**

92 December 16, 2022 - March 24, 2023

93 **Submit Comments**

94 <mailto:dig-comments@nist.gov>

95 **All comments are subject to release under the Freedom of Information Act**
96 **(FOIA).**

97 **Reports on Computer Systems Technology**

98 The Information Technology Laboratory (ITL) at the National Institute of Standards and
99 Technology (NIST) promotes the U.S. economy and public welfare by providing technical
100 leadership for the Nation’s measurement and standards infrastructure. ITL develops
101 tests, test methods, reference data, proof of concept implementations, and technical
102 analyses to advance the development and productive use of information technology. ITL’s
103 responsibilities include the development of management, administrative, technical, and
104 physical standards and guidelines for the cost-effective security and privacy of other
105 than national security-related information in federal information systems. The Special
106 Publication 800-series reports on ITL’s research, guidelines, and outreach efforts in
107 information system security, and its collaborative activities with industry, government,
108 and academic organizations.

109 **Abstract**

110 These guidelines provide technical requirements for federal agencies implementing digital
111 identity services and are not intended to constrain the development or use of standards
112 outside of this purpose. This guideline focuses on the use of federated identity and the
113 use of assertions to implement identity federations. Federation allows a given credential
114 service provider to provide authentication attributes and (optionally) subscriber attributes
115 to a number of separately-administered relying parties. Similarly, relying parties may use
116 more than one credential service provider. This publication will supersede NIST Special
117 Publication (SP) 800-63C.

118 **Keywords**

119 assertions; authentication; credential service provider; digital authentication; electronic
120 authentication; electronic credentials; federations.

121 **Note to Reviewers**

122 The rapid proliferation of online services over the past few years has heightened the need
123 for reliable, equitable, secure, and privacy-protective digital identity solutions.

124 Revision 4 of NIST Special Publication 800-63, Digital Identity Guidelines, intends to
125 respond to the changing digital landscape that has emerged since the last major revision
126 of this suite was published in 2017 — including the real-world implications of online
127 risks. The guidelines present the process and technical requirements for meeting digital
128 identity management assurance levels for identity proofing, authentication, and federation,
129 including requirements for security and privacy as well as considerations for fostering
130 equity and the usability of digital identity solutions and technology.

131 Taking into account feedback provided in response to our [June 2020 Pre-Draft Call](#)
132 [for Comments](#), as well as research conducted into real-world implementations of the
133 guidelines, market innovation, and the current threat environment, this draft seeks to:

- 134 1. **Advance Equity:** This draft seeks to expand upon the risk management content
135 of previous revisions and specifically mandates that agencies account for impacts
136 to individuals and communities in addition to impacts to the organization. It also
137 elevates risks to mission delivery – including challenges to providing services to
138 all people who are eligible for and entitled to them – within the risk management
139 process and when implementing digital identity systems. Additionally, the guidance
140 now mandates continuous evaluation of potential impacts across demographics,
141 provides biometric performance requirements, and additional parameters for the
142 responsible use of biometric-based technologies, such as those that utilize face
143 recognition.
- 144 2. **Emphasize Optionality and Choice for Consumers:** In the interest of promoting
145 and investigating additional scalable, equitable, and convenient identify verification
146 options, including those that do and do not leverage face recognition technologies,
147 this draft expands the list of acceptable identity proofing alternatives to provide
148 new mechanisms to securely deliver services to individuals with differing means,
149 motivations, and backgrounds. The revision also emphasizes the need for digital
150 identity services to support multiple authenticator options to address diverse
151 consumer needs and secure account recovery.
- 152 3. **Deter Fraud and Advanced Threats:** This draft enhances fraud prevention
153 measures from the third revision by updating risk and threat models to account
154 for new attacks, providing new options for phishing resistant authentication, and
155 introducing requirements to prevent automated attacks against enrollment processes.
156 It also opens the door to new technology such as mobile driver’s licenses and
157 verifiable credentials.
- 158 4. **Address Implementation Lessons Learned:** This draft addresses areas where
159 implementation experience has indicated that additional clarity or detail was
160 required to effectively operationalize the guidelines. This includes re-working
161 the federation assurance levels, providing greater detail on Trusted Referees,
162 clarifying guidelines on identity attribute validation sources, and improving address
163 confirmation requirements.

164 NIST is specifically interested in comments on and recommendations for the following
165 topics:

166 **Federation and Assertions**

- 167 • What additional privacy considerations (e.g., revocation of consent, limitations of
168 use) may be required to account for the use of identity and provisioning APIs that
169 had not previously been discussed in the guidelines?

- 170 • Is the updated text and introduction of “bound authenticators” sufficiently clear
171 to allow for practical implementations of federation assurance level (FAL) 3
172 transactions? What complications or challenges are anticipated based on the
173 updated guidance?

174 **General**

- 175 • Is there an element of this guidance that you think is missing or could be expanded?
- 176 • Is any language in the guidance confusing or hard to understand? Should we add
177 definitions or additional context to any language?
- 178 • Does the guidance sufficiently address privacy?
- 179 • Does the guidance sufficiently address equity?
- 180 – What equity assessment methods, impact evaluation models, or metrics
181 could we reference to better support organizations in preventing or detecting
182 disparate impacts that could arise as a result of identity verification
183 technologies or processes?
- 184 • What specific implementation guidance, reference architectures, metrics, or other
185 supporting resources may enable more rapid adoption and implementation of this
186 and future iterations of the Digital Identity Guidelines?
- 187 • What applied research and measurement efforts would provide the greatest impact
188 on the identity market and advancement of these guidelines?

189 Reviewers are encouraged to comment and suggest changes to the text of all four draft
190 volumes of of the NIST SP 800-63-4 suite. NIST requests that all comments be submitted
191 by 11:59pm Eastern Time on March 24, 2023. Please submit your comments to [dig-
192 comments@nist.gov](mailto:dig-comments@nist.gov). NIST will review all comments and make them available at the
193 [NIST Identity and Access Management website](#). Commenters are encouraged to use the
194 comment template provided on the [NIST Computer Security Resource Center website](#).

195 **Call for Patent Claims**

196 This public review includes a call for information on essential patent claims (claims
197 whose use would be required for compliance with the guidance or requirements in this
198 Information Technology Laboratory (ITL) draft publication). Such guidance and/or
199 requirements may be directly stated in this ITL Publication or by reference to another
200 publication. This call also includes disclosure, where known, of the existence of pending
201 U.S. or foreign patent applications relating to this ITL draft publication and of any
202 relevant unexpired U.S. or foreign patents.

203 ITL may require from the patent holder, or a party authorized to make assurances on its
204 behalf, in written or electronic form, either:

- 205 a) assurance in the form of a general disclaimer to the effect that such party does not
206 hold and does not currently intend holding any essential patent claim(s); or
- 207 b) assurance that a license to such essential patent claim(s) will be made available
208 to applicants desiring to utilize the license for the purpose of complying with the
209 guidance or requirements in this ITL draft publication either:
 - 210 i. under reasonable terms and conditions that are demonstrably free of any unfair
211 discrimination; or
 - 212 ii. without compensation and under reasonable terms and conditions that are
213 demonstrably free of any unfair discrimination.

214 Such assurance shall indicate that the patent holder (or third party authorized to make
215 assurances on its behalf) will include in any documents transferring ownership of patents
216 subject to the assurance, provisions sufficient to ensure that the commitments in the
217 assurance are binding on the transferee, and that the transferee will similarly include
218 appropriate provisions in the event of future transfers with the goal of binding each
219 successor-in-interest.

220 The assurance shall also indicate that it is intended to be binding on successors-in-interest
221 regardless of whether such provisions are included in the relevant transfer documents.

222 Such statements should be addressed to: <mailto:dig-comments@nist.gov>.

223	Table of Contents	
224	1. Purpose	2
225	2. Introduction	3
226	3. Definitions and Abbreviations	5
227	4. Federation Assurance Level (FAL)	6
228	4.1. Federation Assurance Level 1 (FAL1)	7
229	4.2. Federation Assurance Level 2 (FAL2)	8
230	4.3. Federation Assurance Level 3 (FAL3)	9
231	4.4. Requesting and Processing xALs	9
232	5. Federation	12
233	5.1. Trust Agreements	13
234	5.1.1. Bilateral Trust Agreements	15
235	5.1.2. Multilateral Trust Agreements	15
236	5.1.3. Proxied Federation	17
237	5.2. Registration	18
238	5.2.1. Manual Registration	19
239	5.2.2. Dynamic Registration	20
240	5.3. Authentication and Attribute Disclosure	21
241	5.3.1. IdP Allowlists of RPs	21
242	5.3.2. IdP Blocklists of RPs	22
243	5.3.3. IdP Runtime Decisions	22
244	5.3.4. RP Allowlists of IdPs	23
245	5.3.5. RP Blocklists of IdPs	23
246	5.3.6. RP Runtime Decisions	23
247	5.4. RP Subscriber Accounts	24
248	5.4.1. Provisioning Models	25
249	5.4.2. Attribute Synchronization	27
250	5.4.3. Provisioning APIs	28
251	5.4.4. Attribute Collection	29
252	5.4.5. Time-based Removal of RP Subscriber Accounts	29

253	5.5. Privacy Requirements	30
254	5.6. Reauthentication and Session Requirements in Federated Environments . .	31
255	5.7. Shared Signaling	32
256	6. Assertions	34
257	6.1. Assertion Binding	36
258	6.1.1. Bearer Assertions	36
259	6.1.2. Bound Authenticators	36
260	6.2. Assertion Protection	42
261	6.2.1. Assertion Identifier	43
262	6.2.2. Signed Assertion	43
263	6.2.3. Encrypted Assertion	43
264	6.2.4. Audience Restriction	44
265	6.2.5. Pairwise Pseudonymous Identifiers	44
266	6.3. Identity APIs	45
267	6.3.1. Attribute Providers	46
268	7. Assertion Presentation	48
269	7.1. Back-Channel Presentation	48
270	7.2. Front-Channel Presentation	51
271	7.3. Protecting Information	52
272	8. Security	53
273	8.1. Federation Threats	53
274	8.2. Federation Threat Mitigation Strategies	54
275	9. Privacy Considerations	56
276	9.1. Minimizing Tracking and Profiling	56
277	9.2. Notice and Consent	57
278	9.3. Data Minimization	58
279	9.4. Agency-Specific Privacy Compliance	58
280	9.5. Blinding in Proxied Federation	59
281	10. Usability Considerations	61
282	10.1. General Usability Considerations	62

283	10.2. Specific Usability Considerations	63
284	10.2.1. User Perspectives on Online Identity	63
285	10.2.2. User Perspectives of Trust and Benefits	64
286	10.2.3. User Mental Models and Beliefs	66
287	11. Equity Considerations	67
288	12. Examples	69
289	12.1. Security Assertion Markup Language (SAML)	69
290	12.2. Kerberos Tickets	70
291	12.3. OpenID Connect	71
292	References	72
293	General References	72
294	Standards	72
295	NIST Special Publications	73
296	Federal Information Processing Standards	73
297	Appendix A. Changelog	74
298	List of Tables	
299	1. Federation Assurance Levels	7
300	2. Federation Threats	54
301	3. Mitigating Federation Threats	55
302	4. Proxy Characteristics	60
303	List of Figures	
304	1. Federation Overview	12
305	2. Federation Authority	16
306	3. Federation Proxy	17
307	4. Manual Registration	19
308	5. Dynamic Registration	20
309	6. Just-In-Time Provisioning	25
310	7. Pre-Provisioning	26
311	8. Ephemeral Provisioning	27
312	9. IdP-Managed Bound Authenticators	38
313	10. RP-Managed Bound Authenticators	39
314	11. Binding Ceremony	41
315	12. Back-channel Presentation	49

316 13. Front-channel Presentation 51

317 **Acknowledgments**

318 The authors would like to thank their fellow collaborators on the current revision of this
319 special publication, Christine Abruzzi, Ryan Galluzzo, Sarbari Gupta, Connie LaSalle,
320 and Diana Proud-Madruga, as well as Kerrienne Buchanan for her contributions and
321 review. The authors would like to also acknowledge the past contributions of Donna F.
322 Dodson, Elaine M. Newton, Ray A. Perlener, W. Timothy Polk, Emad A. Nabbus, Paul A.
323 Grassi, Ellen M. Nadeau, Kristen K. Greene, Mary F. Theofanos, Sarah K. Squire, Jamie
324 M. Danker, Kaitlin Boeckl, Kat Megas, Ben Piccarreta, and Danna Gabel O'Rourke.

325 **1. Purpose**

326 *This section is informative.*

327 This publication and its companion volumes, [SP800-63], [SP800-63A], and
328 [SP800-63B], provide technical guidelines to organizations for the implementation of
329 digital identity services.

330 This document, SP 800-63C, provides requirements to identity providers (IdPs) and
331 relying parties (RPs) of federated identity systems. Federation allows a given IdP to
332 provide authentication attributes and (optionally) subscriber attributes to a number of
333 separately-administered RPs through the use of federation protocols and assertions.
334 Similarly, RPs can use more than one IdP as sources of identities.

2. Introduction

This section is informative.

Federation is a process that allows for the conveyance of authentication attributes and subscriber attributes across networked systems. In a federation scenario, the CSP provides a service known as an identity provider, or IdP. The IdP acts as a verifier for authenticators issued by the CSP. The IdP sends a message, called an assertion, about this authentication event to the RP. The RP receives the assertion provided by the IdP and uses it for authentication and authorization decisions, but the RP does not verify the authenticator directly.

Assertions are verifiable statements from an IdP to an RP that represent an authentication event for a subscriber. Federation is generally used when the RP and the IdP are not a single entity or are not under common administration, though federation can be applied within a single security domain for a variety of reasons. The RP uses the information in the assertion to identify the subscriber and make authorization decisions about their access to resources controlled by the RP.

In a federated identity scenario, the subscriber does not authenticate directly to the RP. Instead, the federation protocol defines a mechanism for an IdP to generate an assertion associated with a subscriber, generally in response to an explicit request from the RP. The IdP is responsible for authenticating the subscriber (though it may use session management as described in [SP800-63B], Sec. 7). The federation process allows the subscriber to obtain services from multiple RPs without the need to hold or maintain separate authenticators at each RP, a process sometimes known as *single sign-on*.

The subscriber is uniquely identified to the RP by a *federated identifier*, which is a logical combination of the *subject identifier* as asserted by the IdP as well as a unique identifier for the IdP itself. This multi-part identifier pattern is required because different IdPs manage their subject identifiers independently, and could therefore potentially collide in their choices of subject identifiers for different subjects. Therefore, it is imperative that an RP never process the subject identifier without taking into account which IdP issued that subject identifier.

An assertion includes a federated identifier for the subscriber, allowing association of the subscriber with their interactions with the RP over multiple authenticated sessions. Assertions may also include attribute values or derived attribute values that further characterize the subscriber and support authorization decisions at the RP. Additional attributes may also be available outside of the assertion as part of the larger federation protocol. These attribute values and derived attribute values are often used in determining access privileges for attribute-based access control (ABAC) or facilitating a transaction (e.g., providing a shipping address).

Federation requires relatively complex multiparty protocols that have subtle security and privacy requirements. When evaluating a particular federation structure, it may be

374 instructive to break it down into its component interactions: the subscriber to the IdP,
375 the IdP to the RP, and the subscriber to the RP. Each party in a federation protocol bears
376 specific responsibilities and expectations that must be fulfilled in order for the federated
377 system to function as intended.

378 The IdP maintains a record for the subscriber that augments the *subscriber account*
379 defined in [SP800-63A] with a set of federation-specific items, including but not limited
380 to the following:

- 381 • One or more external subject identifiers, for use with a federation protocol
- 382 • A set of access rights, detailing which RPs can access which attributes of the
383 subscriber account (such as runtime decisions by the subscriber)
- 384 • Federated account usage information
- 385 • Additional attributes collected or assigned by the IdP to the subscriber

386 The RP often maintains an *RP subscriber account* for the subscriber, which is derived
387 from the augmented subscriber account information disclosed to the RP by the IdP. The
388 RP subscriber account also contains information local to the RP itself, as described in
389 [Sec. 5.4](#).

390 The requirements in this document build on the requirements in the other volumes of
391 these guidelines. Authentication between the subscriber and the IdP will be based on the
392 authentication mechanisms presented in [SP800-63B], while the federation protocol will
393 convey attributes to the RP established at the IdP using procedures in [SP800-63A] (along
394 with other attributes).

395 The following table states which sections of the document are normative and which are
396 informative:

- 397 • 1 Purpose *Informative*
- 398 • 2 Introduction *Informative*
- 399 • 3 Definitions and Abbreviations *Informative*
- 400 • 4 Federation Assurance Level (FAL) *Normative*
- 401 • 5 Federation *Normative*
- 402 • 6 Assertion *Normative*
- 403 • 7 Assertion Presentation *Normative*
- 404 • 8 Security *Informative*
- 405 • 9 Privacy Considerations *Informative*
- 406 • 10 Usability Considerations *Informative*
- 407 • 11 Equity Considerations *Informative*
- 408 • 12 Examples *Informative*
- 409 • References *Informative*

410 **3. Definitions and Abbreviations**

411 See [\[SP800-63\]](#), Appendix A for a complete set of definitions and abbreviations.

4. Federation Assurance Level (FAL)

This section is normative.

This section defines allowable *federation assurance levels* (FALs). The FAL describes requirements for securing federation transactions, including requirements on how relationships between IdPs and RPs are established and how assertions are presented and protected. These levels can be requested by an RP at runtime or required by the configuration of both the RP and the IdP for a given transaction. The FAL provides assurances for the RP receiving the assertion as well as assurances for the IdP creating the assertion to be used by an RP.

While many different federation implementation options are possible, the FAL is intended to provide clear guidance representing increasingly secure deployment options. See [SP800-63] for details on how to choose the most appropriate FAL.

Each FAL is characterized by a set of requirements that increase the security and complexity as the FAL increases. These requirements are listed here and expanded in other sections of this document:

Cryptographic Verifiability

The assertion presented in the federation protocol is traceable back to a specific IdP that issued it, and that connection can be verified with a cryptographic mechanism such as a digital signature or MAC. This also allows the RP to verify that the assertion was not modified or forged. This is required at all FALs.

Audience Restriction

The assertion presented in the federation protocol is targeted to a specific RP and the RP can verify that it is the intended audience of the assertion. This is required at all FALs.

Injection Protection

The RP is strongly protected from an attacker presenting an assertion in circumstances outside a current federation transaction request.

Trust Agreement

The IdP and RP have agreed to participate in a federation transaction with each other for the purposes of logging in the subscriber to the RP. This can be traced back to a static agreement between the parties or occur implicitly from the connection itself.

Registration

The IdP and RP have exchanged identifiers and key material to allow for the verification of assertions and other artifacts during future federation transactions.

446 **Presentation**

447 The assertion can be presented to the RP either on its own (as a bearer assertion) or in
448 concert with a bound authenticator presented by the subscriber.

449 Table 1 provides a non-normative summary of aspects for each FAL. Each successive
450 level subsumes and fulfills all requirements of lower levels (e.g., a federation process at
451 FAL3 can be accepted at FAL2 or FAL1 since FAL3 satisfies all the requirements of these
452 lower levels). Combinations not found in the Table 1 are possible but outside the scope of
453 this volume.

Table 1. Federation Assurance Levels

FAL	Injection Protection	Trust Agreement	Registration	Presentation
1	Recommended	Dynamic or Static	Dynamic or Static	Bearer Assertion
2	Required	Static	Dynamic or Static	Bearer Assertion
3	Required	Static	Static	Assertion and Bound Authenticator

454 At all FALs, all assertions **SHALL** be used with a federation protocol as described in
455 Sec. 5. All assertions **SHALL** comply with the detailed requirements in Sec. 6. All
456 assertions **SHALL** be presented using one of the methods described in Sec. 7. Examples
457 of assertions used in federated protocols include the ID Token in OpenID Connect
458 [OIDC] and assertions written in the Security Assertion Markup Language [SAML].

459 At all FALs, the IdP **SHALL** employ appropriately tailored security controls (to include
460 control enhancements) from the moderate or high baseline of security controls defined in
461 [SP800-53] or equivalent federal (e.g., [FEDRAMP]) or industry standard.

462 **4.1. Federation Assurance Level 1 (FAL1)**

463 At FAL1, the assertion being generated by the IdP **SHALL** meet a core set of
464 requirements defined in Sec. 6, including protection against modification or construction
465 by an attacker by having the assertion contents signed by the IdP using approved
466 cryptography. An RP **SHALL** verify the origin and integrity of the assertion upon receipt,
467 as discussed in Sec. 6, ensuring that the assertion has originated from the expected source.

468 All assertions at FAL1 **SHALL** be audience-restricted to a specific RP or set of RPs, and
469 the RP **SHALL** validate that it is one of the targeted RPs for the given assertion. The
470 IdP **SHALL** ensure that any party holding the assertion, including the RP, is unable to
471 impersonate the IdP at a non-targeted RP by protecting the assertion with a signature
472 and key using approved cryptography. If the assertion is protected by a digital signature

473 using an asymmetric key, the IdP **MAY** use the same public and private key pair to
474 sign assertions to multiple RPs. The IdP **MAY** publish its public key in a verifiable
475 fashion, such as at an HTTPS-protected URL at a well-known location. If the assertion
476 is protected by a keyed message authentication code (MAC) using a shared key, the IdP
477 **SHALL** use a different shared key for each RP.

478 At FAL1, the trust agreement between the IdP and RP **MAY** be established entirely
479 dynamically. For instance, the subscriber can identify their chosen IdP to the RP at
480 runtime, allowing the RP to discover the IdP's parameters and register itself for use by
481 the subscriber. The subscriber is prompted by the IdP to determine which attributes are
482 released to the RP, and for what purposes. In this example, the trust between the IdP and
483 RP is driven entirely by the desires and actions of the subscriber. Note that at FAL1, it is
484 still possible for the trust agreement and registration to happen statically.

485 In existing federation protocols, FAL1 can be implemented with the OpenID Connect
486 Implicit Client profile [OIDC-Implicit], the OpenID Connect Hybrid Client profile in
487 [OIDC], or the SAML Web SSO [SAML-WebSSO] profile with no additional features.
488 In each of these profiles, the assertion is signed by the IdP and the RP is identified in a
489 portion of the assertion covered by the signature.

490 **4.2. Federation Assurance Level 2 (FAL2)**

491 All the requirements for FAL1 apply at FAL2 except where overridden by more specific
492 or stringent requirements here.

493 At FAL2, the assertion **SHALL** also be strongly protected from being injected by an
494 attacker. To accomplish this, the assertion **SHOULD** be presented using back channel
495 presentation as discussed in Sec. 7.1, as in the OpenID Connect Basic Client profile
496 [OIDC-Basic]. In this presentation method, the RP fetches the assertion directly from
497 the IdP by using a single-use assertion reference, thereby preventing an attacker from
498 injecting the assertions through an external access point. If front channel presentation is
499 used as discussed in Sec. 7.2, additional injection protections **SHALL** be implemented by
500 the RP.

501 Regardless of the presentation method used, injection attacks can be further mitigated by
502 always requiring that the federation transaction start at the RP instead of being initiated by
503 the IdP, thereby allowing the RP to associate an incoming assertion with a specific request
504 that the subscriber initiated within a continuous session.

505 At FAL2, the trust agreement between the IdP and RP **SHALL** be established statically,
506 including establishing limits of which attributes are made available to the RP and for what
507 purpose. This trust agreement **MAY** be bilateral between the IdP and RP or **MAY** be
508 managed through the use of a multilateral federation partnership. The registration **MAY**
509 be dynamic, provided that the RP and IdP can prove their connection at runtime to the
510 established trust agreement between them. Such methods for this proof vary by federation

511 protocol, but can include presentation of software attestations and proof of control over
512 URLs at trusted domains.

513 Government-operated IdPs asserting authentication at FAL2 **SHALL** protect keys used
514 for signing or encrypting those assertions with mechanisms validated at [FIPS140] Level
515 1 or higher.

516 **4.3. Federation Assurance Level 3 (FAL3)**

517 All the requirements at FAL1 and FAL2 apply at FAL3 except where overridden by more
518 specific or stringent requirements here.

519 At FAL3, the subscriber **SHALL** authenticate to the RP by presenting an authenticator
520 directly to the RP in addition to presenting an assertion. The authenticator presented is
521 known as a *bound authenticator*, described in Sec. 6.1.2. For example, the subscriber
522 goes through a federated login process at the IdP and RP, and the RP then prompts the
523 subscriber for a bound authenticator that is associated with that RP subscriber account.
524 The bound authenticator presented at FAL3 need not be the same authenticator used by
525 the subscriber to authenticate to the IdP. The assertion is used to identify the subscriber to
526 the RP while the bound authenticator gives very high assurance that the party attempting
527 to log in is the subscriber identified in the assertion. FAL3 is not reached at the RP until
528 the subscriber authenticates with the bound authenticator and the RP verifies that the
529 authenticator presented is correctly bound to the RP subscriber account identified by the
530 assertion.

531 At FAL3, the trust agreement and registration between the IdP and RP **SHALL** be
532 established statically. All identifying key material and federation parameters for all parties
533 (including the list of attributes sent to the RP) **SHALL** be fixed ahead of time, before
534 the federated authentication process can take place. Runtime decisions **MAY** be used to
535 further limit what is sent between parties in the federated authentication process (e.g., a
536 runtime decision could opt to not disclose an email address even though this attribute was
537 included in the parameters of the trust agreement).

538 IdPs asserting authentication at FAL3 **SHALL** protect keys used for signing or encrypting
539 those assertions with mechanisms validated at [FIPS140] Level 1 or higher.

540 **4.4. Requesting and Processing xALs**

541 Since an IdP is capable of asserting the identities of many different subscribers with a
542 variety of authenticators using a variety of federation parameters, the IAL, AAL, and FAL
543 could vary across different federated logins, even to the same RP.

544 The RP **SHALL** be informed of the following information for each federated transaction:

- 545 • The IAL of the subscriber account being presented to the RP, or an indication that
546 no IAL claim is being made

- 547 • The AAL of the currently active session of the subscriber at the IdP, or an
548 indication that no AAL claim is being made
- 549 • The FAL of the federated transaction

550 The RP gets this xAL information from a combination of parameters in the trust
551 agreement as described in [Sec. 5.1](#) and information included in the assertion as described
552 in [Sec. 6](#). If the xAL is unchanging for all messages between the IdP and RP, the xAL
553 information **SHALL** be included in the parameters of the trust agreement between the IdP
554 and RP. If the xAL varies, the information **SHALL** be included as part of the assertion as
555 discussed in [Sec. 6](#).

556 The IdP **MAY** indicate that no claim is made to the IAL or AAL for a given federation
557 transaction. In such cases, no default value is assigned to the resulting xAL. That is to
558 say, a federation transaction without an IAL declaration in either the trust agreement or
559 the assertion is functionally considered to have “no IAL” and the RP cannot assume the
560 account meets “IAL1”, the lowest numbered IAL described in this suite.

561 The RP **SHALL** determine the minimum IAL, AAL, and FAL it is willing to accept for
562 access to any offered functionality. An RP **MAY** vary its functionality based on the IAL,
563 AAL, and FAL of a specific federated authentication. For example, an RP can allow
564 login at AAL2 for common functionality (e.g., viewing the status of a dam system) but
565 require AAL3 be used for higher risk functionality (e.g., changing the flow rates of a
566 dam system). Similarly, an RP could restrict management functionality to only certain
567 subscriber accounts which have been identity proofed at IAL2, while allowing logins
568 from all subscriber accounts regardless of IAL.

569 In a federation process, only the IdP has direct access to the details of the subscriber
570 account, which determines the applicable IAL, and the authentication event at the IdP,
571 which determines the applicable AAL. Consequently, the RP **SHALL** consider the IdP’s
572 declaration of the IAL and AAL as the sole source of these levels for a given federated
573 transaction.

574 The RP **SHALL** ensure that the federation transaction meets the requirements of the FAL
575 declared in the assertion. For example, the RP needs to ensure the presentation method
576 meets the injection protection requirements at FAL2 and above, and that the appropriate
577 bound authenticator is presented at FAL3.

578 IdPs **SHALL** support a mechanism for RPs to specify a set of minimum acceptable xALs
579 as part of the trust agreement and **SHOULD** support the RP specifying a more strict
580 minimum set at runtime as part of the federation transaction. When an RP requests a
581 particular xAL, the IdP **SHOULD** fulfill that request, if possible, and **SHALL** indicate the
582 resulting xAL in the assertion. For example, if the subscriber has an active session that
583 was authenticated at AAL1, but the RP has requested AAL2, the IdP needs to prompt the
584 subscriber for AAL2 authentication to step up the security of the session at the IdP during

585 the subscriber's interaction at the IdP, if possible. The IdP sends the resulting AAL as part
586 of the returned assertion, whether it is AAL1 (the original session) or AAL2 (a stepped-up
587 authentication).

5. Federation

This section is normative.

In a federation protocol, a three-party relationship is formed between the subscriber, the IdP, and the RP, as shown in Figure 1.




Figure 1. Federation Overview

A federation relationship between an IdP and RP is established in a multi-stage process:

1. First, the IdP and RP agree to enter into a trust agreement. This agreement can be bilateral between the parties, **multilateral** at the behest of an authority, or proxied through a trusted party. This step represents initial permission for **the two systems in question** to connect. Parameters of what can be requested and released are

597 established in this step, though the details of which attributes are released to a given
598 RP for a given subscriber can be deferred until a later stage.

599 2. Next, the IdP and RP perform registration to establish their trust at a protocol level,
600 allowing for information to be securely exchanged **between the parties**. While the
601 first step entails a policy decision representing a permission to connect, this step
602 entails establishment of credentials and identifiers representing the IdP and RP to
603 allow communication through the federation protocol. This stage can occur before
604 any subscriber tries to log in to the RP or as a response to a subscriber's attempt to
605 use an IdP at an RP.

606 3. Next, the IdP and RP determine that they want to engage in a federated
607 authentication transaction to authenticate the subscriber. As part of this, **they**
608 **determine which attributes about the subscriber are to be passed from the IdP**
609 **to the RP during this transaction**. The decision made in this step builds on the
610 trust agreement established in the first step and the identities of the RP and IdP
611 established in the second step.

612 4. Finally, the subscriber authenticates to the IdP and the result of that authentication
613 event is asserted to the RP across the network. The RP processes this assertion from
614 the IdP and establishes an authenticated session with the subscriber.

615 In this transaction, the IdP acts as the verifier of the subscriber's authenticators, as
616 described in [SP800-63B]. The authentication event information is carried from the IdP
617 to the RP through the use of an assertion, described in Sec. 6. The IdP can also make
618 statements about identity attributes of the subscriber as part of this assertion or through a
619 secondary identity protocol protected by an authorized credential.

620 5.1. Trust Agreements

621 IdPs that provide authentication services and RPs that consume those services are known
622 as members of a federation. From an IdP's perspective, the federation consists of the RPs
623 that it serves. From an RP's perspective, the federation consists of the IdPs that it uses.
624 This section provides an overview of and requirements for common identity federation
625 models currently in use. In each model, relationships are established between members
626 of the federation. These relationships are established in either a bilateral or multilateral
627 fashion, as described in the following sections.

628 Trust agreements **SHALL** establish the following parameters:

- 629 • The set of **attributes** the IdP can make available to the RP
- 630 • The population of subscriber accounts the IdP can create assertions for
- 631 • The set of attributes the RP will request (a subset of the attributes made available)
- 632 • The purpose for each attribute requested by the RP

- 633 • The authorized party responsible for decisions regarding the release of subscriber
634 attributes
- 635 • The means of informing subscribers about attribute release to the RP
- 636 • The xALs available from the IdP
- 637 • The xALs required by the RP

638 Trust agreements are able to be established either statically or dynamically. In a static
639 establishment, there is often a legal or contractual agreement binding the parties to a set
640 of expected behaviors, rights, and requirements. The parameters of static trust agreements
641 **SHALL** be available to all parties in the agreement, including the operator of the IdP, the
642 operator of the RP, and affected subscribers.

643 In dynamic trust establishment, in contrast, the trust agreement is implicitly defined when
644 the RP and IdP first contact each other for the purposes of a subscriber's login. The
645 expression of the parameters of a dynamic trust agreement is driven by the federation
646 protocol in place, and are not usually tied to a contractual agreement between the
647 federating parties. The parameters of a dynamic trust agreement **SHALL** be disclosed
648 to the subscriber by the RP and the IdP during the federation transaction.

649 The *authorized party* in a trust agreement is the organization, person, or entity that is
650 responsible for the specific release decisions covered by the trust agreement, including
651 the release of subscriber attributes. For a static trust agreement, the authorized party
652 **MAY** be the organization responsible for the IdP. In this case, consent to release
653 attributes is decided for all subscribers **and established by** an allowlist as described in
654 [Sec. 5.3.1](#), allowing for the disclosure of attribute information without direct decisions
655 and involvement by the subscriber. A static trust agreement **MAY** stipulate that an
656 individual, such as the subscriber, is to be prompted at runtime for consent to disclose
657 attributes as discussed in [Sec. 5.3.3](#). Since dynamic trust agreements are established
658 by subscriber actions, the authorized party in a dynamic trust agreement is always the
659 subscriber. Disclosure of attributes in dynamic trust agreements **SHALL** be subject to a
660 runtime decision from the subscriber and **SHALL NOT** be subject to an allowlist at the
661 IdP.

662 For example, a static trust agreement is established for an organization (the IdP)
663 connecting to an enterprise service (the RP) **to be made available to all subscribers**
664 **at the organization on an allowlist.** The authorized party for this trust agreement is
665 the organization. When a subscriber logs in to the enterprise service, they are not
666 prompted with any runtime decisions regarding the service since the static trust agreement
667 establishes this a priori. In a different scenario, another service is made available to all
668 subscribers at the same organization, but the static trust agreement stipulates that the
669 subscriber is the authorized party. When logging in to the service for the first time, each
670 subscriber is prompted for **their consent to release their attributes to the RP.** In another
671 scenario, a dynamic trust agreement is established implicitly when a subscriber goes to

672 access an RP that is otherwise unknown by their IdP. The RP informs the subscriber about
673 the uses of all attributes being requested from the IdP, and the IdP prompts the subscriber
674 for consent to release their attributes to the RP.

675 Establishment of a trust agreement is required for all federation transactions, even those
676 in which the IdP and RP have a shared security domain or shared legal ownership. In
677 such cases, the establishment of the trust agreement is an internal process that can be
678 completed quickly.

679 During the course of a single federation transaction, it is important for the policies and
680 expectations of the IdP and RP to be unambiguous for all parties involved. Therefore,
681 there **SHOULD** be only one set of trust agreements in effect for a given transaction. This
682 will usually be determined by the unique pair consisting of a single IdP and a single
683 RP. However, these agreements could vary in other ways, such as an IdP and RP having
684 different agreements for different populations of subscribers.

685 The existence of a trust agreement between two parties does not preclude the existence
686 of other agreements for each party in the agreement to have with other parties. That is to
687 say, an IdP can have (and generally does have) independent agreements with multiple RPs
688 simultaneously, and an RP can likewise have independent agreements with multiple IdPs
689 simultaneously.

690 **5.1.1. Bilateral Trust Agreements**

691 In a bilateral trust agreement, each potential pairing of an IdP and RP form a trust
692 relationship with each other. In this model, the IdP and RP each act as their own authority
693 and establish the other party as capable of performing its role within the federation.

694 The IdP **SHALL** disclose its supported IAL, AAL, and FAL levels to the RP. The IdP
695 **MAY** disclose a subset of its capabilities to a given RP depending on the needs of the
696 application, for example only disclosing to a low-risk RP that accounts are proofed at
697 IAL1 or better.

698 The RP **SHALL** disclose its list of required attributes to the IdP, including its purpose for
699 use of each requested attribute. The RP **SHALL** communicate its required IAL, AAL,
700 and FAL to the IdP, including whether no claim is required for IAL or AAL.

701 The IdP **SHALL** transmit only those attributes that were explicitly requested by the RP.
702 RPs **SHALL** include their requested attributes in their privacy risk assessment.

703 **5.1.2. Multilateral Trust Agreements**

704 In a multilateral trust agreement, the federated parties defer to a *federation authority*
705 to assist in making federation trust decisions and to establish the working relationship
706 between parties. In this model, the federation authority manages the membership of IdPs
707 and RPs in the federation agreement. The federation authority conducts some level of

708 vetting on each party in the federation to verify compliance with predetermined standards
709 that define the trust agreement. The level of vetting is unique to the use cases and models
710 employed within the federation. This vetting is depicted in the left side of Figure 2.

711 Federation authorities approve IdPs to operate at certain IALs, AALs, and FALs. This
712 information is used by relying parties, as shown in the right side of Figure 2, to determine
713 which identity providers meet their requirements.

714 Federation authorities **SHALL** establish parameters regarding expected and acceptable
715 IALs, AALs, and FALs in connection with the federated relationships they enable.

716 Federation authorities **SHALL** individually vet each participant in the federation to
717 determine whether they adhere to their expected standards.




Figure 2. Federation Authority

718 Vetting of IdPs and RPs **SHALL** establish, as a minimum, that:

- 719 • Assertions generated by IdPs adhere to the requirements in Sec. 6.
- 720 • RPs adhere to requirements for handling subscriber attribute data, such as retention,
721 aggregation, and disclosure to third parties.
- 722 • RP and IdP systems use approved profiles of federation protocols.

723 Federation authorities **MAY** assist the technical connection and configuration process
724 between members, such as by publishing configuration data for IdPs or by issuing
725 software statements for RPs.

726 Most federations managed through authorities have a simple membership model: parties
727 are either in the federation or they are not. More sophisticated federations **MAY** have
728 multiple membership **tiers** that federated parties can use to tell whether other parties in the
729 federation have been more thoroughly vetted. IdPs **MAY** decide that certain subscriber
730 attributes are only releasable to RPs in higher tiers and RPs **MAY** decide to accept certain
731 information only from IdPs in higher tiers.

732 5.1.3. Proxied Federation

733 In a proxied federation, all communication between the IdP and the RP is passed through
734 an intermediary party in a way that prevents direct communication between the two
735 parties. There are multiple methods to achieve this effect. Common configurations
736 include:

- 737 • A third party that acts as a federation proxy (or *broker*)
- 738 • A network of nodes that distributes the communications and functions as a proxy
739 between the endpoints

740 Where proxies are used, they function as an IdP on one side and an RP on the other.
741 Therefore, all normative requirements that apply to IdPs and RPs **SHALL** apply to
742 proxies in their respective roles.




Figure 3. Federation Proxy

743 A proxied federation model can provide several benefits. Federation proxies can simplify
744 technical integration between the RP and IdP by providing a common interface for
745 integration. Additionally, to the extent a proxy effectively blinds the RP and IdP from
746 each other, it can provide some business confidentiality for organizations that want to
747 guard their subscriber lists from each other. Proxies can also mitigate some of the privacy
748 risks described in [Sec. 5.5](#) below.

749 See [Sec. 9.5](#) for further information on blinding techniques, their uses, and limitations.

750 Federations presented through a proxy **SHALL** be represented by the lowest FAL used
751 during the proxied transaction. For example, if a proxy takes in an assertion from the IdP
752 at FAL2 but presents a downstream assertion to the RP at FAL1, the entire transaction is

753 considered FAL1. Likewise if a federation takes in an assertion at FAL1 but presents a
754 downstream assertion to the RP at FAL3, the entire transaction is still considered FAL1.
755 The proxy **SHALL** communicate this aspect to the RP either at runtime or through pre-
756 configuration as part of the trust agreement.

757 **5.2. Registration**

758 Within federation protocols, protocol-specific information such as cryptographic
759 keys, system identifiers, service endpoint URLs, and required access rights need to be
760 established between the IdPs and RPs, allowing them to communicate securely with each
761 other. Furthermore, subscriber-facing information such as system display names and
762 home pages can be established to facilitate trust in and usability of the system. All of this
763 information is used to digitally and programmatically establish trust between the IdP and
764 RP within the scope of the federation protocol.

765 These exchanges of information happen in a pairwise fashion for each IdP and RP
766 communicating within a federation transaction, regardless of the trust agreement
767 underlying that transaction. The two phases of this process are commonly known as
768 *discovery* of the IdP by the RP and *registration* of the RP at the IdP. These processes
769 can happen in a manual, static fashion, where system administrators or developers enter
770 the information into the target systems, or in an automated, dynamic fashion, where the
771 systems themselves exchange information without direct human involvement.

5.2.1. Manual Registration

In the manual registration model, the operators of the IdP and RP manually provision configuration information about parties with which they expect to interoperate, prior to involvement of the subscriber.




Figure 4. Manual Registration

As shown in Figure 4, manual registration involves three steps:

1. The RP's system administrator shares the RP's attributes with the IdP's system administrator, who associates those attributes with the RP.
2. The IdP's system administrator shares the IdP's attributes with the RP's system administrator, who associates those attributes with the IdP.
3. The IdP and RP then communicate using a standard federation protocol.

IdPs and RPs **MAY** act as their own authorities on who to federate with as in Sec. 5.1.1 or **MAY** externalize those authority decisions to an external party as in Sec. 5.1.2.

Protocols requiring the transfer of keying information **SHALL** use a secure method during the registration process to exchange keying information needed to operate the federated relationship, including any shared secrets or public keys. Any symmetric keys used in this relationship **SHALL** be unique to a pair of federation participants.

Federation relationships **SHALL** establish parameters regarding expected and acceptable IALs and AALs in connection with the federated relationship.

5.2.2. Dynamic Registration

In the dynamic registration model of federation, it is possible for relationships between members of the federation to be negotiated at the time of a transaction. This process allows IdPs and RPs to be connected together without manually establishing a connection between them using manual registration (See Sec. 5.2.1). IdPs that support dynamic registration **SHALL** make their configuration information (such as dynamic registration endpoints) available in such a way as to minimize system administrator involvement.




Figure 5. Dynamic Registration

As shown in Figure 5, dynamic registration involves four steps:

1. Discover. The RP goes to a well-known location at the IdP to find the IdP's metadata.
2. Validate. The RP and IdP determine each other's validity. This can be accomplished through keying information, metadata, software statements, or other means.
3. Register RP attributes. The RP sends its attributes to the IdP, and the IdP associates those attributes with the RP.
4. Federation Protocol. The IdP and RP then communicate using a standard federation protocol.

Protocols requiring the transfer of keying information **SHALL** use a secure method during the registration process to establish such keying information needed to operate the federated relationship, including any shared secrets or public keys. Any symmetric keys used in this relationship **SHALL** be unique to a pair of federation participants.

811 IdPs **SHOULD** issue pairwise pseudonymous subject identifiers to dynamically registered
812 RPs, as discussed in [Sec. 6.2.5](#).

813 Where possible, dynamic registration **SHOULD** be augmented by *software statements*
814 anchored in their trust agreement. Software statements are lists of attributes describing the
815 RP software, cryptographically signed by an authority (either the IdP itself, a federation
816 authority as in [Sec. 5.1.2](#), or another trusted party). Software statements allow federated
817 parties to cryptographically verify some attributes of an RP being dynamically registered
818 without necessarily having all of the identifying information for that RP ahead of time.
819 This cryptographically verifiable statement allows the connection to be established or
820 elevated between the federating parties without relying solely on self-asserted attributes.
821 (See [\[RFC7591\]](#) [Sec. 2.3](#) for more information on one protocol's implementation of
822 software statements.)

823 **5.3. Authentication and Attribute Disclosure**

824 Once the IdP and RP have entered into a trust agreement and have completed registration,
825 the federation protocol can be used to pass subscriber attributes from the IdP to the RP.
826 The decision of whether an authentication can occur or attributes may be passed **SHALL**
827 be determined by the authorized party stipulated by the trust agreement, through use of an
828 allowlist, a blocklist, or a runtime decision.

829 A subscriber's attributes **SHALL** be transmitted between IdP and RP only for identity
830 federation transactions or support functions such as identification of compromised
831 subscriber accounts as discussed in [Sec. 5.5](#). A subscriber's attributes are not to be
832 transmitted for any other purposes, even when parties are allowlisted.

833 A subscriber's attributes **SHALL NOT** be used by the RP for purposes other than those
834 stipulated in the trust agreement.

835 The subscriber **SHALL** be informed of the transmission of attributes to an RP. In the case
836 where the authorized party is the organization, the organization **SHALL** make available to
837 the subscriber the list of approved RPs and the associated sets of attributes sent to those
838 RPs. In the case where the authorized party is the subscriber, the subscriber **SHALL** be
839 prompted prior to release of attributes using a runtime decision at the IdP as described in
840 [Sec. 5.3.3](#).

841 The IdP **SHALL** provide effective mechanisms for redress of subscriber complaints
842 or problems (e.g., subscriber identifies an inaccurate attribute value). See [Sec. 10](#) on
843 usability considerations for redress.

844 **5.3.1. IdP Allowlists of RPs**

845 In a static trust agreement, IdPs **MAY** establish allowlists of RPs authorized to receive
846 authentication and attributes from the IdP without a runtime decision from the subscriber.
847 When placing an RP on its allowlist, the IdP **SHALL** ensure that the RP abides by all

848 applicable provisions and requirements in the SP 800-63 guidelines. The IdP **SHALL**
849 determine which identity attributes are passed to the allowlisted RP upon authentication.
850 IdPs **SHALL** make allowlists available to subscribers as described in [Sec. 9.2](#).

851 IdP allowlists **SHALL** uniquely identify RPs through the means of domain names,
852 cryptographic keys, or other identifiers applicable to the federation protocol in use. Any
853 entities that share an identifier **SHALL** be considered equivalent for the purposes of the
854 allowlist. For example, a wildcard domain identifier of “*.example.com” would match
855 the domains “www.example.com”, “service.example.com”, and “unknown.example.com”
856 equally. All three of these sites would be treated as the same RP for disclosure decisions
857 using the allowlist. Allowlists **SHOULD** be as specific as possible to avoid unintentional
858 impersonation of an RP.

859 **5.3.2. IdP Blocklists of RPs**

860 IdPs **MAY** establish blocklists of RPs not authorized to receive authentication assertions
861 or attributes from the IdP, even if requested to do so by the subscriber. If an RP is on an
862 IdP’s blocklist, the IdP **SHALL NOT** produce an assertion targeting the RP in question
863 under any circumstances.

864 IdP blocklists **SHALL** uniquely identify RPs through the means of domain names,
865 cryptographic keys, or other identifiers applicable to the federation protocol in use. Any
866 entities that share an identifier **SHALL** be considered equivalent for the purposes of the
867 blocklist. For example, a wildcard domain identifier of “*.example.com” would match
868 the domains “www.example.com”, “service.example.com”, and “unknown.example.com”
869 equally. All three of these sites would be treated as the same RP for decisions using the
870 blocklist.

871 **5.3.3. IdP Runtime Decisions**

872 Every RP that is in a trust agreement with an IdP but not on an allowlist or a blocklist
873 with that IdP **SHALL** be governed by a default policy in which runtime authorization
874 decisions will be made by an authorized party identified by the trust agreement. In most
875 circumstances, and for practical purposes, the authorized party is the subscriber; however,
876 it is possible for an administrator or other party to be prompted on behalf of the subscriber.
877 Note that in a dynamic trust agreement, only a runtime decision can be used to authorize
878 the release of attributes.

879 In this mode of operation, the authorized party is prompted by the IdP during the
880 federation transaction for their consent to provide an authentication assertion and release
881 specific attributes to the RP on behalf of the subscriber. The IdP **SHALL** provide the
882 authorized party with explicit notice and prompt them for positive confirmation before
883 any attributes about the subscriber are transmitted to the RP. At a minimum, the notice
884 **SHOULD** be provided by the party in the position to provide the most effective notice and
885 obtain confirmation, consistent with [Sec. 9.2](#). The IdP **SHALL** disclose which attributes

886 will be released to the RP if the transaction is approved. If the federation protocol in use
887 allows for optional attribute disclosure at runtime, the authorized party **SHALL** be given
888 the option to decide whether to transmit specific attributes to the RP without terminating
889 the federation transaction entirely.

890 To mitigate the risk of unauthorized exposure of sensitive information (e.g., shoulder
891 surfing), the IdP **SHALL**, by default, mask sensitive information displayed to the
892 authorized party. If the authorized party is the subscriber, the IdP **SHALL** provide
893 mechanisms for the subscriber to temporarily unmask such information in order for the
894 subscriber to view full values before transmission. For more details on masking, see
895 **Sec. 10** on usability considerations.

896 An IdP **MAY** employ mechanisms to remember and re-transmit the exact attribute
897 bundle to the same RP, remembering the authorized party's decision. This mechanism
898 is associated with the subscriber account as managed by the IdP. If such a mechanism is
899 provided, the IdP **SHALL** allow the authorized party to revoke such remembered access
900 at a future time.

901 **5.3.4. RP Allowlists of IdPs**

902 RPs **MAY** establish allowlists of IdPs from which the RP will accept authentication and
903 attributes without a runtime decision from the subscriber. When placing an IdP in its
904 allowlist, the RP **SHALL** ensure that the IdP abides by the provisions and requirements in
905 these guidelines.

906 RP allowlists **SHALL** uniquely identify IdPs through the means of domain names,
907 cryptographic keys, or other identifiers applicable to the federation protocol in use.

908 **5.3.5. RP Blocklists of IdPs**

909 RPs **MAY** also establish blocklists of IdPs that the RP will not accept authentication
910 or attributes from, even when requested by the subscriber. A blocklisted IdP can be
911 otherwise in a valid trust agreement with the RP, for example if both are under the same
912 federation authority.

913 RP blocklists **SHALL** uniquely identify IdPs through the means of domain names,
914 cryptographic keys, or other identifiers applicable to the federation protocol in use.

915 **5.3.6. RP Runtime Decisions**

916 Every IdP that is in a trust agreement with an RP but not on an allowlist or a blocklist
917 with that RP **SHALL** be governed by a default policy in which runtime authorization
918 decisions will be made by the authorized party indicated in the trust agreement. In this
919 mode, the authorized party is prompted by the RP to select or enter which IdP to contact
920 for authentication on behalf of the subscriber. This process can be facilitated through
921 **use** of a discovery mechanism allowing the subscriber to enter a human-facing identifier

922 such as an email address. This process allows the RP to programmatically select the
923 appropriate IdP for that identifier.

924 The RP **MAY** employ mechanisms to remember the authorized party's decision to use
925 a given IdP. Since this mechanism is employed prior to authentication at the RP, the
926 manner in which the RP provides this mechanism (e.g., a browser cookie outside the
927 authenticated session) is separate from the RP subscriber account described in [Sec. 5.4](#). If
928 such a mechanism is provided, the RP **SHALL** allow the authorized party to revoke such
929 remembered options at a future time.

930 **5.4. RP Subscriber Accounts**

931 It is common for an RP to keep a record representing a subscriber local to the RP itself,
932 known as the *RP subscriber account*. The RP subscriber account can contain things like
933 access rights at the RP as well as a cache of identity attributes for the subscriber. An
934 active RP subscriber account is bound to one or more federated identifiers from the RP's
935 trusted IdPs. Successful authentication of one of these federated identifiers through a
936 federation protocol allows the subscriber to access the information and functionality
937 protected by the RP subscriber account.

938 An RP subscriber account is *provisioned* when the RP has associated a set of attributes
939 about the subscriber with a data record representing the subscriber account at the RP.
940 The RP subscriber account **SHALL** be bound to at least one federated identifier, and
941 a given federated identifier is bound to only one RP subscriber account at a given RP.
942 The provisioning can happen prior to authentication or as a result of the federated
943 authentication process, depending on the deployment patterns as discussed in [Sec. 5.4.1](#).
944 Prior to being provisioned, the RP subscriber account does not exist and has no associated
945 data record at the RP.

946 An RP subscriber account is *terminated* when the RP removes all access to the account
947 at the RP. Termination **SHALL** include unbinding any federated identifiers and bound
948 authenticators as well as removing attributes and information associated with the account
949 except what is required for auditing and security purposes. An RP **MAY** terminate an RP
950 subscriber account independently from the IdP for a variety of reasons, regardless of the
951 current validity of the subscriber account from which it is derived.

952 An authenticated session **SHALL** be created by the RP only when the RP has processed
953 and verified a valid assertion from the IdP that is the issuer of the federated identifier
954 associated with the RP subscriber account. If the assertion also requires presentation of
955 a bound authenticator at FAL3, the bound authenticator **SHALL** also be presented and
956 processed before the RP subscriber account is associated with an authenticated session, as
957 discussed in [Sec. 6.1.2](#). Before the federated assertion is processed and after termination
958 of the authenticated session, the RP subscriber account is unauthenticated though it could
959 still be provisioned.

5.4.1. Provisioning Models

The lifecycle of the provisioning process for an RP subscriber account varies depending on factors including the trust agreement discussed in Sec. 5.1 and the deployment pattern of the IdP and RP. However, in all cases, the RP subscriber account SHALL be provisioned at the RP prior to the establishment of an authenticated session at the RP in one of the following ways:

Just-In-Time Provisioning

An RP subscriber account is created automatically the first time the RP receives an assertion with an unknown federated identifier from an IdP. Any identity attributes learned during the federation process, either within the assertion or through an identity API as discussed in Sec. 6.3, MAY be associated with the RP subscriber account. Accounts provisioned in this way are bound to the federated identifier in the assertion used to provision them. This is the most common form of provisioning in federation systems, as it requires the least coordination between the RP and IdP. However, in such systems, the RP SHALL be responsible for managing any cached attributes it might have.




Figure 6. Just-In-Time Provisioning

976 **Pre-provisioning**

977 An RP subscriber account is created by the IdP pushing the attributes to the RP or the
978 RP pulling attributes from the IdP. Pre-provisioning of accounts generally occurs in
979 bulk through a provisioning API as discussed in [Sec. 5.4.3](#), as the provisioning occurs
980 prior to the represented subscribers authenticating through a federated transaction.
981 Pre-provisioned accounts **SHALL** be bound to a federated identifier at the time
982 of provisioning. Any time a particular federated identifier is seen by the RP, the
983 associated account can be logged in as a result. This form of provisioning requires
984 infrastructure and planning on the part of the IdP and RP, but these processes can
985 be facilitated by automated protocols. The RP also collects attributes about users
986 who have not interacted with the RP system yet, which can cause privacy issues.
987 Additionally, the IdP and RP must keep the set of provisioned accounts synchronized
988 over time as discussed in [Sec. 5.4.2](#).




Figure 7. Pre-Provisioning

989 Ephemeral

990 An RP subscriber account is created when processing the assertion, but then the RP
991 subscriber account is terminated when the authenticated session ends. This process
992 is similar to a just-in-time provisioning, but the RP keeps no long-term record of the
993 account when the session is complete, except what is required for audit and security
994 purposes (such as access logs). This form of provisioning is useful for RPs that fully
995 externalize access rights to the IdP, allowing the RP to be more simplified with less
996 internal state. However, this pattern is not common because even the simplest RPs
997 tend to have a need to track state within the application or at least keep a record of
998 actions associated with the federated identifier.




Figure 8. Ephemeral Provisioning

999 Other

1000 Other RP subscriber account provisioning models are possible but the details of
1001 such models are outside the scope of these guidelines. The details of any alternative
1002 provisioning model **SHALL** be included in the privacy risk assessments of the IdP
1003 and RP.

1004 All organizations **SHALL** document their provisioning model as part of their trust
1005 agreement.

1006 5.4.2. Attribute Synchronization

1007 In a federated process, the IdP and RP each have their own stores of identity attributes
1008 associated with the subscriber account. The IdP has a direct view of the subscriber
1009 account, but the RP subscriber account is derived from a subset of attributes from the
1010 subscriber account that are presented during the federation transaction. Therefore, it is
1011 possible for the IdP's and RP's attribute stores to diverge from with each other over time.

1012 From the RP's perspective, the IdP is the authoritative source for any attributes that the
1013 IdP asserts as being associated with the subscriber account at the IdP. However, the RP
1014 **MAY** additionally collect, and optionally verify, other attributes to associate with the RP
1015 subscriber account. Sometimes, these attributes can even override what's asserted by the
1016 IdP. For example, if an IdP asserts a full display name for the subscriber, the RP can allow
1017 the subscriber to provide an alternative preferred name for use at the RP.

1018 The IdP **SHOULD** signal downstream RPs when the attributes of a subscriber account
1019 available to the RP have been updated. This can be accomplished using shared signaling
1020 as described in [Sec. 5.7](#), through a provisioning API as described in [Sec. 5.4.3](#), or by
1021 providing a signal in the assertion (e.g., a timestamp indicating when relevant attributes
1022 were last updated, allowing the RP to determine that its cache is out of date).

1023 The IdP **SHOULD** signal downstream RPs when a subscriber account is terminated, or
1024 when the subscriber account's access to an RP is revoked. This can be accomplished
1025 using shared signaling as described in [Sec. 5.7](#) or through a provisioning API as described
1026 in [Sec. 5.4.3](#). Upon receiving such a signal, the RP **SHALL** terminate the RP subscriber
1027 account and remove all personal information associated with the RP subscriber account,
1028 except what is required for audit and security purposes.

1029 **5.4.3. Provisioning APIs**

1030 As part of some proactive forms of provisioning, the RP can be given access to subscriber
1031 attributes through a general-purpose attribute API known as a *provisioning API*. This
1032 type of API allows an IdP to push attributes for a range of subscriber accounts, and
1033 sometimes allows an RP to query the attributes of these subscriber accounts directly.
1034 Since access to the API is granted outside the context of a federated transaction, access
1035 to the provisioning API for a given subscriber does not indicate to the RP that a given
1036 subscriber has been authenticated. See [Sec. 6, Assertions](#) for more information on how
1037 the federated authentication process is accomplished using assertions.

1038 The attributes in the provisioning API available to a given RP **SHALL** be limited to
1039 only those necessary for the RP to perform its functions. As part of establishing the trust
1040 agreement, the IdP **SHALL** document when an RP is given access to a provisioning API
1041 including at least the following:

- 1042 • the purpose for the access using the provisioning model;
- 1043 • the set of attributes made available to the RP;
- 1044 • whether the API functions as a push to the RP, a pull from the RP, or both; and
- 1045 • the population of subscribers whose attributes are made available to the RP.

1046 The IdP **SHALL** require authentication from the RP for any pull-based access to a
1047 provisioning API. The RP **SHALL** require authentication from the IdP for any push-
1048 based access to a provisioning API.

1049 A provisioning API **SHALL NOT** be made available under a dynamic or implicit trust
1050 agreement. The IdP **SHALL NOT** make a provisioning API available to any RP outside
1051 of an established trust agreement. The IdP **SHALL** provide access to a provisioning
1052 API only as part of a federated identity relationship with an RP to facilitate federated
1053 transactions with that RP and related functions such as signaling revocation of the
1054 subscriber account. The IdP **SHALL** revoke an RP's access to the provisioning API

1055 once access is no longer required by the RP for its functioning purposes or when the
1056 trust agreement is terminated.

1057 Any provisioning API provided to the RP **SHALL** be under the control and jurisdiction
1058 of the IdP. External attribute providers **MAY** be used as information sources by the IdP to
1059 provide attributes through this provisioning API, but the IdP is responsible for the content
1060 and accuracy of the information provided by the referenced attribute providers.

1061 When a provisioning API is in use, the IdP **SHALL** signal to the RP when a subscriber
1062 account has been terminated. When receiving such a signal, the RP **SHALL** terminate the
1063 associated RP subscriber account.

1064 **5.4.4. Attribute Collection**

1065 The RP **MAY** collect and maintain additional attributes from the subscriber beyond
1066 those provided by the IdP. These attributes are governed separately from any federation
1067 agreement since they are collected directly by the RP. All attributes associated with an
1068 RP subscriber account, regardless of their source, **SHALL** be removed when the RP
1069 subscriber account is terminated.

1070 The RP **SHALL** disclose to the subscriber the purpose for collection of any additional
1071 attributes. These attributes **SHALL** be used solely for the stated purposes of the RP's
1072 functionality and **SHALL NOT** have any secondary use, including communication of said
1073 attributes to other parties.

1074 An RP **SHALL** disclose any additional attributes collected, and their use, as part of its
1075 System of Records Notice (SORN). The RP **SHALL** provide an effective means of
1076 redress for the subscriber to update and remove these additionally-collected attributes
1077 from the RP subscriber account. See [Sec. 10](#) on usability considerations for redress.

1078 **5.4.5. Time-based Removal of RP Subscriber Accounts**

1079 Over time, an RP could accumulate RP subscriber accounts that are no longer accessible
1080 from the IdP. This poses a risk to the RP for holding personal information in the RP
1081 subscriber accounts, especially when a just-in-time provisioning model is in use and
1082 no shared signaling is available from the IdP to signal subscriber account termination
1083 as discussed in [Sec. 5.7](#). In such circumstances, the RP **SHOULD** employ a time-based
1084 mechanism to identify RP subscriber accounts for termination that have not been accessed
1085 after a period of time, for example, 120 days since last access.

1086 When processing such an inactive account, the RP **SHALL** provide sufficient notice to
1087 the subscriber, if possible, about the pending termination of the account and provide the
1088 subscriber with an option to re-activate the account prior to its scheduled termination.
1089 Upon termination, the RP **SHALL** remove all personal information associated with the
1090 RP subscriber account, except what is required for audit and security purposes.

1091 **5.5. Privacy Requirements**

1092 The ultimate goal of a subscriber is to interact with and use the RP. Federation involves
1093 the transfer of personal attributes from a third party that is not otherwise involved in a
1094 transaction — the IdP. Federation also potentially gives the IdP broad visibility into
1095 subscriber activities and status. Accordingly, there are specific privacy requirements
1096 associated with federation.

1097 Communication between the RP and the IdP could reveal to the IdP **where** the subscriber
1098 is conducting a transaction. Communication with multiple RPs allows the IdP to build
1099 a profile of subscriber transactions that would not have existed without federation. This
1100 aggregation could enable new opportunities for subscriber tracking and use of profile
1101 information that do not always align with subscribers' privacy interests.

1102 If an IdP discloses information on subscriber activities at an RP to any party, or processes
1103 the subscriber's attributes for any purpose other than identity proofing, authentication,
1104 or attribute assertions (collectively "identity service"), related fraud mitigation, to
1105 comply with law or legal process, or, in the case of a specific user request, to transmit
1106 the information, the IdP **SHALL** implement measures to maintain predictability and
1107 manageability commensurate with the privacy risk arising from the additional processing.
1108 Measures **MAY** include providing clear notice, obtaining subscriber consent, or enabling
1109 selective use or disclosure of attributes. When an IdP uses consent measures, the IdP
1110 **SHALL NOT** make consent for the additional processing a condition of the identity
1111 service.

1112 If the same subscriber account is asserted to multiple RPs, and those RPs communicate
1113 with each other, the colluding RPs could track a subscriber's activity across multiple
1114 applications and security domains. The IdP **SHOULD** employ technical measures, such as
1115 the use of pairwise pseudonymous identifiers described in [Sec. 6.2.5](#) or privacy-enhancing
1116 cryptographic protocols, to provide disassociability and discourage subscriber activity
1117 tracking and profiling between RPs.

1118 An IdP **MAY** disclose information on subscriber activities to RPs for security purposes,
1119 such as communication of suspicious activity or a compromised subscriber account
1120 as described in [Sec. 5.7](#), if stated within the trust agreement. An RP **MAY** disclose
1121 information on subscriber activities to IdPs for security purposes, such as communication
1122 of suspicious activity or a compromised RP subscriber account, if stated within the trust
1123 agreement.

1124 An IdP **SHOULD** signal subscriber account termination to RPs that have been
1125 provisioned with federated identifiers bound to that subscriber account using shared
1126 signaling as discussed in [Sec. 5.7](#). RPs that receive such a signal from the IdP **SHALL**
1127 terminate the RP subscriber account and remove all personal information associated with
1128 the RP subscriber account, except what is required for audit and security purposes.

1129 The following requirements apply specifically to federal agencies:

- 1130 1. The agency **SHALL** consult with their Senior Agency Official for Privacy (SAOP)
1131 to conduct an analysis determining whether the requirements of the Privacy Act are
1132 triggered by the agency that is acting as an IdP, by the agency that is acting as an
1133 RP, or both (see [Sec. 9.4](#)).
- 1134 2. The agency **SHALL** publish or identify coverage by a System of Records Notice
1135 (SORN) as applicable.
- 1136 3. The agency **SHALL** consult with their SAOP to conduct an analysis determining
1137 whether the requirements of the E-Government Act are triggered by the agency that
1138 is acting as an IdP, the agency that is acting as an RP, or both.
- 1139 4. The agency **SHALL** publish or identify coverage by a Privacy Impact Assessment
1140 (PIA) as applicable.

1141 If the RP subscriber account lifecycle process gives the RP access to attributes through
1142 a provisioning API as discussed in [Sec. 5.4.3](#), additional privacy measures **SHALL** be
1143 implemented given the wide nature of information access. Specifically, it is possible
1144 for the attributes of a subscriber to be provided to an RP without the subscriber ever
1145 interacting with the RP in question. As a consequence, when a provisioning API is
1146 used, the IdP **SHALL** minimize the attributes made available to the RP. To prevent the
1147 transmission of attributes for users that will never use an RP, the IdP **SHALL** limit the
1148 population of subscriber accounts available via the provisioning API to the population of
1149 subscribers authorized to use the RP by the trust agreement.

1150 **5.6. Reauthentication and Session Requirements in Federated Environments**

1151 In a federated environment, the RP manages its sessions separately from any sessions
1152 at the IdP. The assertion is related to both sessions but its validity period is ultimately
1153 independent of them. In order for the IdP to create an assertion for the subscriber,
1154 the subscriber needs to establish an authenticated session with the IdP. To create an
1155 authenticated session at the RP, the RP needs to process a valid assertion from the IdP.

1156 Due to the distributed nature of a federated system, the subscriber's sessions with the
1157 IdP and with the RP terminate independently of each other. The RP **SHALL NOT** assume
1158 that the subscriber has an active session at the IdP past the issuance time of the assertion.
1159 The IdP **SHALL NOT** assume that termination of the subscriber's session at the IdP will
1160 propagate to any sessions that subscriber would have at downstream RPs. **The RP and
1161 IdP MAY communicate session termination requests to other parties in the federation
1162 network, if supported by the federation protocol.**

1163 At the time of a federated login request, the subscriber **MAY** have a pre-existing
1164 session at the IdP which **MAY** be used to generate an assertion to the RP. The IdP
1165 **SHALL** communicate any information it has regarding the time of the subscriber's
1166 latest authentication event at the IdP, and the RP **MAY** use this information in making
1167 authorization and access decisions. Depending on the capabilities of the federation

1168 protocol in use, the IdP **SHOULD** allow the RP to request that the subscriber repeat
1169 authentication at the IdP as part of a federation request.

1170 An RP requiring authentication through a federation protocol **SHALL** specify the
1171 maximum acceptable authentication age to the IdP, either through the federation protocol
1172 (if possible) or through the parameters of the trust agreement. The authentication age
1173 represents the time since the last authentication event in the subscriber's session at the
1174 IdP, and the IdP **SHALL** reauthenticate the subscriber if they have not been authenticated
1175 within that time period. The IdP **SHALL** communicate the authentication event time to
1176 the RP to allow the RP to decide if the assertion is sufficient for authentication at the RP
1177 and to determine the time for the next reauthentication event.

1178 If an RP is granted access to an identity API along with the assertion, the lifetime of
1179 the access to the identity API is independent from the lifetime of the assertion itself.
1180 Since access to the identity API is often combined with access to additional APIs, it is
1181 common for this access to be valid long after the assertion has expired and possibly after
1182 the session with the RP has ended, allowing the RP to access APIs on the subscriber's
1183 behalf while the subscriber is no longer present. As a consequence, the RP's ability to
1184 successfully fetch additional attributes through an identity API **SHALL NOT** be used to
1185 establish a session at the RP. Likewise, inability to access an identity API **SHOULD NOT**
1186 be used to end the session at the RP.

1187 See [SP800-63B], Sec. 7 for more information about session management requirements
1188 for both IdPs and RPs.

1189 **5.7. Shared Signaling**

1190 In some environments, it is useful for the IdP and RP to send information to each
1191 other outside of the federation transaction. These signals can communicate important
1192 changes in state between parties that would not be otherwise known. The use of any
1193 shared signaling **SHALL** be documented in the trust agreement between the IdP and
1194 RP. Signaling from the IdP to the RP **SHALL** require a static trust agreement. Signaling
1195 from the RP to the IdP **MAY** be used in a static or dynamic trust agreement.

1196 Any use of shared signaling **SHALL** be documented and made available to the authorized
1197 party stipulated by the trust agreement. This documentation **SHALL** include the events
1198 under which a signal is sent, the information included in such a signal (including any
1199 attribute information), and any additional parameters sent with the signal. The use of
1200 shared signaling **SHALL** be subject to privacy review under the trust agreement.

1201 The IdP **MAY** send a signal regarding the following changes to the subscriber account:

- 1202 • The account has been terminated.
- 1203 • The account is suspected of being compromised.

1204 • Attributes of the account, including identifiers other than the federated identifier
1205 (such as email address or certificate CN), have changed.

1206 • The possible range of IAL, AAL, or FAL for the account has changed.

1207 The RP **MAY** send a signal regarding the following changes to the RP subscriber
1208 account:

1209 • The account has been terminated.

1210 • The account is suspected of being compromised.

1211 • An RP-managed bound authenticator is added.

1212 • An RP-managed bound authenticator is removed.

1213 Additional signals from both the IdP and RP **MAY** be allowed subject to privacy and
1214 security review as part of the trust agreement.

1215 **6. Assertions**

1216 *This section is normative.*

1217 An assertion used for authentication is a packaged set of attribute values or derived
1218 attribute values about or associated with an authenticated subscriber that is passed
1219 from the IdP to the RP in a federated identity system. Assertions contain a variety of
1220 information, including: assertion metadata, attribute values and derived attribute values
1221 about the subscriber, information about the subscriber's authentication at the IdP, and
1222 other information that the RP can leverage (e.g., restrictions and validity time window).
1223 While the assertion's primary function is to authenticate the user to an RP, the information
1224 conveyed in the assertion can be used by the RP for a number of use cases — for example,
1225 authorization or personalization of a website. These guidelines do not restrict RP use
1226 cases nor the type of protocol or data payload used to federate an identity, provided the
1227 chosen solution meets all mandatory requirements contained herein.

1228 Assertions **SHALL** represent a discrete authentication event of the subscriber at the IdP
1229 and **SHALL** be processed as a discrete authentication event at the RP.

1230 All assertions **SHALL** include the following attributes:

- 1231 1. Subject identifier: An identifier for the party to which the assertion applies (i.e., the
1232 subscriber).
- 1233 2. Issuer identifier: An identifier for the issuer of the assertion (i.e., the IdP).
- 1234 3. Audience identifier: An identifier for the party intended to consume the assertion
1235 (i.e., the RP).
- 1236 4. Issuance time: A timestamp indicating when the IdP issued the assertion.
- 1237 5. Validity time window: A period of time outside of which the assertion **SHALL NOT**
1238 be accepted as valid by the RP for the purposes of authenticating the subscriber and
1239 starting an authenticated session at the RP. This is usually communicated by means
1240 of an expiration timestamp for the assertion in addition to the issuance timestamp.
- 1241 6. Assertion identifier: A value uniquely identifying this assertion, used to prevent
1242 attackers from replaying prior assertions.
- 1243 7. Signature: Digital signature or message authentication code (MAC), including key
1244 identifier or **public key associated with the IdP**, covering the entire assertion.
- 1245 8. Authentication time: A timestamp indicating when the IdP last verified the presence
1246 of the subscriber at the IdP through a primary authentication event (if available).
- 1247 9. IAL: Indicator of the IAL of the subscriber account being represented in the
1248 assertion, or an indication that no IAL is asserted.
- 1249 10. AAL: Indicator of the AAL used when the subscriber authenticated to the IdP, or an
1250 indication that no AAL is asserted.

1251 11. FAL: An indicator of the IdP's intended FAL of the federation process represented
1252 by the assertion.

1253 If the assertion is used at FAL3 with a bound authenticator as described in [Sec. 6.1.2](#), the
1254 assertion **SHALL** include the following:

1255 1. Authenticator binding: The public key, key identifier, or other identifier of
1256 subscriber-held bound authenticator (for IdP-managed bound authenticators) or
1257 indicator that an RP-managed bound authenticator is required for verification of this
1258 assertion.

1259 Assertions **MAY** also include additional items, including the following information:

- 1260 1. Attribute values and derived attribute values: Information about the subscriber.
1261 2. Attribute metadata: Additional information about one or more subscriber attributes,
1262 such as those described in NIST Internal Report 8112 [[NISTIR8112](#)].

1263 Assertions **SHOULD** specify the AAL when an authentication event is being asserted and
1264 IAL when identity-proofed attributes (or values derived from those attributes) are being
1265 asserted.

1266 All metadata within the assertion **SHALL** be validated by the RP upon receipt:

- 1267 • *Issuer verification*: ensuring the assertion was issued by the IdP the RP expects it to
1268 be from.
- 1269 • *Signature validation*: ensuring the signature of the assertion is valid and
1270 corresponds to a key belonging to the IdP sending the assertion.
- 1271 • *Time validation*: ensuring the expiration and issue times are within acceptable limits
1272 of the current timestamp.
- 1273 • *Audience restriction*: ensuring this RP is the intended recipient of the assertion.

1274 An RP **SHALL** treat subject identifiers as not inherently globally unique. Instead, the
1275 value of the assertion's subject identifier is usually in a namespace under the assertion
1276 issuer's control. This allows an RP to talk to multiple IdPs without incorrectly conflating
1277 subjects from different IdPs.

1278 Assertions **MAY** include additional attributes about the subscriber. [Section 6.2.3](#) contains
1279 privacy requirements for presenting attributes in assertions. The RP **MAY** be given
1280 limited access to an identity API as discussed in [Sec. 6.3](#) along with the assertion, which
1281 the RP can use to fetch additional identity attributes for the subscriber.

1282 Although details vary based on the exact federation protocol in use, an assertion
1283 represents a discrete login event to the RP. The validity time window of an assertion
1284 is related to but separate from any session management at the IdP or RP. Specifically,
1285 an assertion is created during an authenticated session at the IdP, and processing an

1286 assertion creates an authenticated session at the RP. After the IdP creates the assertion,
1287 the validity of the IdP's session is independent of the validity of the assertion. If a request
1288 comes to the IdP for a repeated authentication while the session is still valid at the IdP,
1289 this results in a new and separate assertion being created with its own validity time
1290 window. Similarly, after the RP consumes the assertion, the validity of the RP's session is
1291 independent of the validity of the assertion. Access granted to an identity API is likewise
1292 independent of the validity of the assertion or the lifetime of the authenticated session at
1293 the RP. See [Sec. 5.3](#) for more information on session management.

1294 The assertion's validity time window is the time between its issuance and its expiration.
1295 This window needs to be large enough to allow the RP to process the assertion and create
1296 a local application session for the subscriber, but should not be longer than necessary
1297 for such establishment. Long-lived assertions have a greater risk of being stolen or
1298 replayed; a short assertion validity time window mitigates this risk. Assertion validity
1299 time windows **SHALL NOT** be used to limit the session at the RP. See [Sec. 5.3](#) for more
1300 information.

1301 **6.1. Assertion Binding**

1302 Assertion binding can be classified based on whether presentation by a claimant of an
1303 assertion is sufficient for binding to the party currently in session with the RP as the
1304 subscriber, or if the RP requires additional proof through the successful presentation of an
1305 authenticator bound to the subscriber.

1306 **6.1.1. Bearer Assertions**

1307 A bearer assertion can be presented by any party as proof of the bearer's identity.
1308 Similarly, a bearer assertion reference can be presented by any party to the RP and used
1309 by the RP to fetch an assertion; the assertion in this instance is also considered a bearer
1310 assertion. If an attacker can capture or manufacture a valid assertion or assertion reference
1311 representing a subscriber and can successfully present that assertion or reference to the
1312 RP, then the attacker could be able to impersonate the subscriber at that RP.

1313 Note that mere possession of a bearer assertion or reference is not always enough to
1314 impersonate a subscriber. For example, if an assertion is presented in the back-channel
1315 federation model (described in [Sec. 7.1](#)), additional controls **MAY** be placed on the
1316 transaction (such as identification of the RP and assertion injection protections) that help
1317 further protect the RP from fraudulent activity.

1318 **6.1.2. Bound Authenticators**

1319 A **bound authenticator is an authenticator** presented to the RP by the subscriber alongside
1320 the assertion. In proving possession of the bound authenticator to the RP, the subscriber
1321 also proves with a certain degree of assurance that they are the rightful subject of the
1322 assertion. It is more difficult for an attacker to use a stolen assertion issued to a subscriber

1323 since the attacker would need to steal the bound authenticator as well as the assertion and
1324 be able to present them together. Furthermore, use of a bound authenticator protects the
1325 RP against malicious or compromised IdPs through the use of independent authentication.

1326 A bound authenticator **SHALL** be unique per subscriber at the RP such that two
1327 subscribers cannot present the same authenticator for their separate RP subscriber
1328 accounts. All bound authenticators **SHALL** be phishing resistant. Consequently,
1329 subscriber-chosen values such as a memorized secret cannot be used as bound
1330 authenticators. The RP **SHALL** accept authentication from a bound authenticator only in
1331 the context of processing an assertion. Consequently, the subscriber **can not** use a bound
1332 authenticator to log into the RP directly, bypassing the IdP in the process.

1333 A bound authenticator can be managed by either the IdP or the RP under different
1334 circumstances, as detailed in the sections below. An FAL3 assertion contains an
1335 indication of whether the IdP expects the subscriber to present a specific IdP-managed
1336 bound authenticator or an RP-managed bound authenticator at the RP to reach FAL3.

1337 **6.1.2.1. IdP-Managed Bound Authenticators**

1338 When the bound authenticator is managed by the IdP as in [Fig. 9](#), a unique identifier for
1339 the authenticator (such as its public key) **SHALL** be included in the assertion presented to
1340 the RP. The RP **SHALL** prompt the subscriber to prove possession of the identified bound
1341 authenticator.

1342 An IdP-managed bound authenticator **MAY** be distinct from the primary authenticator
1343 the subscriber uses to authenticate to the IdP. Bound authenticators managed at the IdP
1344 **SHALL** be phishing resistant and **SHALL** be independently dereferenceable by the RP
1345 based on a mutually-trusted security framework, such as a public-key infrastructure.
1346 When processing an IdP-managed bound authenticator for the first time, the RP **SHOULD**
1347 verify whether the authenticator being presented is appropriate to be associated with
1348 the subscriber account, such as through account resolution from the attributes in the
1349 authenticator's presented information.

1350 For example, a subscriber could have a smart card loaded with a certificate, which is a
1351 multi-factor cryptographic device. Since the certificate can be presented to both the IdP
1352 and the RP, the IdP can include an identifier for the certificate in the FAL3 assertion to the
1353 RP. The RP would then prompt the subscriber to present the certificate from their smart
1354 card in order to reach FAL3.

1355 "Holder of Key" (HoK) assertions are one example of IdP-managed bound authenticators,
1356 since the IdP knows the subscriber's key to be used at the RP and includes the key
1357 information in the assertion presented to the RP.




Figure 9. IdP-Managed Bound Authenticators

1358 **6.1.2.2. RP-Managed Bound Authenticators**

1359 When the bound authenticator is managed by the RP as in Fig. 10, the IdP **SHALL**
1360 include an indicator in the assertion that the assertion is to be used with a bound
1361 authenticator at FAL3. The unique identifier for the authenticator (such as its public key)
1362 **SHALL** be stored in the RP subscriber account.




Figure 10. RP-Managed Bound Authenticators

1363 Before an RP can successfully accept an FAL3 assertion, the RP subscriber account must
1364 include a bound authenticator. These authenticators can be provided by either the RP or
1365 the subscriber, with slightly different requirements applying to the initial binding of the
1366 authenticator to the RP subscriber account in each case.

1367 For RP-provided authenticators, the administrator of the RP **SHALL** issue the

1368 authenticator to the subscriber directly for use with an FAL3 login. The administrator of
1369 the RP **SHALL** store a unique identifier for the bound authenticator in the RP subscriber
1370 account. The administrator of the RP **SHALL** determine through independent means that
1371 the party to which the authenticator is issued is the identified subject of the RP subscriber
1372 account.

1373 For subscriber-provided authenticators, if no bound authenticators are associated with
1374 the RP subscriber account, the RP **SHALL** perform a binding ceremony to establish the
1375 connection between the authenticator, the subscriber, and the RP subscriber account as
1376 shown in Fig. 11. The RP **SHALL** first establish an authenticated session using federation
1377 with an assertion that meets all the other requirements of FAL3, including an indication
1378 that the assertion is intended for use at FAL3 with an RP-managed bound authenticator.
1379 The subscriber **SHALL** immediately be prompted to present and authenticate with the
1380 proposed authenticator. Upon successful presentation of the authenticator, the RP **SHALL**
1381 store a unique identifier for the authenticator (such as its public key) and associate this
1382 with the RP subscriber account associated with the federated identifier. If the subscriber
1383 fails to successfully present an appropriate authenticator, the binding ceremony fails. The
1384 binding ceremony session **SHALL** have a timeout of five minutes or less. The session
1385 used during the ceremony is not an authenticated session for the purposes of logging
1386 in. Upon successful completion of the binding ceremony, the RP **SHALL** immediately
1387 request a new assertion from the IdP at FAL3, including prompting the subscriber for the
1388 newly-bound authenticator.

1389 An RP **MAY** allow a subscriber to bind multiple subscriber-provided authenticators at
1390 FAL3. If this is the case, and the RP subscriber account has one or more existing bound
1391 authenticators, the binding ceremony makes use of the existing ability to reach FAL3.
1392 The subscriber **SHALL** first be prompted to present an existing bound authenticator to
1393 reach FAL3. Upon successful authentication, the RP **SHALL** immediately prompt the
1394 subscriber for the newly-bound authenticator.

1395 An RP **MAY** allow a subscriber to **unbind** a bound subscriber-provided authenticator
1396 from their RP subscriber account, thereby removing the ability to use that authenticator
1397 for FAL3. When a bound authenticator is unbound, the RP **SHALL** terminate all
1398 current FAL3 sessions for the subscriber and **SHALL** require reauthentication of the
1399 subscriber from the IdP. Note that in many cases, a subscriber will need to unbind a bound
1400 authenticator to account for a lost or compromised authenticator, and the subscriber will
1401 therefore not have access to the authenticator during the unbinding process.




Figure 11. Binding Ceremony
41

1402 The RP **SHALL** notify the subscriber through an out-of-band mechanism, and **SHOULD**
1403 notify the IdP using a shared signaling system (see [Sec. 5.7](#)), if any of the following
1404 events occur:

- 1405 • A new authenticator is bound to the RP subscriber account.
- 1406 • An existing bound authenticator is unbound from the RP subscriber account.

1407 For example, a subscriber could have a single factor cryptographic device as an
1408 authenticator. This authenticator uses name-based phishing resistance so the IdP and RP
1409 would see different keys when used in each location. The RP can use a binding ceremony
1410 as described here to allow the subscriber to use this device as a bound authenticator
1411 at FAL3. The RP will prompt the subscriber for this authenticator whenever it sees an
1412 assertion for this subscriber at FAL3 from the IdP.

1413 **6.1.2.3. Processing Bound Authenticators**

1414 When the RP receives an assertion associated with a bound authenticator, the
1415 subscriber proves possession of the bound authenticator directly to the RP. The primary
1416 authentication at the IdP and the federated authentication at the RP are processed
1417 separately. While the subscriber could use the same authenticator during the primary
1418 authentication at the IdP and as the bound authenticator at the RP, there is no assumption
1419 that these will be the same.

1420 The following requirements apply to all assertions associated with a bound authenticator:

- 1421 1. The subscriber **SHALL** prove possession of the bound authenticator to the RP, in
1422 addition to presentation of the assertion itself.
- 1423 2. **If the authenticator is managed at the IdP**, reference to a given authenticator found
1424 within an assertion **SHALL** be trusted at the same level as all other information
1425 within the assertion.
- 1426 3. If the authenticator is managed at the IdP, the assertion **SHALL NOT** include an
1427 unencrypted private or symmetric key to be used as an authenticator with the
1428 presentation.
- 1429 4. The RP **SHALL** process and validate the assertion in addition to the bound
1430 authenticator.
- 1431 5. Failure to authenticate with the bound authenticator **SHALL** result in an error at the
1432 RP.

1433 **6.2. Assertion Protection**

1434 Independent of the binding mechanism (discussed in [Sec. 6.1](#)) or the federation model
1435 used to obtain them (described in [Sec. 5.1](#)), assertions **SHALL** include a set of protections
1436 to prevent attackers from manufacturing valid assertions or reusing captured assertions at
1437 disparate RPs. The protections required are dependent on the details of the use case being
1438 considered, and specific protections are listed here.

1439 **6.2.1. Assertion Identifier**

1440 Assertions **SHALL** be sufficiently unique to permit unique identification by the target
1441 RP. Assertions **MAY** accomplish this by use of an embedded nonce, issuance timestamp,
1442 assertion identifier, or a combination of these or other techniques.

1443 **6.2.2. Signed Assertion**

1444 Assertions **SHALL** be cryptographically signed by the issuer (IdP). The RP **SHALL**
1445 **validate the digital signature or MAC of each such assertion based on the issuer's key.**
1446 This signature **SHALL** cover the entire assertion, including its identifier, issuer, audience,
1447 subject, and expiration.

1448 The assertion signature **SHALL** either be a digital signature using asymmetric keys or a
1449 MAC using a symmetric key shared between the RP and issuer. Shared symmetric keys
1450 used for this purpose by the IdP **SHALL** be independent for each RP to which they send
1451 assertions, and are normally established during registration of the RP. Public keys for
1452 verifying digital signatures **SHALL** be transferred to the RP in a secure manner, and
1453 **MAY** be fetched by the RP in a secure fashion at runtime, such as through an HTTPS
1454 URL hosted by the IdP. Approved cryptography **SHALL** be used.

1455 **6.2.3. Encrypted Assertion**

1456 Encrypted assertions protect the contents of the assertion from being read by unintended
1457 parties, ensuring that only the targeted RP is able to read the assertion. Encrypting
1458 assertions provides two primary benefits: the assertion contents cannot be seen by any
1459 party other than the intended RP, and the assertion cannot be used by any RP other than
1460 the targeted one.

1461 When encrypting assertions, the IdP **SHALL** encrypt the contents of the assertion using
1462 **either the RP's public key or a shared symmetric key.** Shared symmetric keys used
1463 for this purpose by the IdP **SHALL** be independent for each RP to which they send
1464 assertions, and are normally established during registration of the RP. **Public keys for**
1465 **encryption SHALL** be securely transferred to the IdP and **MAY** be fetched by the IdP in
1466 a secure fashion at runtime, such as through an HTTPS URL hosted by the RP.

1467 All encryption of assertions **SHALL** use approved cryptography.

1468 When personally-identifiable information is included in the assertion and the assertion
1469 is handled by intermediaries such as a browser, the federation protocol **SHALL** encrypt
1470 assertions to protect the sensitive information in the assertion from leaking to unintended
1471 parties. For example, a SAML assertion can be encrypted using XML-Encryption, or an
1472 OpenID Connect ID Token can be encrypted using JSON Web Encryption (JWE).

1473 **6.2.4. Audience Restriction**

1474 Assertions **SHALL** use audience restriction techniques to allow an RP to recognize
1475 whether or not it is the intended target of an issued assertion. All RPs **SHALL** check
1476 that the audience of an assertion contains an identifier for their RP to prevent the injection
1477 and replay of an assertion generated for one RP at another RP.

1478 **6.2.5. Pairwise Pseudonymous Identifiers**

1479 In some circumstances, it is desirable to prevent the subscriber account from being easily
1480 linked at multiple RPs through use of a common identifier. A pairwise pseudonymous
1481 identifier (PPI) allows an IdP to provide multiple distinct federated identifiers to different
1482 RPs for a single subscriber account. This prevents different RPs from colluding together
1483 to track the subscriber using the federated identifier.

1484 **6.2.5.1. General Requirements**

1485 When using pairwise pseudonymous identifiers within the assertions generated by the
1486 IdP for the RP, the IdP **SHALL** generate a different federated identifier for each RP as
1487 described in [Sec. 6.2.5.2](#) below.

1488 When PPIs are used with RPs alongside attributes, it may still be possible for multiple
1489 colluding RPs to re-identify a subscriber by correlation across systems using these
1490 identity attributes. For example, if two independent RPs each see the same subscriber
1491 identified with different pairwise pseudonymous identifiers, they could still determine
1492 that the subscriber is the same person by comparing the name, email address, physical
1493 address, or other identifying attributes carried alongside the pairwise pseudonymous
1494 identifier in the respective assertions. Privacy policies **SHOULD** prohibit such correlation,
1495 and pairwise pseudonymous identifiers can increase effectiveness of these policies by
1496 increasing the administrative effort in managing the attribute correlation.

1497 Note that in a proxied federation model, the initial IdP may be unable to generate a
1498 pairwise pseudonymous identifier for the ultimate RP, since the proxy could blind the
1499 IdP from knowing which RP is being accessed by the subscriber. In such situations,
1500 the pairwise pseudonymous identifier is generally established between the IdP and
1501 the federation proxy itself. The proxy, acting as an IdP, can **itself** provide pairwise
1502 pseudonymous identifiers to downstream RPs. Depending on the protocol, the federation
1503 proxy may need to map the pairwise pseudonymous identifiers back to the associated
1504 identifiers from upstream IdPs in order to allow the identity protocol to function. In
1505 such cases, the proxy will be able to track and determine which pairwise pseudonymous
1506 identifiers represent the same subscriber at different RPs. The proxy **SHALL NOT**
1507 disclose the mapping between the pairwise pseudonymous identifier and any other
1508 identifiers to a third party or use the information for any purpose other than federated
1509 authentication, related fraud mitigation, to comply with law or legal process, or in the
1510 case of a specific user request for the information.

1511 **6.2.5.2. Pairwise Pseudonymous Identifier Generation**

1512 Pairwise pseudonymous identifiers **SHALL** contain no identifying information about
1513 the subscriber. They **SHALL** also be unguessable by a party having access to some
1514 information identifying the subscriber. Pairwise pseudonymous identifiers **MAY** be
1515 generated randomly and assigned to subscribers by the IdP or **MAY** be derived from
1516 other subscriber information if the derivation is done in an irreversible, unguessable
1517 manner (e.g., using a keyed hash function with a secret key).

1518 Normally, the identifiers **SHALL** only be known by and used by one pair of endpoints
1519 (e.g., IdP-RP). An IdP **MAY** generate the same identifier for a subscriber at multiple RPs
1520 at the request of those RPs, provided:

- 1521 • The trust agreement stipulates a shared pseudonymous identifier for a specific
1522 family of RPs;
- 1523 • The authorized party consents to and is notified of the use of a shared
1524 pseudonymous identifier;
- 1525 • Those RPs have a demonstrable relationship that justifies an operational need for
1526 the correlation, such as a shared security domain or shared legal ownership; and
- 1527 • All RPs sharing an identifier consent to being correlated in such a manner (i.e., one
1528 RP cannot request to have another RP's PPI without that other RP's knowledge and
1529 consent).

1530 The RPs **SHALL** conduct a privacy risk assessment to consider the privacy risks
1531 associated with requesting a common identifier. See [Sec. 9.2](#) for further privacy
1532 considerations.

1533 The IdP **SHALL** ensure that only intended RPs are correlated; otherwise, a rogue RP
1534 could learn of the pseudonymous identifier for a set of correlated RPs by fraudulently
1535 posing as part of that set.

1536 **6.3. Identity APIs**

1537 Attributes about the subscriber, including profile information, **MAY** be provided to the
1538 RP through a protected *attribute API* known as the *identity API*. The RP is granted limited
1539 access to the identity API during the federation transaction, in concert with the assertion.
1540 For example, in OpenID Connect, the UserInfo Endpoint provides a standardized identity
1541 API for fetching attributes about the subscriber. This API is protected by an OAuth 2.0
1542 Access Token, which is issued to the RP along with OpenID Connect's assertion, the ID
1543 Token. The use of identity APIs along with federation assertions has several advantages
1544 for the overall security, privacy, and efficiency of the federation system.

1545 By making attributes available at an identity API, the IdP no longer has to use the
1546 assertion to convey as much information to the RP. This not only means that sensitive
1547 attributes do not have to be carried in the assertion itself, it also makes the **assertion**

1548 smaller and easier to process by the RP. The contents of the assertion can then be limited
1549 to essential fields (e.g., unique subject identifiers) and information about the immediate
1550 authentication event being asserted.

1551 The RP often caches attributes provided by the IdP in an RP subscriber account, discussed
1552 in [Sec. 5.4](#). Attributes provided in the assertion are passed on every login, and since the
1553 RP does not know the identity of the subscriber before the attribute is requested, the IdP
1554 is incentivized to include as much information as possible in the assertion itself. However,
1555 most of a subscriber's attributes will not change in between subsequent logins, making
1556 this information redundant. As a consequence, most of these more-stable attributes can
1557 instead be made available through an identity API that is called by the RP only when
1558 necessary. The IdP can indicate in the assertion when the last time the subscriber's
1559 attributes have been updated in the subscriber account, allowing the RP to decide if it
1560 needs to fetch the attributes anew or if those in the RP subscriber account are sufficient.

1561 Access to the identity API **SHALL** be time limited. The time limitation is separate from
1562 the validity time window of the assertion and the lifetime of the authenticated session
1563 at the RP. Access to an identity API by the RP without an associated valid assertion
1564 **SHALL NOT** be sufficient for the establishment of an authenticated session at the RP.

1565 A given identity API deployment is expected to be capable of providing attributes for all
1566 subscribers for whom the IdP can create assertions. However, when access to the identity
1567 API is granted within the context of a federation transaction, the attributes provided
1568 by an identity API **SHALL** be associated with only the single subscriber identified in
1569 the associated assertion. If the identity API is hosted by the IdP, the returned attributes
1570 **SHALL** include the subject identifier for the subscriber. This allows the RP to positively
1571 correlate the assertion's subject to the returned attributes. Note that when access to
1572 an attribute API is provided as part of pre-provisioning of RP subscriber accounts as
1573 discussed in [Sec. 5.4.1](#), the RP is usually granted blanket access to the identity API
1574 outside the context of the federated transaction and these requirements do not apply.

1575 **6.3.1. Attribute Providers**

1576 While most attribute APIs used in federation are hosted as part of the IdP, it is also
1577 possible for the IdP to grant access to identity APIs hosted by external attribute providers.
1578 These services provide attributes about the subscriber in addition to those made available
1579 directly from the IdP.

1580 When the IdP grants access to an attribute provider, the IdP is making an explicit
1581 statement that the information returned from the attribute provider is associated with the
1582 subscriber identified in the associated assertion. For the purposes of the trust agreement,
1583 the IdP is the responsible party for the accuracy and content of the attribute API.

1584 The attributes returned by the attribute provider are assumed to be independent of those
1585 returned directly from the IdP, and as such **MAY** use different identifiers, formats, or

1586 schemas. The RP **SHALL** verify that the identified attribute provider is capable of
1587 providing the kinds of attributes that are present, under the auspices of the applicable
1588 trust agreement.

1589 For example, an IdP could provide access to a subscriber's medical license information as
1590 part of the federation process. Instead of the IdP asserting the license status directly, the
1591 IdP provides the RP access to a record for the subscriber at a medical licensure agency.
1592 The RP can make a strong association between the current subscriber and the license
1593 record, even though the license record will not likely use the same subject identifier that
1594 the IdP does in this case.

1595 **7. Assertion Presentation**

1596 *This section is normative.*

1597 Depending on the specifics of the protocol, the RP and the IdP communicate with each
1598 other in two ways, which lends to two different ways in which an assertion can be passed
1599 from the IdP to the RP:

- 1600 • The *front channel*, through redirects involving the subscriber and the subscriber's
1601 browser; or
- 1602 • The *back channel*, through a direct connection between the RP and IdP, not
1603 involving the subscriber directly.

1604 There are tradeoffs with each model, but each requires the proper validation of the
1605 assertion. Assertions **MAY** also be proxied to facilitate federation between IdPs and
1606 RPs using different presentation methods, as discussed in detail in [Sec. 5.1.3](#).

1607 **7.1. Back-Channel Presentation**

1608 In the *back-channel* presentation model, the subscriber is given an assertion reference
1609 to present to the RP, generally through the front channel. The assertion reference itself
1610 contains no information about the subscriber and **SHALL** be resistant to tampering and
1611 fabrication by an attacker. The RP presents the assertion reference to the IdP, usually
1612 along with authentication of the RP itself, to fetch the assertion.

1613 As shown in [Figure 12](#), the back-channel presentation model consists of three steps:

- 1614 1. The IdP sends an assertion reference to the subscriber through the front channel.
- 1615 2. The subscriber sends the assertion reference to the RP through the front channel.
- 1616 3. The RP presents the assertion reference and its RP credentials to the IdP through
1617 the back channel. The IdP validates the credentials and returns the assertion.

1618 The assertion reference:

- 1619 1. **SHALL** be limited to use by a single RP.
- 1620 2. **SHALL** be single-use.
- 1621 3. **SHALL** be time limited, and **SHOULD** have a lifetime of no more than a small
1622 number of minutes in length.
- 1623 4. **SHALL** be presented along with authentication of the RP to the IdP.
- 1624 5. **SHALL** contain at least 128 bits of entropy.




Figure 12. Back-channel Presentation

1625 In this model, the RP directly requests the assertion from the IdP, minimizing chances of
1626 interception and manipulation by a third party (including the subscriber themselves).

1627 This method also facilitates the RP querying the IdP for additional attributes about the
1628 subscriber not included in the assertion itself, since back-channel communication can
1629 continue to occur after the initial authentication transaction has been completed without
1630 sending the user back to the IdP. This query occurs using an identity API, as described in
1631 [Sec. 6.3](#).

1632 More network transactions are required in the back-channel method, but the information
1633 is limited to only those parties that need it. Since an RP is expecting to get an assertion
1634 only from the IdP directly, the attack surface is reduced. Consequently, it is more difficult
1635 to inject assertions directly into the RP and this presentation method is recommended for
1636 FAL2 and above.

1637 The RP **SHALL** protect itself against injection of manufactured or captured assertion
1638 references by use of [cross-site scripting protection](#) or other accepted techniques.

1639 Conveyance of the assertion reference from the IdP to the subscriber, as well as from
1640 the subscriber to the RP, **SHALL** be made over an authenticated protected channel.

1641 Conveyance of the assertion reference from the RP to the IdP, as well as the assertion
1642 from the IdP to the RP, **SHALL** be made over an authenticated protected channel.

1643 When assertion references are presented, the IdP **SHALL** verify that [the party presenting](#)
1644 [the assertion reference is the same party that requested the authentication](#). The IdP can
1645 do this by requiring the RP to authenticate itself when presenting the assertion reference
1646 to the IdP or through other similar means (see [\[RFC7636\]](#) for one protocol's method of
1647 dynamic RP verification).

1648 Note that in a federation proxy described in [Sec. 5.1.3](#), the IdP audience restricts the
1649 assertion reference and assertion to the proxy, and the proxy restricts any newly-created
1650 assertion references or assertions to the downstream RP.

1651 **7.2. Front-Channel Presentation**

1652 In the *front-channel* presentation model, the IdP creates an assertion and sends it to the
1653 subscriber after successful authentication. The assertion is presented by the subscriber to
1654 authenticate to the RP, usually through mechanisms within the subscriber's browser such
1655 as redirects.




Figure 13. Front-channel Presentation

1656 An assertion is visible to the subscriber in the front-channel method, which could
1657 potentially cause leakage of system information included in the assertion. Further, it
1658 is possible but more awkward in this model for the RP to query the IdP for additional
1659 attributes after the presentation of the assertion using an identity API, as described in
1660 [Sec. 6.3](#).

1661 Since the assertion is under the subscriber's control, the front-channel presentation
1662 method also allows the subscriber to submit a single assertion to unintended parties,

1663 perhaps by a browser replaying an assertion at multiple RPs. Even if the assertion is
1664 audience-restricted and rejected by unintended RPs, its presentation at unintended RPs
1665 could lead to leaking information about the subscriber and their online activities. Though
1666 it is possible to intentionally create an assertion designed to be presented to multiple RPs,
1667 this method can lead to lax audience restriction of the assertion itself, which in turn could
1668 lead to privacy and security breaches for the subscriber across these RPs. Such multi-
1669 RP use is not recommended. Instead, RPs are encouraged to fetch their own individual
1670 assertions.

1671 The RP **SHALL** protect itself against injection of manufactured or captured assertions by
1672 use of cross-site scripting protection and other accepted techniques.

1673 Conveyance of the assertion from the IdP to the subscriber, as well as from the subscriber
1674 to the RP, **SHALL** be made over an authenticated protected channel.

1675 Note that in a federation proxy described in [Sec. 5.1.3](#), the IdP audience restricts the
1676 assertion to the proxy, and the proxy restricts any newly-created assertions to the
1677 downstream RP.

1678 **7.3. Protecting Information**

1679 Communications between the IdP and the RP **SHALL** be protected in transit using an
1680 **authenticated protected channel**. Communications between the subscriber and either
1681 the IdP or the RP (usually through a browser) **SHALL** be made using an authenticated
1682 protected channel.

1683 Note that the IdP may have access to information that may be useful to the RP in
1684 enforcing security policies, such as device identity, location, system health checks, and
1685 configuration management. If so, it may be a good idea to pass this information along to
1686 the RP within the bounds of the subscriber's privacy preferences described in [Sec. 9.2](#).

1687 Additional attributes about the user **MAY** be included outside of the assertion itself
1688 by use of authorized access to an identity API as discussed in [Sec. 6.3](#). Splitting
1689 user information in this manner can aid in protecting user privacy and allow for
1690 limited disclosure of identifying attributes on top of the essential information in the
1691 authentication assertion itself.

1692 The RP **SHALL**, where feasible, request **derived attribute values rather than full attribute**
1693 **values** as described in [Sec. 9.3](#). The IdP **SHALL** support derived attribute values to the
1694 extent possible.

1695 **8. Security**

1696 *This section is informative.*

1697 Since the federated authentication process involves coordination between multiple
1698 components, including the CSP which **now** acts as an IdP, there are additional
1699 opportunities for attackers to compromise federated identity transactions. This section
1700 summarizes many of the attacks and mitigations applicable to federation.

1701 **8.1. Federation Threats**

1702 As in non-federated authentication, attackers' motivations are typically to gain access
1703 (or a greater level of access) to a resource or service provided by an RP. Attackers may
1704 also attempt to impersonate a subscriber. Rogue or compromised IdPs, RPs, user agents
1705 (e.g., browsers), and parties outside of a typical federation transaction are potential
1706 attackers. To accomplish their attack, they might intercept or modify assertions and
1707 assertion references. **Further**, two or more entities may attempt to subvert federation
1708 protocols by directly compromising the integrity or confidentiality of the assertion data.
1709 For the purpose of these types of threats, any authorized parties who attempt to exceed
1710 their privileges are considered attackers.

Table 2. Federation Threats

Federation Threats/Attacks	Description	Examples
Assertion Manufacture or Modification	The attacker generates a false assertion	Compromised IdP asserts identity of a claimant who has not properly authenticated
	The attacker modifies an existing assertion	Compromised proxy that changes AAL of an authentication assertion
Assertion Disclosure	Assertion visible to third party	Network monitoring reveals subscriber address of record to an outside party
Assertion Repudiation by the IdP	IdP later claims not to have signed transaction	User engages in fraudulent credit card transaction at RP, IdP claims not to have logged them in
Assertion Repudiation by the Subscriber	Subscriber claims not to have performed transaction	User agreement (e.g., contract) cannot be enforced
Assertion Redirect	Assertion can be used in unintended context	Compromised user agent passes assertion to attacker who uses it elsewhere
Assertion Reuse	Assertion can be used more than once with same RP	Intercepted assertion used by attacker to authenticate their own session
Assertion Substitution	Attacker uses an assertion intended for a different subscriber	Session hijacking attack between IdP and RP

¹⁷¹¹ **8.2. Federation Threat Mitigation Strategies**

¹⁷¹² Mechanisms that assist in mitigating the above threats are identified in [Table 3](#).

Table 3. Mitigating Federation Threats

Federation Threat/Attack	Threat Mitigation Mechanisms	Normative Reference(s)
Assertion Manufacture or Modification	Cryptographically sign the assertion at IdP and verify at RP	4.1, 6
	Send assertion over an authenticated protected channel authenticating the IdP	7.1, 7.2
	Include a non-guessable random identifier in the assertion	6.2.1
Assertion Disclosure	Send assertion over an authenticated protected channel authenticating the RP	7.1, 7.2
	Encrypt assertion for a specific RP (may be accomplished by use of a mutually authenticated protected channel)	6.2.3
Assertion Repudiation by the IdP	Cryptographically sign the assertion at the IdP with a key that supports non-repudiation; verify signature at RP	6.2.2
Assertion Repudiation by the Subscriber	Issue assertions with bound authenticators; proof of possession of bound authenticator verifies subscriber’s participation to the RP	6.1.2
Assertion Redirect	Include identity of the RP (“audience”) for which the assertion is issued in its signed content; RP verifies that they are intended recipient	6, 7.1, 7.2
Assertion Reuse	Include an issuance timestamp with short validity period in the signed content of the assertion; RP verifies validity	6, 7.1, 7.2
	RP keeps track of assertions consumed within a configurable time window to ensure that a given assertion is not used more than once.	6.2.1
Assertion Substitution	Ensure that assertions contain a reference to the assertion request or some other nonce that was cryptographically bound to the request by the RP	6
	Send assertions in the same authenticated protected channel as the request, such as in the back-channel model	7.1

1713 9. Privacy Considerations

1714 *This section is informative.*

1715 9.1. Minimizing Tracking and Profiling

1716 Federation offers numerous benefits to RPs and subscribers, but requires subscribers to
1717 have trust in the federation participants. [Sec. 5](#) and [Sec. 6.2.5](#) cover a number of technical
1718 requirements, the objective of which is to minimize privacy risks arising from increased
1719 capabilities to track and profile subscribers. For example, a subscriber using the same IdP
1720 to authenticate to multiple RPs allows the IdP to build a profile of subscriber transactions
1721 that would not have existed absent federation. The availability of such data makes it
1722 vulnerable to uses that may not be anticipated or desired by the subscriber and may inhibit
1723 subscriber adoption of federated services.

1724 [Sec. 5.5](#) requires IdPs to use measures to maintain the objectives of predictability
1725 (enabling reliable assumptions by individuals, owners, and operators about PII and
1726 its processing by an information system) and manageability (providing the capability
1727 for granular administration of PII, including alteration, deletion, and selective
1728 disclosure) commensurate with privacy risks that can arise from the processing of
1729 attributes for purposes other than identity proofing, authentication, authorization, or
1730 attribute assertions, related fraud mitigation, or to comply with law or legal process
1731 [[NISTIR8062](#)].

1732 IdPs may have various business purposes for processing attributes, including providing
1733 non-identity services to subscribers. However, processing attributes for different purposes
1734 from the original collection purpose can create privacy risks when individuals are not
1735 expecting or comfortable with the additional processing. IdPs can determine appropriate
1736 measures commensurate with the privacy risk arising from the additional processing.
1737 For example, absent applicable law, regulation or policy, it may not be necessary to
1738 get consent when processing attributes to provide non-identity services requested by
1739 subscribers, although notices may help subscribers maintain reliable assumptions about
1740 the processing ([predictability](#)). Other processing of attributes may carry different privacy
1741 risks that call for obtaining consent or allowing subscribers more control over the use
1742 or disclosure of specific attributes (manageability). Subscriber consent needs to be
1743 meaningful; therefore, when IdPs do use consent measures, they cannot make acceptance
1744 by the subscriber of additional uses a condition of providing the identity service.

1745 Consult the SAOP if there are questions about whether the proposed processing falls
1746 outside the scope of the permitted processing or the appropriate privacy risk mitigation
1747 measures.

1748 [Sec. 5.5](#) also encourages the use of technical measures to provide disassociability
1749 (enabling the processing of PII or events without association to individuals or devices
1750 beyond the operational requirements of the system) and prevent subscriber activity

1751 tracking and profiling [NISTIR8062]. Technical measures, such as those outlined in
1752 [Sec. 5.1.3](#) for proxied federation and [Sec. 6.2.5](#) for pairwise pseudonymous identifiers,
1753 can increase the effectiveness of policies by making it more difficult to track or profile
1754 subscribers beyond operational requirements.

1755 **9.2. Notice and Consent**

1756 To build subscriber trust in federation, subscribers need to be able to develop reliable
1757 assumptions about how their information is being processed. For instance, it can be
1758 helpful for subscribers to understand what information will be transmitted, which
1759 attributes for the transaction are required versus optional, and to have the ability to decide
1760 whether to transmit optional attributes to the RP. Accordingly, [Sec. 5.1](#) requires that
1761 positive confirmation be obtained from the authorized party before any attributes about
1762 the subscriber are transmitted to any RP. In determining when a set of RPs should share
1763 a common pairwise pseudonymous identifier as in [Sec. 6.2.5.2](#), the IdP considers the
1764 subscriber's understanding of such a grouping of RPs and the **role of notice** in assisting
1765 such understanding. An effective notice will take into account user experience design
1766 standards and research, as well as an assessment of privacy risks that may arise from
1767 the information processing. There are various factors to be considered, including the
1768 reliability of the assumptions subscribers may have about the processing and the role of
1769 different entities involved in federation. However, a link to a complex, legalistic privacy
1770 policy or general terms and conditions that a substantial number of subscribers do not
1771 read or understand is never an effective notice.

1772 [Sec. 5.1](#) does not specify which party should provide the notice. In some cases, a party
1773 in a federation may not have a direct connection to the subscriber in order to provide
1774 notice and obtain consent. Although multiple parties may elect to provide notice, it is
1775 permissible for parties to determine in advance, either contractually or through trust
1776 framework policies, which party will provide the notice and obtain confirmation, as long
1777 as the determination is being based upon factors that center on enabling the subscriber to
1778 pay attention to the notice and make an informed choice.

1779 If an IdP is using an allowlist of RPs as described in [Sec. 5.3](#), any RPs on that list are
1780 not presented to the subscriber during an authentication transaction. Since the IdP does
1781 not provide notice to the subscriber at runtime, the IdP makes its list of allowlisted RPs
1782 **available** to the subscriber so that the subscriber can see which RPs on the allowlist have
1783 access to which of the subscriber's attributes in an authentication transaction. Since IdPs
1784 **can not** share a subscriber's authentication information or attributes with an allowlisted
1785 RP outside of an authentication transaction involving the subscriber (see [Sec. 5.5](#)), the
1786 existence of an RP on a list of IdPs does not indicate that the subscriber's information will
1787 be shared. However, if the subscriber logs into any of the allowlisted RPs using the IdP,
1788 the attributes indicated will be shared as part of the authentication transaction.

1789 If a subscriber's runtime decisions at the IdP were stored in the subscriber account by
1790 the IdP to facilitate future transactions, the IdP also needs to allow the subscriber to view

1791 and revoke any RPs that were previously approved during a runtime decision. This list
1792 includes information on which attributes were approved. Similarly, if a subscriber's
1793 runtime decisions at the RP are stored in some fashion, the RP also needs to allow the
1794 subscriber to view and revoke any IdPs that were approved during a runtime decision.

1795 **9.3. Data Minimization**

1796 Federation enables the data exposed to an RP to be minimized, which can yield privacy
1797 protections for subscribers. Although an IdP may collect additional attributes beyond
1798 what the RP requires for its use case, **only those attributes that were explicitly requested**
1799 **by the RP** are to be transmitted by the IdP. In some instances, an RP does not require a
1800 full value of an attribute. For example, an RP may need to know whether the subscriber
1801 is over 13 years old, but has no need for the full date of birth. To minimize collection of
1802 potentially sensitive PII, the RP may request a **derived attribute value** (e.g., Question: Is
1803 the subscriber over 13 years old? Response: Y/N or Pass/Fail). This minimizes the RP's
1804 collection of potentially sensitive and unnecessary PII. Accordingly, **Sec. 7.3** requires the
1805 RP to, where feasible, request **derived attribute values rather than full attribute values**. To
1806 support this RP requirement IdPs are, in turn, required to support a derived attribute value.

1807 **9.4. Agency-Specific Privacy Compliance**

1808 **Section 5.5** identifies agency requirements to consult their SAOP to determine privacy
1809 compliance requirements. It is critical to involve the agency's SAOP in the earliest stages
1810 of digital authentication system development to assess and mitigate privacy risks and
1811 advise the agency on compliance obligations such as whether the federation triggers the
1812 Privacy Act of 1974 or the E-Government Act of 2002 requirement to conduct a PIA. For
1813 example, if the agency is serving as an IdP in a federation, it is likely that the Privacy Act
1814 requirements will be triggered and require coverage by either a new or existing Privacy
1815 Act system of records since credentials would be maintained at the IdP on behalf of any
1816 RP it federates with. If, however, the agency is an RP and using a third-party IdP, digital
1817 authentication may not trigger the requirements of the Privacy Act, depending on what
1818 data passed from the RP is maintained by the agency at the RP (in such instances the
1819 agency may have a broader programmatic SORN that covers such data).

1820 The SAOP can similarly assist the agency in determining whether a PIA is required.
1821 These considerations should not be read as a requirement to develop a Privacy Act SORN
1822 or PIA for use of a federated credential alone. In many cases it will make the most sense
1823 to draft a PIA and SORN that encompasses the entire digital authentication process or
1824 includes the digital authentication process as part of a larger programmatic PIA that
1825 discusses the program or benefit the agency is establishing online access.

1826 Due to the many components of digital authentication, it is important for the SAOP to
1827 have an awareness and understanding of each individual component. For example, other
1828 privacy artifacts may be applicable to an agency offering or using federated IdP or RP

1829 services, such as Data Use Agreements, Computer Matching Agreements, etc. The SAOP
1830 can assist the agency in determining what additional requirements apply. Moreover, a
1831 thorough understanding of the individual components of digital authentication will enable
1832 the SAOP to thoroughly assess and mitigate privacy risks either through compliance
1833 processes or by other means.

1834 **9.5. Blinding in Proxied Federation**

1835 While some proxy structures — typically those that exist primarily to simplify integration
1836 — may not offer additional subscriber privacy protection, others offer varying levels of
1837 privacy to the subscriber through a range of blinding technologies. Privacy policies may
1838 dictate appropriate use of the subscriber attributes and authentication transaction data
1839 (e.g., identities of the ultimate IdP and RP) by the IdP, RP, and the federation proxy.

1840 Technical means such as blinding can increase effectiveness of these policies by making
1841 the data more difficult to obtain. A proxy-based system has three parties, and the proxy
1842 can be used to hide information from one or more of the parties, including itself. In
1843 a double-blind proxy, the IdP and RP do not know each other’s identities, and their
1844 relationship is only with the proxy. In a triple-blind proxy, the proxy additionally does not
1845 have insight into the data being passed through it. As the level of blinding increases, the
1846 technical and operational implementation complexity may increase. Since proxies need to
1847 map transactions to the appropriate parties on either side as well as manage the keys for
1848 all parties in the transaction, fully triple-blind proxies are very difficult to implement in
1849 practice.

1850 Even with the use of blinding technologies, a blinded party may still infer protected
1851 subscriber information through released attribute data or metadata, such as by analysis of
1852 timestamps, attribute bundle sizes, or attribute signer information. The IdP could consider
1853 additional privacy-enhancing approaches to reduce the risk of revealing identifying
1854 information of the entities participating in the federation.

1855 The following table illustrates a spectrum of blinding implementations used in proxied
1856 federation. This table is intended to be illustrative, and is neither comprehensive nor
1857 technology-specific.

Table 4. Proxy Characteristics

Proxy Type	RP knows IdP	IdP knows RP	Proxy can track subscriptions between RP and IdP	Proxy can see attributes of Subscriber
Non-Blinding Proxy with Attributes	Yes	Yes	Yes	Yes
Non-Blinding Proxy	Yes	Yes	Yes	N/A
Double Blind Proxy with Attributes	No	No	Yes	Yes
Double Blind Proxy	No	No	Yes	N/A
Triple Blind Proxy with or without Attributes	No	No	No	No

1858 **10. Usability Considerations**

1859 *This section is informative.*

1860 *Ergonomic of Human-System Interaction — Part 11: Usability: Definitions and Concepts*
1861 [ISO/IEC9241-11] defines usability as the “extent to which a system, product or service
1862 can be used by specified users to achieve specified goals with effectiveness, efficiency
1863 and satisfaction in a specified context of use.” This definition focuses on users, goals,
1864 and context of use as key elements necessary for achieving effectiveness, efficiency and
1865 satisfaction. A holistic approach considering these key elements is necessary to achieve
1866 usability.

1867 From the usability perspective, one of the major potential benefits of federated identity
1868 systems is to address the problem of user fatigue associated with managing multiple
1869 authenticators. While this has historically been a problem with usernames and passwords,
1870 the increasing need for users to manage many authenticators — whether physical or
1871 digital — presents a usability challenge.

1872 While many other approaches to authentication have been researched extensively and
1873 have well-established usability guidelines, federated identity is more nascent and,
1874 therefore, lacks the depth and conclusiveness of research findings. As ongoing usability
1875 research matures, usability guidelines for federated identity systems will have stronger
1876 supporting data. For example, additional data is needed to support guidance on the
1877 translation of technical attribute names and values into user-friendly language.

1878 As stated in the usability sections in 800-63A and 800-63B, overall user experience is
1879 critical to the success of any authentication method. This is especially true for federated
1880 identity systems as federation is a less familiar user interaction paradigm for many users.
1881 Users’ prior authentication experiences may influence their expectations.

1882 The overall user experience with federated identity systems should be as smooth and easy
1883 as possible. This can be accomplished by following usability standards (such as the ISO
1884 25060 series of standards) and established best practices for user interaction design.

1885 Note: In this section, the term “users” means “claimants” or “subscribers.”
1886 The terms “entity” and “entities” refer to the parties of federated systems.

1887 Guidelines and considerations are described from the users’ perspective.

1888 Accessibility differs from usability and is out of scope for this volume. [Section508] was
1889 enacted to eliminate barriers in information technology and requires federal agencies to
1890 make their electronic and information technology public content accessible to people with
1891 disabilities. Refer to Section 508 law and standards for accessibility guidance.

10.1. General Usability Considerations

Federated identity systems should:

- Minimize user burden (e.g., frustration, learning curve)
 - Minimize the number of user actions required.
 - Allow users to quickly and easily select among multiple subscriber accounts with a single IdP. For example, approaches such as [Account Chooser](#) allow users to select from a list of subscriber accounts they have accessed in the recent past, rather than start the federation process by selecting their IdP from a list of potential IdPs.
 - Balance minimizing user burden with the need to provide sufficient information to enable users to make informed decisions.
- Minimize the use of unfamiliar technical jargon and details (e.g., users do not need to know the terms IdP and RP if the basic concepts are clearly explained).
- Strive for a consistent and integrated user experience across the IdP and RP.
- Help users establish an understanding of identity by providing resources to users such as graphics, illustrations, FAQs, tutorials and examples. Resources should explain how users' information is treated and how transacting parties (e.g., RPs, IdPs, and brokers) relate to each other.
- Provide clear, honest, and meaningful communications to users (i.e., communications should be explicit and easy to understand).
- Provide users online services independent of location and device.
- Make trust relationships explicit to users to facilitate informed trust decisions. Trust relationships are often dynamic and context dependent. Users may be more likely to trust some IdPs and RPs with certain attributes or transactions more than others. For example, users may be more hesitant to use federated identity systems on websites that contain valuable personal information (such as financial or health). Depending on the perceived sensitivity of users' personal data, users may be less comfortable with social network providers as IdPs since people are often concerned with the broadcasting nature of social networking implementations.
- Follow the usability considerations specified in [\[SP800-63A\]](#), Sec. 9 for any user-facing information.
- Clearly communicate how and where to acquire technical assistance. For example, provide users with information such as a link to an online self-service feature, chat sessions or a phone number for help desk support. Avoid redirecting users back and forth among transacting parties (e.g., RPs, IdPs, and brokers) to receive technical assistance.
- Perform integrative and continuous usability evaluations with representative users and realistic tasks in an appropriate context to ensure success of federated identity systems from the users' perspectives.

1931 **10.2. Specific Usability Considerations**

1932 This section addresses the specific usability considerations that have been identified with
1933 federated identity systems. This section does not attempt to present exhaustive coverage
1934 of all usability factors related to federated identity systems. Rather it is focused on the
1935 larger, more pervasive themes in the usability literature, primarily users' perspectives on
1936 identity, user adoption, trust, and perceptions of federated identity space. In some cases,
1937 implementation examples are provided. However, specific solutions are not prescribed.
1938 The implementations mentioned are examples to encourage innovative technological
1939 approaches to address specific usability needs. See standards for system design and
1940 coding, specifications, APIs, and current best practices (such as OpenID and OAuth)
1941 for additional examples. Implementations are sensitive to many factors that prevent a
1942 one-size-fits-all solution.

1943 **10.2.1. User Perspectives on Online Identity**

1944 Even when users are familiar with federated identity systems, there are different
1945 approaches to federated identity (especially in terms of privacy and the sharing of
1946 information) that make it necessary to establish reliable expectations for how users' data
1947 are treated. Users and implementers have different concepts of identity. Users think of
1948 identity as logging in and gaining access to their own private space. Implementers think
1949 of identity in terms of authenticators and assertions, assurance levels, and the necessary
1950 set of identity attributes to provide a service. Given this disconnect between users' and
1951 implementers' concepts of identity, it is essential to help users form an accurate concept
1952 of identity as it applies to federated identity systems. A good model of identity provides
1953 users a foundation for understanding the benefits and risks of federated systems and
1954 encourage user adoption and trust of these systems.

1955 Many properties of identity have implications for how users manage identities, both
1956 within and among federations. Just as users manage multiple identities based on
1957 context outside of cyberspace, users must learn to manage their identity in a federated
1958 environment. Therefore, it must be clear to users how identity and context are used. The
1959 following factors should be considered:

- 1960 • Provide users the requisite context and scope in order to distinguish among
1961 different user roles. For example, whether the user is acting on their own behalf
1962 or on behalf of another, such as their employer.
- 1963 • Provide users unique, meaningful, and descriptive identifiers to distinguish among
1964 entities such as IdPs, RPs, and accounts. Any such user-facing identifiers are likely
1965 to be in addition to identifiers used by the underlying protocols, which are not
1966 normally exposed to the user.
- 1967 • Provide users with information on data ownership and those authorized to make
1968 changes. Identities, and the data associated with them, can sometimes be updated
1969 and changed by multiple actors. For example, some healthcare data is updated and

- 1970 owned by the patient, while some data is only updated by a hospital or doctor's
1971 practice.
- 1972 • Provide users with the ability to easily verify, view, and update **attributes**. Identities
1973 and user roles are dynamic and not static; they change over time (e.g., age, health,
1974 and financial data). The ability to update attributes or make attribute release
1975 decisions may or may not be offered at the same time. Ensure the process for how
1976 users can change attributes is well known, documented, and easy to perform.
 - 1977 • Provide users **means** for updating data, even if the associated entity no longer exists.
 - 1978 • Provide users **means** to delete their identities completely, removing all information
1979 about themselves, including transaction history. Consider applicable audit, legal, or
1980 policy constraints that may preclude such action. In certain cases, full deactivation
1981 is more appropriate than deletion.
 - 1982 • Provide users with clear, easy-to-find, site/application data retention policy
1983 information.
 - 1984 • Provide users with appropriate anonymity and pseudonymity options, and the
1985 ability to switch among such identity options as desired, in accordance with an
1986 organization's data access policies.
 - 1987 • Provide **means** for users to **manage each IdP to RP connection, including complete**
1988 **separation as well as the removal of RP access to one or more attributes.**

1989 **10.2.2. User Perspectives of Trust and Benefits**

1990 Many factors can influence user adoption of federated identity systems. As with any
1991 technology, users may value some factors more than others. Users often weigh perceived
1992 benefits versus risks before making technology adoption decisions. It is critical that
1993 IdPs and RPs provide users with sufficient information to enable them to make informed
1994 decisions. The concepts of trust and tiers of trust — fundamental principles in federated
1995 identity systems — can drive user adoption. Finally, a positive user experience may also
1996 result in increased user demand for federation, triggering increased adoption by RPs.

1997 This sub-section is focused primarily on user trust and user perceptions of benefits versus
1998 risks.

1999 To encourage user adoption, IdPs and RPs need to establish and build trust with users and
2000 provide them with an understanding of the benefits and risks of adoption. The following
2001 factors should be considered:

- 2002 • Allow users to control their information disclosure and provide explicit consent
2003 through the appropriate use of notifications (see [Sec. 9.2](#)). Balancing the content,
2004 size, and frequency of notifications is necessary to avoid thoughtless user click-
2005 through.

- 2006 • For attribute sharing, consider the following:
 - 2007 – Provide a means for users to verify those attributes and attribute values that
 - 2008 will be shared. Follow good security practices (see [Sec. 7.3](#) and [Sec. 8](#)).
 - 2009 – Enable users to consent to a partial list of attributes, rather than an all-or-
 - 2010 nothing approach. Allow users some degree of online access, even if the user
 - 2011 does not consent to share all information.
 - 2012 – Allow users to update their consent to their list of shared attributes.
 - 2013 – Minimize unnecessary information presented to users. For example, do
 - 2014 not display system generated attributes (such as pairwise pseudonymous
 - 2015 identifiers) even if they are shared with the RP as part of the authentication
 - 2016 response.
 - 2017 – Minimize user steps and navigation. For example, build attribute consent into
 - 2018 the protocols so they're not a feature external to the federated transaction.
 - 2019 Examples can be found in standards such as OAuth or OpenID Connect.
 - 2020 – Provide effective and efficient redress methods such that a user can recover
 - 2021 from invalid attribute information claimed by the IdP or collected by the RP.
 - 2022 – Minimize the number of times a user is required to consent to attribute sharing.
 - 2023 Limiting the frequency of consent requests avoids user frustration from
 - 2024 multiple requests to share the same attribute.
- 2025 • Collect information for constrained usage only, and minimize information
- 2026 disclosure (see [Sec. 9.3](#)). User trust is eroded by unnecessary and superfluous
- 2027 information collection and disclosure or user tracking without explicit user consent.
- 2028 For example, only request attributes from the user that are relevant to the current
- 2029 transaction, not for all possible transactions a user may or may not access at the RP.
- 2030 • Clearly and honestly communicate potential benefits and risks of using federated
- 2031 identity to users. Benefits that users value include time savings, ease of use,
- 2032 reduced number of passwords to manage, and increased convenience.

2033 User concern over risk can negatively influence willingness to adopt federated identity
2034 systems. Users may have trust concerns, privacy concerns, security concerns, and single-
2035 point-of-failure concerns. For example, users may be fearful of losing access to multiple
2036 RPs if a single IdP is unavailable, either temporarily or permanently. Additionally, users
2037 may be concerned or confused about learning a new authentication process. In order to
2038 foster the adoption of federated identity systems, the perceived benefits must outweigh
2039 the perceived risks.

2040 **10.2.3. User Mental Models and Beliefs**

2041 Users' beliefs and perceptions predispose them to expect certain results and to behave in
2042 certain ways. Such beliefs, perceptions, and predispositions are referred to in the social
2043 sciences as mental models. For example, people have a mental model of dining out which
2044 guides their behavior and expectations at each establishment, such as fast food restaurants,
2045 cafeterias, and more formal restaurants. Thus, it is not necessary to be familiar with every
2046 establishment to understand how to interact appropriately at each one.

2047 Assisting users in establishing good and complete mental models of federation allows
2048 users to generalize beyond a single specific implementation. If federated identity systems
2049 are not designed from users' perspectives, users may form incorrect or incomplete mental
2050 models that impact their willingness to adopt these systems. The following factors should
2051 be considered:

- 2052 • Clearly explain the working relationship and information flow among the
2053 transacting parties (e.g., RPs, IdPs, and brokers) to avoid user misconceptions.
2054 Use the actual names of the entities in the explanation rather than using the generic
2055 terms IdPs and RPs.
 - 2056 – Provide prominent visual cues and information so that users understand why
2057 seemingly unrelated entities have a working relationship. For example, users
2058 may be concerned with mixing online personal activities with government
2059 services due to a lack of understanding of the information flow in federated
2060 identity systems.
 - 2061 – Provide prominent visual cues and information to users about redirection
2062 when an RP needs to redirect control from their site to an IdP. For example,
2063 display RP branding within the IdP user interface to inform users when they
2064 are logging in with their IdP for access to the destination RP.
- 2065 • Provide users with clear and usable ways (e.g., visual assurance) to determine the
2066 authenticity of the transacting parties (e.g., RPs, IdPs, and brokers). This will also
2067 help to alleviate user concern over leaving one domain for another, especially if the
2068 root domain changes (e.g., .gov to .com). For example, display the URL of the IdP
2069 so that the user can verify that they are not being phished by a malicious site.
- 2070 • Provide users with clear information, including visual cues, regarding implicit
2071 logins and explicit logouts. Depending on the implementation, logging into an
2072 RP with a federated account may authenticate users to both the IdP and RP. Users
2073 may not realize that ending their session with the RP will not necessarily end their
2074 session with the IdP; users will need to explicitly “log out” of the IdP. Users require
2075 clear information to remind them if explicit logouts are required to end their IdP
2076 sessions.

2077 **11. Equity Considerations**

2078 *This section is informative.*

2079 Equitable access to the functions of IdPs and RPs is an essential element of a federated
2080 identity system. The ability for all subscribers to authenticate reliably is required to
2081 provide equitable access to government services, even when using federation technology,
2082 as specified in Executive Order 13985, *Advancing Racial Equity and Support for*
2083 *Underserved Communities Through the Federal Government* [EO13985]. In assessing
2084 equity risks, IdPs and RPs should consider the overall user population served by their
2085 federated identity service. Additionally, IdPs and RPs further identify groups of users
2086 within the population whose shared characteristics can cause them to be subject to
2087 inequitable access, treatment, or outcomes when using that service. The Usability
2088 Considerations provided in [Sec. 10](#) should also be considered to help ensure the overall
2089 usability and equity for all persons using federated identity services.

2090 In its role as the verifier, the IdP needs to be aware of equity considerations related to
2091 identity proofing, attribute validation, and enrollment as enumerated in [SP800-63A] [Sec.](#)
2092 [11](#) and equity considerations concerning authenticators as enumerated in [SP800-63B]
2093 [Sec. 11](#). An RP offering FAL3 will also need to be aware of these same authenticator
2094 considerations when processing bound authenticators, whether the authenticators are
2095 managed at the IdP or RP.

2096 Since the federation process takes place over a network protocol between multiple active
2097 parties, the experience of authenticating using the federation system may present equity
2098 problems, such as the following examples:

- 2099 • Completing the entire federated transaction without timing out may be difficult for
2100 subscribers without a reliable network connection, such as those in rural areas.
- 2101 • It may be difficult to provide informed consent for a runtime decision regarding the
2102 release of attributes for subscribers with intellectual, developmental, learning, or
2103 neurocognitive difficulties.
- 2104 • Systems with sufficient processing power, network access, and other features
2105 required to interact with both the IdP and the RP simultaneously may be difficult to
2106 afford for some subscribers.
- 2107 • Subscribers that share devices may find allowlist-based systems difficult to manage
2108 securely, as other users of the device could silently gain unintended access to an RP
2109 through a session still active at the IdP.
- 2110 • It could be prohibitively difficult to re-establish an account at the RP for subscribers
2111 who lose access to their IdP for any of a variety of reasons.

2112 Normative requirements have been established requiring IdPs and RPs to mitigate
2113 the problems in this area that are expected to be most common. However, normative

2114 requirements are unlikely to have anticipated all potential equity problems. Potential
2115 equity problems also will vary for different applications. Accordingly, IdPs and RPs need
2116 to provide mechanisms for subscribers to report inequitable authentication requirements
2117 and to advise them on potential alternative authentication strategies.

2118 This guideline allows the binding of additional federated identifiers to an RP subscriber
2119 account to minimize the risk of IdP access loss (see [Sec. 5.4](#)). However, a subscriber
2120 might find it difficult to have multiple IdP accounts that are acceptable to the RP at the
2121 same time. This inequity can be addressed by having the RP having its own account
2122 recovery process that allows for the secure binding and unbinding of multiple federated
2123 identifiers from the RP subscriber account.

2124 RPs need to be aware that not all subscribers will necessarily have access to the same
2125 IdPs. The RPs can institute locally authenticated accounts for such subscribers, and later
2126 allow binding of those accounts to federated identifiers.

2127 **12. Examples**

2128 *This section is informative.*

2129 Three types of assertion technologies are discussed below: SAML assertions, Kerberos
2130 tickets, and OpenID Connect tokens. This list is not inclusive of all possible assertion
2131 technologies, but does represent those commonly used in federated identity systems.

2132 **12.1. Security Assertion Markup Language (SAML)**

2133 SAML is an XML-based framework for creating and exchanging authentication and
2134 attribute information between trusted entities over the internet. As of this writing, the
2135 latest specification for SAML is SAML v2.0, issued 15 March 2005.

2136 The building blocks of SAML include:

- 2137 • The Assertions XML schema, which defines the structure of the assertion.
- 2138 • The SAML Protocols, which are used to request assertions and artifacts (the
2139 assertion references used in the indirect model described in [Sec. 7.1](#)).
- 2140 • The Bindings, which define the underlying communication protocols (such as
2141 HTTP or SOAP), and can be used to transport the SAML assertions.

2142 The three components above define a SAML profile that corresponds to a particular use
2143 case such as “Web Browser SSO”.

2144 SAML Assertions are encoded in an XML schema and can carry up to three types of
2145 statements:

- 2146 • *Authentication statements* include information about the assertion issuer, the
2147 authenticated subscriber, validity period, and other authentication information.
2148 For example, an Authentication Assertion would state the subscriber “John” was
2149 authenticated using a password at 10:32pm on 06-06-2004.
- 2150 • *Attribute statements* contain specific additional characteristics related to the
2151 subscriber. For example, subject “John” is associated with attribute “Role” with
2152 value “Manager”.
- 2153 • *Authorization statements* identify the resources the subscriber has permission
2154 to access. These resources may include specific devices, files, and information
2155 on specific web servers. For example, subject “John” for action “Read” on
2156 “Webserver1002” given evidence “Role”.

2157 Authorization statements are beyond the scope of this document and will not be
2158 discussed.

2159 **12.2. Kerberos Tickets**

2160 The Kerberos Network Authentication Service [RFC4120] was designed to provide strong
2161 authentication for client/server applications using symmetric-key cryptography on a local,
2162 shared network. Extensions to Kerberos can support the use of public key cryptography
2163 for selected steps of the protocol. Kerberos also supports confidentiality and integrity
2164 protection of session data between the subscriber and the RP. Even though Kerberos
2165 uses assertions, it was designed for use on shared networks and, therefore, is not truly a
2166 federation protocol.

2167 Kerberos supports authentication of a subscriber over a network using one or more IdPs.
2168 The subscriber implicitly authenticates to the IdP by demonstrating the ability to decrypt
2169 a random session key encrypted for the subscriber by the IdP. (Some Kerberos variants
2170 also require the subscriber to explicitly authenticate to the IdP, but this is not universal.)
2171 In addition to the encrypted session key, the IdP also generates another encrypted object
2172 called a Kerberos ticket. The ticket contains the same session key, the identity of the
2173 subscriber to whom the session key was issued, and an expiration time after which the
2174 session key is no longer valid. The ticket is confidentiality and integrity protected by a
2175 pre-established key that is shared between the IdP and the RP during an explicit setup
2176 phase.

2177 To authenticate using the session key, the subscriber sends the ticket to the RP along with
2178 encrypted data that proves that the subscriber possesses the session key embedded within
2179 the Kerberos ticket. Session keys are either used to generate new tickets or to encrypt and
2180 authenticate communications between the subscriber and the RP.

2181 To begin the process, the subscriber sends an authentication request to the Authentication
2182 Server (AS). The AS encrypts a session key for the subscriber using the subscriber's
2183 long-term credential. The long-term credential may either be a secret key shared between
2184 the AS and the subscriber, or in the PKINIT variant of Kerberos, a public key certificate.
2185 Most variants of Kerberos based on a shared secret key between the subscriber and IdP
2186 derive this key from a user-generated password. As such, they are vulnerable to offline
2187 dictionary attacks by passive eavesdroppers, unless Flexible Authentication Secure
2188 Tunneling (FAST) [RFC6113] or some other tunneling and armoring mechanism is used.

2189 In addition to delivering the session key to the subscriber, the AS also issues a ticket using
2190 a key it shares with the Ticket Granting Server (TGS). This ticket is referred to as a Ticket
2191 Granting Ticket (TGT), since the verifier uses the session key in the TGT to issue tickets
2192 rather than to explicitly authenticate the verifier. The TGS uses the session key in the
2193 TGT to encrypt a new session key for the subscriber and uses a key it shares with the RP
2194 to generate a ticket corresponding to the new session key. The subscriber decrypts the
2195 session key and uses the ticket and the new session key together to authenticate to the RP.

2196 When Kerberos authentication is based on passwords, the protocol is known to be
2197 vulnerable to offline dictionary attacks by eavesdroppers who capture the initial user-
2198 to-KDC exchange. Longer password length and complexity provide some mitigation

2199 to this vulnerability, although sufficiently long passwords tend to be cumbersome for
2200 users. However, when Kerberos password-based authentication is used in a FAST (or
2201 similar) tunnel, a successful attacker-in-the-middle attack is additionally required in order
2202 to perform the dictionary attack.

2203 **12.3. OpenID Connect**

2204 OpenID Connect [OIDC] is an internet-scale federated identity and authentication
2205 protocol built on top of the OAuth 2.0 authorization framework and the JSON Object
2206 Signing and Encryption (JOSE) cryptographic system.

2207 OpenID Connect builds on top of the OAuth 2.0 authorization protocol to enable the
2208 subscriber to authorize the RP to access the subscriber's identity and authentication
2209 information. The RP in both OpenID Connect and OAuth 2.0 is known as the client.

2210 In a successful OpenID Connect transaction, the IdP issues an ID Token, which is a
2211 signed assertion in JSON Web Token (JWT) format. The client parses the ID Token to
2212 learn about the subscriber and primary authentication event at the IdP. This token contains
2213 at minimum the following information about the subscriber and authentication event:

- 2214 • `iss` - An HTTPS URL identifying the IdP that issued the assertion.
- 2215 • `sub` - An IdP-specific subject identifier representing the subscriber.
- 2216 • `aud` - An IdP-specific audience identifier, equal to the OAuth 2.0 client identifier of
2217 the client at the IdP.
- 2218 • `exp` - The timestamp at which the ID Token expires and after which **SHALL NOT**
2219 be accepted the client.
- 2220 • `iat` - The timestamp at which the ID Token was issued and before which
2221 **SHALL NOT** be accepted by the client.

2222 In addition to the ID Token, the IdP also issues the client an OAuth 2.0 access token
2223 which can be used to access the UserInfo Endpoint at the IdP. This endpoint returns
2224 a JSON object representing a set of attributes about the subscriber, including but not
2225 limited to their name, email address, physical address, phone number, and other profile
2226 information. While the information inside the ID Token is reflective of the authentication
2227 event, the information in the UserInfo Endpoint is generally more stable and could
2228 be more general purpose. Access to different attributes from the UserInfo Endpoint
2229 is governed by the use of a specially-defined set of OAuth scopes, `openid`, `profile`,
2230 `email`, `phone`, and `address`. An additional scope, `offline_access`, is used to govern
2231 the issuance of refresh tokens, which allow the RP to access the UserInfo Endpoint
2232 when the subscriber is not present. Access to the UserInfo Endpoint is structured as an
2233 API and may be available when the subscriber is not present. Therefore, access to the
2234 UserInfo Endpoint is not sufficient for proving a subscriber's presence and establishing
2235 an authenticated session at the RP.

2236 **References**

2237 *This section is informative.*

2238 **General References**

2239 **[EO13985]** Executive Order 13985, *Advancing Racial Equity and Support for*
2240 *Underserved Communities Through the Federal Government*, January 25, 2021, available
2241 at: <https://www.federalregister.gov/d/2021-01753>.

2242 **[FEDRAMP]** General Services Administration, *Federal Risk and Authorization*
2243 *Management Program*, available at: <https://www.fedramp.gov/>.

2244 **[NISTIR8062]** NIST Internal Report 8062, *An Introduction to Privacy Engineering and*
2245 *Risk Management in Federal Systems*, January 2017, available at: <https://nvlpubs.nist.gov/nistpubs/ir/2017/NIST.IR.8062.pdf>.

2247 **[NISTIR8112]** NIST Internal Report 8112 (Draft), *Attribute Metadata*, available at:
2248 <https://pages.nist.gov/NISTIR-8112/NISTIR-8112.html>.

2249 **[Section508]** Section 508 Law and Related Laws and Policies (January 30, 2017),
2250 available at: <https://www.section508.gov/manage/laws-and-policies/>.

2251 **Standards**

2252 **[ISO/IEC9241-11]** International Standards Organization, ISO/IEC 9241-11 Ergonomic of
2253 Human-System Interaction — Part 11: Usability: Definitions and Concepts. ISO, Geneva,
2254 Switzerland, 2018, available at: <https://www.iso.org/standard/63500.html>.

2255 **[OIDC]** Sakimura, N., Bradley, J., Jones, M., de Medeiros, B., and C. Mortimore,
2256 *OpenID Connect Core 1.0 incorporating errata set 1*, December, 2014. Available at:
2257 <https://openid.net/specs/openid-connect-core-1.0.html>.

2258 **[OIDC-Basic]** N. Sakimura, J. Bradley, M. Jones, B. de Medeiros, C. Mortimore,
2259 *OpenID Connect Basic Client Implementer's Guide 1.0*, April 18, 2022. Available at:
2260 <https://openid.net/specs/openid-connect-basic-1.0.html>

2261 **[OIDC-Implicit]** N. Sakimura, J. Bradley, M. Jones, B. de Medeiros, and C. Mortimore,
2262 *OpenID Connect Implicit Client Implementer's Guide 1.0*, September 14, 2022. Available
2263 at: <https://openid.net/specs/openid-connect-implicit-1.0.html>

2264 **[RFC4120]** IETF, *The Kerberos Network Authentication Service (V5)*, RFC 4120, DOI
2265 10.17487/RFC4120, July 2005, <https://doi.org/10.17487/RFC4120>.

2266 **[RFC6113]** IETF, *A Generalized Framework for Kerberos Pre-Authentication*, RFC 6113,
2267 DOI 10.17487/RFC6113, April 2011, <https://doi.org/10.17487/RFC6113>.

2268 **[RFC7591]** IETF, *OAuth 2.0 Dynamic Client Registration Protocol*, RFC 7591, DOI

2269 10.17487/RFC7591, July 2015, <https://doi.org/10.17487/RFC7591>.

2270 **[RFC7636]** IETF, *Proof Key For Code Exchange*, RFC 7636, DOI 10.17487/RFC7636,
2271 September 2015, <https://doi.org/10.17487/RFC7636>.

2272 **[SAML]** OASIS, *Security Assertion Markup Language (SAML) V2.0 Technical Overview*,
2273 March 2008, available at: [https://docs.oasis-open.org/security/saml/Post2.0/sstc-saml-](https://docs.oasis-open.org/security/saml/Post2.0/sstc-saml-tech-overview-2.0.html)
2274 [tech-overview-2.0.html](https://docs.oasis-open.org/security/saml/Post2.0/sstc-saml-tech-overview-2.0.html).

2275 **[SAML-WebSSO]** OASIS, *Profiles for the OASIS Security Assertion Markup Language*
2276 *(SAML) V2.0*, 15 March 2005. Available at: [https://docs.oasis-open.org/security/saml/v2.](https://docs.oasis-open.org/security/saml/v2.0/saml-profiles-2.0-os.pdf)
2277 [0/saml-profiles-2.0-os.pdf](https://docs.oasis-open.org/security/saml/v2.0/saml-profiles-2.0-os.pdf)

2278 **NIST Special Publications**

2279 NIST 800 Series Special Publications are available at: [https://csrc.nist.gov/publications/](https://csrc.nist.gov/publications/sp800)
2280 [sp800](https://csrc.nist.gov/publications/sp800). The following publications may be of particular interest to those implementing
2281 systems of applications requiring digital authentication.

2282 **[SP800-53]** NIST Special Publication 800-53 Revision 4, *Recommended Security*
2283 *and Privacy Controls for Federal Information Systems and Organizations*, April 2013
2284 (updated January 22, 2015), <https://dx.doi.org/10.6028/NIST.SP.800-53r4>.

2285 **[SP800-63]** NIST Special Publication 800-63-4, *Digital Identity Guidelines*, November
2286 2022, <https://doi.org/10.6028/NIST.SP.800-63-4.ipd>.

2287 **[SP800-63A]** NIST Special Publication 800-63B-4, *Digital Identity Guidelines:*
2288 *Enrollment and Identity Proofing*, November 2022, [https://doi.org/10.6028/NIST.SP.800-](https://doi.org/10.6028/NIST.SP.800-63a-4.ipd)
2289 [63a-4.ipd](https://doi.org/10.6028/NIST.SP.800-63a-4.ipd).

2290 **[SP800-63B]** NIST Special Publication 800-63B-4, *Digital Identity Guidelines:*
2291 *Authentication and Lifecycle Management*, November 2022, [https://doi.org/10.6028/](https://doi.org/10.6028/NIST.SP.800-63b-4.ipd)
2292 [NIST.SP.800-63b-4.ipd](https://doi.org/10.6028/NIST.SP.800-63b-4.ipd).

2293 **Federal Information Processing Standards**

2294 **[FIPS140]** Federal Information Processing Standard Publication 140-3, *Security*
2295 *Requirements for Cryptographic Modules*, March 22, 2019, [https://doi.org/10.6028/NIST.](https://doi.org/10.6028/NIST.FIPS.140-3)
2296 [FIPS.140-3](https://doi.org/10.6028/NIST.FIPS.140-3).

2297 **Appendix A. Changelog**

2298 *This appendix is informative.* It provides an overview of the changes to SP 800-63C since
2299 its initial release.

- 2300 • Added discussion of equity considerations and requirements.
- 2301 • Established trust agreements and registration as discrete steps in the federation
2302 process.
- 2303 • All FALs have requirements around establishment of trust agreements and
2304 registration.
- 2305 • FAL definitions no longer have encryption requirements; encryption is triggered by
2306 passing PII in an assertion through an untrusted party regardless of FAL.
- 2307 • FAL2 requires injection protection.
- 2308 • FAL3 allows more general bound authenticators including RP-managed
2309 authenticators, in addition to classical holder-of-key.
- 2310 • Communication of IAL/AAL/FAL required.
- 2311 • Updated language to be more inclusive.
- 2312 • Added definition and discussion of RP subscriber accounts.
- 2313 • Added attribute provisioning models and discussion.