

innovatrics+0008

Innovatrics

Slap Fingerprint Segmentation Evaluation III

Last Updated: 13 September 2024

Contents

1	Participation Information	3
1.1	Names and Dates	3
1.2	Libraries	3
2	Tenprint Cards (“TwoInch” Data)	4
2.1	Segmentation Timing	4
2.2	Segmentation Centers and Dimensions	6
2.3	Detailed Segmentation Statistics	12
2.4	Handling Troublesome Images	15
2.5	Determining Orientation	18
3	Identification Flats (“ThreeInch” Data)	19
3.1	Segmentation Timing	19
3.2	Segmentation Centers and Dimensions	20
3.3	Detailed Segmentation Statistics	28
3.4	Handling Troublesome Images	31
3.5	Determining Orientation	34
4	Upper Palm (“FiveInch” Data)	35
4.1	Segmentation Timing	35
4.2	Segmentation Centers and Dimensions	36
4.3	Detailed Segmentation Statistics	42
4.4	Handling Troublesome Images	45
4.5	Determining Orientation	47
5	Full Palm (“EightInch” Data)	48
5.1	Segmentation Timing	48
5.2	Segmentation Centers and Dimensions	49
5.3	Detailed Segmentation Statistics	55
5.4	Handling Troublesome Images	58
5.5	Determining Orientation	60
A	Tenprint Cards (“TwoInch” Data)	61
A.1	Bootstrap Confidence for Segmentation Statistics	61
A.2	Jaccard Index	64
B	Identification Flats (“ThreeInch” Data)	68
B.1	Bootstrap Confidence for Segmentation Statistics	68
B.2	Jaccard Index	71

C Upper Palm ("FiveInch" Data)	75
C.1 Bootstrap Confidence for Segmentation Statistics	75
C.2 Jaccard Index	78
D Full Palm ("EightInch" Data)	82
D.1 Bootstrap Confidence for Segmentation Statistics	82
D.2 Jaccard Index	85

1 Participation Information

1.1 Names and Dates

- **Organization Name:** Innovatrics
- **SlapSeg III Identifier:** innovatrics+0008
- **SlapSeg III API Version:** 1.2.0
- **Provided Marketing Name:** “Innovatrics segmentation”
- **Application Date:** 04 September 2024
- **First Submission Date:** 04 September 2024 (as version 0007)
- **Validation Date:** 11 September 2024
- **Completion Date:** 12 September 2024

1.2 Libraries

Filename	MD5 Checksum	Size
libslapsegiii_innovatrics_0008.so	6d51a017f56e87195d634dd56bd71e87	529 MB
libinnoonnxruntime.so.1.13.1	9d4419033ffb5112f5375535bbbb9c0f	17 MB

2 Tenprint Cards (“TwoInch” Data)

2.1 Segmentation Timing

All algorithms are run over a small fixed corpus of TwoInch images to estimate the total runtime of the evaluation. To be evaluated under SlapSeg III, algorithms **must** segment the timing corpus, on average, in under 1 500 milliseconds. This maximum reference time is documented in the SlapSeg III test plan, and is subject to change. Times are measured by running a single process on an isolated compute node equipped with an Intel Gold 6254 CPU (submissions received prior to February 2022 were timed with a Intel Xeon E5-4650 CPU).*=

Box plots of segmentation times are separated by slap orientation and capture technology in Figure 1. Tabular representations are enumerated in Table 1. Results are reported in milliseconds.




Figure 1: Box plots of elapsed time in milliseconds when segmenting the TwoInch timing test corpus, separated by slap orientation and capture technology.

Table 1: Elapsed time in milliseconds when segmenting the TwoInch timing test corpus, separated by slap orientation and capture technology.

	Right	Left	Live Scan	Ink	Combined
Minimum	144	154	144	154	144
25%	186	185	184	187	185
Median	197	192	192	201	194
75%	210	203	201	214	207
Maximum	246	311	311	255	311

2.2 Segmentation Centers and Dimensions

2.2.1 Segmentation Centers



The plots in this section show the distribution of segmentation position centers (x, y) for TwoInch data. At the top of each figure is a combined plot for all finger positions of a given slap orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation centers for the right hand TwoInch data are shown in Figure 2 and plots of segmentation centers for the left hand are shown in Figure 3. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Centers have been normalized to 500 pixels per inch.

Points in each plot are plotted with a semi-transparent opacity. This results in points of particular color appearing “darker” to indicate a higher frequency of the observed value, while “lighter” points indicate a lower observed frequency.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Two Inch





• Right Index • Right Middle • Right Ring • Right Little

13 September 2024, 12:44:42 PM EDT

Figure 2: Segmentation centers for right hand TwoInch data.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Two Inch



• Left Index • Left Middle • Left Ring • Left Little

13 September 2024, 12:44:38 PM EDT

Figure 3: Segmentation centers for left hand TwoInch data.



2.2.2 Segmentation Dimensions

The plots in this section show the distribution of segmentation position widths and heights for TwoInch data. At the top of each figure is a combined plot for all finger positions of a given slap orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation position dimensions for the right hand TwoInch data are shown in Figure 4 and the left hand in Figure 5. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Dimensions have been normalized to 500 pixels per inch.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Two Inch





· Right Index · Right Middle · Right Ring · Right Little

13 September 2024, 12:45:10 PM EDT

Figure 4: Segmentation position dimensions for right hand TwoInch data.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Two Inch



13 September 2024, 12:45:06 PM EDT

Figure 5: Segmentation position dimensions for left hand TwoInch data.

2.3 Detailed Segmentation Statistics

This section shows detailed results of segmentation of TwoInch data. Values in each table are the percentage that the variable in the left-most column was correctly segmented.

Each table has three columns of percentages. The *Standard Scoring* column shows the percentage of correctly-segmented positions based on the scoring metrics defined in the SlapSeg III scoring document. The *Ignoring Bottom Y* column shows how the percentage would change if the threshold for the *bottom Y* coordinate of the segmentation position was ignored. Similarly, the *Ignoring Bottom X and Y* columns shows how the percentage would change if only the top, left, and right sides of the segmentation position were considered. These two supplemental columns are included because it has traditionally been difficult to determine the exact location of the distal interphalangeal joint.

Table 2 shows how successful innovatrics+0008 segmented fingers for each subject in the test corpus. Table 3 shows success for specific finger positions over the entire test corpus. Similarly, Table 4 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers on each slap image. Table 5 shows success for combinations of all fingers, Table 6 for just the index and middle fingers, and Table 7 for all except the little finger.

Table 2: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	98.6	98.7	99.4
2	97.9	98.1	98.7
3	97.0	97.3	98.0
4	94.0	94.9	96.4
5	84.7	85.6	89.0
6	81.2	82.3	85.5
7	74.7	77.4	81.2
8	57.4	64.2	68.5

Table 3: For all subjects, percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Index	81.3	85.5	86.2
Middle	87.5	88.3	89.9
Ring	87.8	88.6	89.8
Little	86.8	88.2	92.0
Left			
Index	89.0	90.8	91.7
Middle	91.4	92.0	93.6
Ring	91.2	92.3	93.6
Little	85.6	88.4	95.3

Table 4: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Index			
Either	95.3	96.3	96.8
Both	71.2	75.8	77.0
Middle			
Either	97.0	97.3	97.8
Both	78.1	79.2	82.0
Ring			
Either	97.1	97.4	97.9
Both	78.5	80.1	82.1
Little			
Either	95.5	96.3	98.4
Both	72.8	76.1	84.7

Table 5: Percentage of segmentation success by hand for combinations of all eight fingers of a TwoInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	92.9	93.3	95.4
At Least Two	90.8	91.2	92.9
At Least Three	87.1	88.2	89.9
All Four	72.6	77.9	79.8
Left			
Any	95.6	96.0	97.9
At Least Two	93.9	94.3	96.0
At Least Three	90.4	91.5	93.9
All Four	77.4	81.7	86.3

Table 6: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either Index or Middle	90.6	91.1	92.6
Both Index and Middle	78.2	82.6	83.6
Left			
Either Index or Middle	94.1	94.4	95.6
Both Index and Middle	86.3	88.4	89.7

Table 7: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	92.1	92.3	93.8
At Least Two	88.9	89.6	90.7
All Three	75.6	80.5	81.4
Left			
Any	95.2	95.4	96.5
At Least Two	92.7	93.1	94.5
All Three	83.7	86.6	88.0

2.4 Handling Troublesome Images

2.4.1 Capture Failures

Segmentation algorithms may refuse to process an image. This may happen for a technical reason (e.g., the algorithm cannot parse the image data), or for a practical reason (e.g., the hand in the image is placed incorrectly). These failure scenarios are the result of capturing improper image data. In these types of scenarios, it is important to examine the cause of the failure. With many live scan capture setups, segmentation is performed immediately after capture. If an algorithm can detect that it won't be able to segment an image due to a technical or practical issue, it can alert the operator to perform a recapture before the subject leaves.

The SlapSeg III API encourages algorithms to identify these failure reasons by specifying pre-defined *deficiencies* in the image. Algorithms should attempt segmentation even if an image deficiency is encountered if at all possible. Note that SlapSeg III *guarantees* well-formed image data, so failures to parse are **not** an indicator of the data provided.

Reasons for capture-type failures reported by innovatrics+0008 are enumerated in Table 8. Note that for TwoInch data, images are expected to be rotated, so a capture failure of *Rotation Detected* is unacceptable.

Table 8: Count of self-reported capture-type failure reasoning.

Failure Reason	Images
Request Recapture (Attempt)	44

In situations where the algorithm feels that the presented image should be recaptured (Table 8), one or more image deficiencies must be identified. These deficiencies are enumerated in Table 9. At this point, NIST does not have a groundtruth of image deficiencies, but plans to update this table with the accuracy of deficiency observations in the future.

Table 9: Count of image deficiencies reported when requesting a recapture.

Deficiency	Count
Incomplete	44

2.4.1.1 Recovery

When encountering a segmentation failure, SlapSeg III algorithms are encouraged to provide a *best-effort* segmentation when possible. In some cases, that best-effort may be correct, which reduces the amount of images that need to be manually adjudicated by an operator. The result of such best-effort segmentations are shown in Table 10.

Out of 44 recovery attempts innovatrics+0008 attempted 26 segmentations of fingers and skipped 150 fingers. More information about skipped fingers can be found in Table 11.

Table 10: Results of best-effort segmentation when innovatrics+0008 reported segmentation failure (26 best-effort attempts).

Standard	Ignoring Bottom Y	Ignoring Bottom X and Y
19.2	26.9	26.9

2.4.2 Segmentation Failures

Even if an algorithm accepts an image for processing, it can still fail to process one or more fingers from the image, regardless of if the algorithm requested a recapture and provided best-effort segmentation.

The SlapSeg III API allows algorithms to communicate reasons for failure to process these fingers. In some cases, the distal phalanx in question might not be present in the image due to amputation or being placed outside the platen's capture area. It is imperative that the segmentation algorithm correctly report this as failing to segment the correct friction ridge generalized position without disrupting the sequence of valid positions present in the image. This can help prompt an operator to recapture or record additional information about the subject.

In SlapSeg III, a number of images are missing fingers or otherwise have fingers that will not be able to be segmented. Reasons for segmentation failures reported by innovatrics+0008 are enumerated in Table 11.

Table 11: Count of self-reported segmentation failure reasoning.

Failure Reason	Fingers
Finger Not Found	682
Finger Not Found	150
Finger Found, but Can't Segment	0
Vendor Defined	0

2.4.3 Identifying Missing Fingers

A small portion of the test corpus in SlapSeg III are missing fingers. Table 12 shows how successful innovatrics+0008 was in correctly determining if a finger was missing. The *Missed* row shows when a segmentation position was returned for a missing finger. All possible failure reasons are enumerated, but are not considered *Correctly Identified* because the algorithm specified failure for a reason other than the finger not being found.

Table 12: Performance of innovatrics+0008 at detecting fingers missing from an image.

Result	Percentage
Missed	18.7
Correctly Identified	81.3
Other Failure: Finger Found, but Can't Segment	0.0
Other Failure: Vendor Defined	0.0
Other Failure: Segmentation Not Attempted	0.0

2.4.4 Sequence Error

Sequence error occurs when a fingerprint is segmented from an image but assigned an incorrect finger position (e.g., segmenting a right middle finger but labeling it a right index finger). Table 13 shows cases in which a segmentation position was returned that matched a ground truth segmentation position for a different finger in the same image.

Table 13: Percentage of images in the dataset where one or more segmentation positions correctly matched an incorrect finger position within the same image, indicating sequence error.

Hand	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Left	0.09	0.09	0.10
Right	0.12	0.12	0.14
Combined	0.11	0.11	0.12

2.5 Determining Orientation

An *optional* portion of the SlapSeg III API asked participants to determine the hand orientation of an image. Participants were provided the kind (e.g., Tenprint card) and capture technology (e.g., ink), and needed to determine whether the image was of the left or right hand.

Overall Two Inch accuracy: 99.6%

Table 14: Percentage of accuracy when determining hand orientation of a two inch image. The first column indicates the true hand orientation. Subsequent columns indicate the percentage of the time in which the indicated hand orientation was hypothesized.


	Left	Right
Left	99.7	0.3
Right	0.5	99.5

3 Identification Flats (“ThreeInch” Data)

3.1 Segmentation Timing

All algorithms are run over a small fixed corpus of ThreeInch images to estimate the total runtime of the evaluation. To be evaluated under SlapSeg III, algorithms **must** segment the timing corpus, on average, in under 1 500 milliseconds. This maximum reference time is documented in the SlapSeg III test plan, and is subject to change. Times are measured by running a single process on an isolated compute node equipped with an Intel Gold 6254 CPU (submissions received prior to February 2022 were timed with a Intel Xeon E5-4650 CPU).

Box plots of segmentation times are separated by hand in Figure 6, with tabular representations are enumerated in Table 15. Results are reported in milliseconds



13 September 2024, 12:40:09 PM EDT

Figure 6: Box plots of elapsed time in milliseconds when segmenting the ThreeInch timing test corpus, separated by slap orientation.

Table 15: Elapsed time in milliseconds when segmenting the ThreeInch timing test corpus, separated by slap orientation.

	Right	Left	Thumbs	Combined
Minimum	175	167	174	167
25%	213	219	219	217
Median	225	232	230	229
75%	239	249	255	246
Maximum	340	327	282	340

3.2 Segmentation Centers and Dimensions

3.2.1 Segmentation Centers



The plots in this section show the distribution of segmentation position centers (x, y) for ThreeInch data. At the top of each figure is a combined plot for all finger positions of a given hand orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation centers for the right hand ThreeInch data are shown in Figure 7, for the left hand in Figure 8, and for thumbs in Figure 9. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Centers have been normalized to 500 pixels per inch.

Points in each plot are plotted with a semi-transparent opacity. This results in points of particular color appearing “darker” to indicate a higher frequency of the observed value, while “lighter” points indicate a lower observed frequency.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Three Inch





• Right Index • Right Middle • Right Ring • Right Little

13 September 2024, 12:44:52 PM EDT

Figure 7: Segmentation centers for right hand ThreeInch data.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Three Inch





• Left Index • Left Middle • Left Ring • Left Little

13 September 2024, 12:44:47 PM EDT

Figure 8: Segmentation centers for left hand ThreeInch data.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 1, 6, Image Kind: Three Inch



• Right Thumb • Left Thumb

13 September 2024, 12:44:57 PM EDT

Figure 9: Segmentation centers for thumb ThreeInch data.


3.2.2 Segmentation Dimensions

The plots in this section show the distribution of segmentation position widths and heights for ThreeInch data. At the top of each figure is a combined plot for all finger positions of a given hand orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation position dimensions for the right hand ThreeInch data are shown in Figure 11, for the left hand in Figure 10, and for thumbs in Figure 12. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Dimensions have been normalized to 500 pixels per inch.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Three Inch





13 September 2024, 12:45:14 PM EDT

Figure 10: Segmentation position dimensions for left hand ThreeInch data.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Three Inch





Right Index Right Middle Right Ring Right Little

13 September 2024, 12:45:18 PM EDT

Figure 11: Segmentation position dimensions for right hand ThreeInch data.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 1, 6, Image Kind: Three Inch



· Right Thumb · Left Thumb

13 September 2024, 12:45:23 PM EDT

Figure 12: Segmentation position dimensions for thumb ThreeInch data.

3.3 Detailed Segmentation Statistics

This section shows detailed results of segmentation of ThreeInch data. Values in each table are the percentage that the variable in the left-most column was correctly segmented.

Each table has three columns of percentages. The *Standard Scoring* column shows the percentage of correctly-segmented positions based on the scoring metrics defined in the SlapSeg III scoring document. The *Ignoring Bottom Y* column shows how the percentage would change if the threshold for the *bottom Y* coordinate of the segmentation position was ignored. Similarly, the *Ignoring Bottom X and Y* columns shows how the percentage would change if only the top, left, and right sides of the segmentation position were considered. These two supplemental columns are included because it has traditionally been difficult to determine the exact location of the distal interphalangeal joint.

Table 16 shows how successful innovatrics+0008 segmented fingers for each subject in the test corpus. Table 17 shows success for specific finger positions over the entire test corpus. Similarly, Table 18 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers on each slap image. Table 19 shows success for combinations of all fingers, Table 20 for just the index and middle fingers, and Table 21 for all except the little finger.

Table 16: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	99.6	99.6	99.9
2	98.9	98.9	99.4
3	98.2	98.2	98.5
4	97.4	97.4	98.2
5	95.0	95.0	95.9
6	93.1	93.1	95.9
7	88.6	88.7	95.8
8	80.0	80.2	95.3
9	62.7	63.2	93.1
10	35.0	35.9	82.4

Table 17: For all subjects, percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Thumb	84.5	85.1	96.1
Index	93.0	93.0	98.9
Middle	85.8	85.8	99.2
Ring	86.1	86.1	97.6
Little	93.0	93.0	97.7
Left			
Thumb	77.0	78.1	96.7
Index	92.9	92.9	98.4
Middle	83.8	83.8	99.2
Ring	82.6	82.6	98.6
Little	93.8	93.9	98.1

Table 18: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Thumb			
Either	92.9	93.1	99.3
Both	68.6	70.1	93.7
Index			
Either	98.9	98.9	99.8
Both	84.4	84.5	94.9
Middle			
Either	95.4	95.4	99.8
Both	71.6	71.6	95.8
Ring			
Either	94.8	94.8	99.7
Both	71.4	71.4	93.8
Little			
Either	98.7	98.7	99.7
Both	85.5	85.5	93.6

Table 19: Percentage of segmentation success by hand for combinations of all ten fingers of a ThreeInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.2	99.3	99.6
At Least Two	97.9	97.9	98.5
At Least Three	95.2	95.2	98.3
At Least Four	85.0	85.1	97.1
All Five	56.9	57.4	87.1
Left			
Any	99.2	99.2	99.7
At Least Two	97.6	97.6	98.5
At Least Three	93.9	94.0	98.3
At Least Four	82.1	82.3	97.3
All Five	49.5	50.3	88.1

Table 20: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either	97.8	97.8	99.8
Both	80.9	81.0	98.3
Left			
Either	97.5	97.5	99.8
Both	79.3	79.3	97.8

Table 21: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.0	99.0	99.9
At Least Two	93.0	93.0	99.5
All Three	72.8	72.8	96.3
Left			
Any	98.8	98.8	99.9
At Least Two	91.6	91.6	99.6
All Three	69.0	69.0	96.7

3.4 Handling Troublesome Images

3.4.1 Capture Failures

Segmentation algorithms may refuse to process an image. This may happen for a technical reason (e.g., the algorithm cannot parse the image data), or for a practical reason (e.g., the hand in the image is placed incorrectly). These failure scenarios are the result of capturing improper image data. In these types of scenarios, it is important to examine the cause of the failure. With many live scan capture setups, segmentation is performed immediately after capture. If an algorithm can detect that it won't be able to segment an image due to a technical or practical issue, it can alert the operator to perform a recapture before the subject leaves.

The SlapSeg III API encourages algorithms to identify these failure reasons by specifying pre-defined *deficiencies* in the image. Algorithms should attempt segmentation even if an image deficiency is encountered if at all possible. Note that SlapSeg III *guarantees* well-formed image data, so failures to parse are **not** an indicator of the data provided.

Reasons for capture-type failures reported by innovatrics+0008 are enumerated in Table 22.

Table 22: Count of self-reported capture-type failure reasoning.

Failure Reason	Images
Request Recapture (Attempt)	78

In situations where the algorithm feels that the presented image should be recaptured (Table 22), one or more image deficiencies must be identified. These deficiencies are enumerated in Table 23. At this point, NIST does not have a groundtruth of image deficiencies, but plans to update this table with the accuracy of deficiency observations in the future.

Table 23: Count of image deficiencies reported when requesting a recapture.

Deficiency	Count
Incomplete	78

3.4.1.1 Recovery

When encountering a segmentation failure, SlapSeg III algorithms are encouraged to provide a *best-effort* segmentation when possible. In some cases, that best-effort may be correct, which reduces the amount of images that need to be manually adjudicated by an operator. The result of such best-effort segmentations are shown in Table 24.

Out of 78 recovery attempts innovatrics+0008 attempted 67 segmentations of fingers and skipped 117 fingers. More information about skipped fingers can be found in Table 25.

Table 24: Results of best-effort segmentation when innovatrics+0008 reported segmentation failure (67 best-effort attempts).

Standard	Ignoring Bottom Y	Ignoring Bottom X and Y
67.2	67.2	74.6

3.4.2 Segmentation Failures

Even if an algorithm accepts an image for processing, it can still fail to process one or more fingers from the image, regardless of if the algorithm requested a recapture and provided best-effort segmentation.

The SlapSeg III API allows algorithms to communicate reasons for failure to process these fingers. In some cases, the distal phalanx in question might not be present in the image due to amputation or being placed outside the platen's capture area. It is imperative that the segmentation algorithm correctly report this as failing to segment the correct friction ridge generalized position without disrupting the sequence of valid positions present in the image. This can help prompt an operator to recapture or record additional information about the subject.

In SlapSeg III, a number of images are missing fingers or otherwise have fingers that will not be able to be segmented. Reasons for segmentation failures reported by innovatrics+0008 are enumerated in Table 25.

Table 25: Count of self-reported segmentation failure reasoning.

Failure Reason	Fingers
Finger Not Found	453
Finger Not Found	117
Finger Found, but Can't Segment	0
Vendor Defined	0

3.4.3 Identifying Missing Fingers

A small portion of the test corpus in SlapSeg III are missing fingers. Table 26 shows how successful innovatrics+0008 was in correctly determining if a finger was missing. The *Missed* row shows when a segmentation position was returned for a missing finger. All possible failure reasons are enumerated, but are not considered *Correctly Identified* because the algorithm specified failure for a reason other than the finger not being found.

Table 26: Performance of innovatrics+0008 at detecting fingers missing from an image.

Result	Percentage
Missed	35.8
Correctly Identified	64.2
Other Failure: Finger Found, but Can't Segment	0.0
Other Failure: Vendor Defined	0.0
Other Failure: Segmentation Not Attempted	0.0

3.4.4 Sequence Error

Sequence error occurs when a fingerprint is segmented from an image but assigned an incorrect finger position (e.g., segmenting a right middle finger but labeling it a right index finger). Table 27 shows cases in which a segmentation position was returned that matched a ground truth segmentation position for a different finger in the same image.

Table 27: Percentage of images in the dataset where one or more segmentation positions correctly matched an incorrect finger position within the same image, indicating sequence error.

Hand	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Left	0.10	0.10	0.11
Right	0.12	0.12	0.14
Thumbs	0.05	0.05	0.05
Combined	0.09	0.09	0.10

3.5 Determining Orientation

An *optional* portion of the SlapSeg III API asked participants to determine the hand orientation of an image. Participants were provided the kind (e.g., Identification Flat) and needed to determine whether the image was of the left hand, right hand, or thumbs.

Overall Three Inch accuracy: 85.0%

Table 28: Percentage of accuracy when determining hand orientation of a three inch image. The first column indicates the true hand orientation. Subsequent columns indicate the percentage of the time in which the indicated hand orientation was hypothesized.


	Left	Right	Thumbs
Left	99.5	0.5	0
Right	0.8	99.2	0
Thumbs	24.5	19.8	55.7

4 Upper Palm (“FiveInch” Data)

4.1 Segmentation Timing

All algorithms are run over a small fixed corpus of FiveInch images to estimate the total runtime of the evaluation. To be evaluated under SlapSeg III, algorithms **must** segment the timing corpus, on average, in under 1 500 milliseconds. This maximum reference time is documented in the SlapSeg III test plan, and is subject to change. Times are measured by running a single process on an isolated compute node equipped with an Intel Gold 6254 CPU (submissions received prior to February 2022 were timed with a Intel Xeon E5-4650 CPU).

Box plots of segmentation times are separated by slap orientation in Figure 13. Tabular representations are enumerated in Table 29. Results are reported in milliseconds.



13 September 2024, 12:40:09 PM EDT

Figure 13: Box plots of elapsed time in milliseconds when segmenting the FiveInch timing test corpus, separated by slap orientation.

Table 29: Elapsed time in milliseconds when segmenting the FiveInch timing test corpus, separated by slap orientation.

	Right	Left	Combined
Minimum	512	531	512
25%	588	617	603
Median	615	647	636
75%	688	713	712
Maximum	780	815	815

4.2 Segmentation Centers and Dimensions

4.2.1 Segmentation Centers



The plots in this section show the distribution of segmentation position centers (x, y) for FiveInch data. At the top of each figure is a combined plot for all finger positions of a given slap orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation centers for the right hand FiveInch data are shown in Figure 14 and plots of segmentation centers for the left hand are shown in Figure 15. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Centers have been normalized to 500 pixels per inch.

Points in each plot are plotted with a semi-transparent opacity. This results in points of particular color appearing “darker” to indicate a higher frequency of the observed value, while “lighter” points indicate a lower observed frequency.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Upper Palm





• Right Index • Right Middle • Right Ring • Right Little

13 September 2024, 12:45:01 PM EDT

Figure 14: Segmentation centers for right hand FiveInch data.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Upper Palm



• Left Index • Left Middle • Left Ring • Left Little

13 September 2024, 12:45:00 PM EDT

Figure 15: Segmentation centers for left hand FiveInch data.



4.2.2 Segmentation Dimensions

The plots in this section show the distribution of segmentation position widths and heights for FiveInch data. At the top of each figure is a combined plot for all finger positions of a given slap orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation position dimensions for the right hand FiveInch data are shown in Figure 16 and the left hand in Figure 17. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Dimensions have been normalized to 500 pixels per inch.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Upper Palm





Right Index Right Middle Right Ring Right Little

13 September 2024, 12:45:27 PM EDT

Figure 16: Segmentation position dimensions for right hand FiveInch data.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Upper Palm



13 September 2024, 12:45:26 PM EDT

Figure 17: Segmentation position dimensions for left hand FiveInch data.

4.3 Detailed Segmentation Statistics

This section shows detailed results of segmentation of FiveInch data. Values in each table are the percentage that the variable in the left-most column was correctly segmented.

Each table has three columns of percentages. The *Standard Scoring* column shows the percentage of correctly-segmented positions based on the scoring metrics defined in the SlapSeg III scoring document. The *Ignoring Bottom Y* column shows how the percentage would change if the threshold for the *bottom Y* coordinate of the segmentation position was ignored. Similarly, the *Ignoring Bottom X and Y* columns shows how the percentage would change if only the top, left, and right sides of the segmentation position were considered. These two supplemental columns are included because it has traditionally been difficult to determine the exact location of the distal interphalangeal joint.

Table 30 shows how successful innovatrics+0008 segmented fingers for each subject in the test corpus. Table 31 shows success for specific finger positions over the entire test corpus. Similarly, Table 32 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers on each slap image. Table 33 shows success for combinations of all fingers, Table 34 for just the index and middle fingers, and Table 35 for all except the little finger.

Table 30: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	100.0	100.0	100.0
2	99.9	99.9	99.9
3	99.1	99.1	99.2
4	98.2	98.3	98.3
5	95.5	96.0	96.3
6	90.6	91.0	91.6
7	78.5	80.2	81.8
8	50.7	53.0	55.7

Table 31: For all subjects, percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Index	89.6	89.6	89.8
Middle	91.4	91.8	93.4
Ring	93.5	94.4	94.9
Little	89.5	89.8	90.3
Left			
Index	89.0	89.4	89.8
Middle	90.8	91.2	92.2
Ring	92.2	93.8	94.2
Little	82.2	83.3	84.1

Table 32: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Index			
Either	97.6	97.6	97.6
Both	79.6	80.0	80.5
Middle			
Either	97.9	97.9	98.4
Both	82.9	83.7	85.6
Ring			
Either	98.6	98.7	98.7
Both	85.6	88.0	88.9
Little			
Either	97.6	97.9	98.0
Both	72.7	73.8	75.0

Table 33: Percentage of segmentation success by hand for combinations of all eight fingers of a FiveInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.7	99.7	99.7
At Least Two	98.5	98.7	98.8
At Least Three	92.6	92.8	93.5
All Four	73.1	74.3	76.3
Left			
Any	98.8	99.1	99.1
At Least Two	96.7	96.9	97.1
At Least Three	91.6	92.4	93.1
All Four	67.1	69.2	71.0

Table 34: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either Index or Middle	96.9	97.1	97.3
Both Index and Middle	84.0	84.3	85.8
Left			
Either Index or Middle	97.6	97.6	97.6
Both Index and Middle	82.2	83.0	84.4

Table 35: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.2	99.3	99.3
At Least Two	94.9	94.9	95.5
All Three	80.3	81.5	83.2
Left			
Any	98.5	98.8	98.9
At Least Two	95.0	95.2	95.4
All Three	78.5	80.4	81.8

4.4 Handling Troublesome Images

4.4.1 Capture Failures

Segmentation algorithms may refuse to process an image. This may happen for a technical reason (e.g., the algorithm cannot parse the image data), or for a practical reason (e.g., the hand in the image is placed incorrectly). These failure scenarios are the result of capturing improper image data. In these types of scenarios, it is important to examine the cause of the failure. With many live scan capture setups, segmentation is performed immediately after capture. If an algorithm can detect that it won't be able to segment an image due to a technical or practical issue, it can alert the operator to perform a recapture before the subject leaves.

The SlapSeg III API encourages algorithms to identify these failure reasons by specifying pre-defined *deficiencies* in the image. Algorithms should attempt segmentation even if an image deficiency is encountered if at all possible. Note that SlapSeg III *guarantees* well-formed image data, so failures to parse are **not** an indicator of the data provided.

Reasons for capture-type failures reported by innovatrics+0008 are enumerated in Table 36.

Table 36: Count of self-reported capture-type failure reasoning.

Failure Reason	Images
Request Recapture (Attempt)	204

In situations where the algorithm feels that the presented image should be recaptured (Table 36), one or more image deficiencies must be identified. These deficiencies are enumerated in Table 37. At this point, NIST does not have a groundtruth of image deficiencies, but plans to update this table with the accuracy of deficiency observations in the future.

Table 37: Count of image deficiencies reported when requesting a recapture.

Deficiency	Count
Incomplete	204

4.4.1.1 Recovery

When encountering a segmentation failure, SlapSeg III algorithms are encouraged to provide a *best-effort* segmentation when possible. In some cases, that best-effort may be correct, which reduces the amount of images that need to be manually adjudicated by an operator. The result of such best-effort segmentations are shown in Table 38.

Out of 204 recovery attempts innovatrics+0008 attempted 82 segmentations of fingers and skipped 746 fingers. More information about skipped fingers can be found in Table 39.

Table 38: Results of best-effort segmentation when innovatrics+0008 reported segmentation failure (82 best-effort attempts).

Standard	Ignoring Bottom Y	Ignoring Bottom X and Y
70.4	71.6	71.6

4.4.2 Segmentation Failures

Even if an algorithm accepts an image for processing, it can still fail to process one or more fingers from the image, regardless of if the algorithm requested a recapture and provided best-effort segmentation.

The SlapSeg III API allows algorithms to communicate reasons for failure to process these fingers. In some cases, the distal phalanx in question might not be present in the image due to amputation or being placed outside the platen's capture area. It is imperative that the segmentation algorithm correctly report this as failing to segment the correct friction ridge generalized position without disrupting the sequence of valid positions present in the image. This can help prompt an operator to recapture or record additional information about the subject.

In SlapSeg III, a number of images are missing fingers or otherwise have fingers that will not be able to be segmented. Reasons for segmentation failures reported by innovatrics+0008 are enumerated in Table 39.

Table 39: Count of self-reported segmentation failure reasoning.

Failure Reason	Fingers
Finger Not Found	252
Finger Not Found	746
Finger Found, but Can't Segment	0
Vendor Defined	0

4.4.3 Identifying Missing Fingers

A small portion of the test corpus in SlapSeg III are missing fingers. Table 40 shows how successful innovatrics+0008 was in correctly determining if a finger was missing. The *Missed* row shows when a segmentation position was returned for a missing finger. All possible failure reasons are enumerated, but are not considered *Correctly Identified* because the algorithm specified failure for a reason other than the finger not being found.

Table 40: Performance of innovatrics+0008 at detecting fingers missing from an image.

Result	Percentage
Missed	6.8
Correctly Identified	93.2
Other Failure: Finger Found, but Can't Segment	0.0
Other Failure: Vendor Defined	0.0
Other Failure: Segmentation Not Attempted	0.0

4.4.4 Sequence Error

Sequence error occurs when a fingerprint is segmented from an image but assigned an incorrect finger position (e.g., segmenting a right middle finger but labeling it a right index finger). Table 41 shows cases in which a segmentation position was returned that matched a ground truth segmentation position for a different finger in the same image.

Table 41: Percentage of images in the dataset where one or more segmentation positions correctly matched an incorrect finger position within the same image, indicating sequence error.

Hand	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Left	1.86	2.12	2.12
Right	1.60	1.60	1.73
Combined	1.73	1.86	1.93

4.5 Determining Orientation

An *optional* portion of the SlapSeg III API asked participants to determine the hand orientation of an image. Participants were provided the kind (e.g., upper palm) and needed to determine whether the image was of the left or right hand.

Overall Upper Palm accuracy: 93.4%

Table 42: Percentage of accuracy when determining hand orientation of an upper palm image. The first column indicates the true hand orientation. Subsequent columns indicate the percentage of the time in which the indicated hand orientation was hypothesized.


	Left	Right
Left	91.7	8.3
Right	4.9	95.1

5 Full Palm (“EightInch” Data)

5.1 Segmentation Timing

All algorithms are run over a small fixed corpus of EightInch images to estimate the total runtime of the evaluation. To be evaluated under SlapSeg III, algorithms **must** segment the timing corpus, on average, in under 1 500 milliseconds. This maximum reference time is documented in the SlapSeg III test plan, and is subject to change. Times are measured by running a single process on an isolated compute node equipped with an Intel Gold 6254 CPU (submissions received prior to February 2022 were timed with a Intel Xeon E5-4650 CPU).

Box plots of segmentation times are separated by slap orientation in Figure 18. Tabular representations are enumerated in Table 43. Results are reported in milliseconds.



13 September 2024, 12:40:10 PM EDT

Figure 18: Box plots of elapsed time in milliseconds when segmenting the EightInch timing test corpus, separated by slap orientation.

Table 43: Elapsed time in milliseconds when segmenting the EightInch timing test corpus, separated by slap orientation and capture technology.

	Right	Left	Combined
Minimum	608	697	608
25%	652	773	677
Median	675	805	761
75%	717	857	823
Maximum	917	998	998

5.2 Segmentation Centers and Dimensions

5.2.1 Segmentation Centers



The plots in this section show the distribution of segmentation position centers (x, y) for EightInch data. At the top of each figure is a combined plot for all finger positions of a given slap orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation centers for the right hand EightInch data are shown in Figure 19 and plots of segmentation centers for the left hand are shown in Figure 20. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Centers have been normalized to 500 pixels per inch.

Points in each plot are plotted with a semi-transparent opacity. This results in points of particular color appearing “darker” to indicate a higher frequency of the observed value, while “lighter” points indicate a lower observed frequency.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Full Palm





• Right Index • Right Middle • Right Ring • Right Little

13 September 2024, 12:45:04 PM EDT

Figure 19: Segmentation centers for right hand EightInch data.

Segmentation Position Centers

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Full Palm



• Left Index • Left Middle • Left Ring • Left Little

13 September 2024, 12:45:03 PM EDT

Figure 20: Segmentation centers for left hand EightInch data.



5.2.2 Segmentation Dimensions

The plots in this section show the distribution of segmentation position widths and heights for EightInch data. At the top of each figure is a combined plot for all finger positions of a given slap orientation. These figures are isolated in plots faceted at the bottom of the figure.

Plots of segmentation position dimensions for the right hand EightInch data are shown in Figure 21 and the left hand in Figure 22. Blank lines that may appear in the plots are **not** rendering artifacts. Rather, they are indicative of image downsampling. Dimensions have been normalized to 500 pixels per inch.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 2, 3, 4, 5, Image Kind: Full Palm





Right Index Right Middle Right Ring Right Little

13 September 2024, 12:45:30 PM EDT

Figure 21: Segmentation position dimensions for right hand EightInch data.

Segmentation Position Dimensions

Participant: innovatrics/0008, FRGPs: 7, 8, 9, 10, Image Kind: Full Palm



13 September 2024, 12:45:29 PM EDT

Figure 22: Segmentation position dimensions for left hand EightInch data.

5.3 Detailed Segmentation Statistics

NOTE: The following segmentation statistics are based on a limited subset (approximately 15%) of the anticipated Full Palm dataset. This analysis will be updated as soon as NIST can obtain the remainder of the dataset.

This section shows detailed results of segmentation of EightInch data. Values in each table are the percentage that the variable in the left-most column was correctly segmented.

Each table has three columns of percentages. The *Standard Scoring* column shows the percentage of correctly-segmented positions based on the scoring metrics defined in the SlapSeg III scoring document. The *Ignoring Bottom Y* column shows how the percentage would change if the threshold for the *bottom Y* coordinate of the segmentation position was ignored. Similarly, the *Ignoring Bottom X and Y* columns shows how the percentage would change if only the top, left, and right sides of the segmentation position were considered. These two supplemental columns are included because it has traditionally been difficult to determine the exact location of the distal interphalangeal joint.

Table 44 shows how successful innovatrics+0008 segmented fingers for each subject in the test corpus. Table 45 shows success for specific finger positions over the entire test corpus. Similarly, Table 46 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers on each slap image. Table 47 shows success for combinations of all fingers, Table 48 for just the index and middle fingers, and Table 49 for all except the little finger.

Table 44: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	100.0	100.0	100.0
2	99.7	99.7	99.7
3	99.7	99.7	99.7
4	99.2	99.3	99.3
5	97.6	97.7	97.8
6	96.2	96.3	96.4
7	91.5	91.5	92.4
8	73.8	74.9	76.6

Table 45: For all subjects, percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Index	92.6	92.8	93.0
Middle	95.5	95.5	95.9
Ring	96.9	97.2	97.6
Little	94.1	94.4	94.6
Left			
Index	92.9	93.0	93.0
Middle	95.6	95.6	95.6
Ring	95.5	95.7	96.4
Little	94.4	94.8	95.7

Table 46: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Index			
Either	98.5	98.6	98.6
Both	87.0	87.1	87.4
Middle			
Either	98.7	98.7	98.7
Both	92.4	92.4	92.8
Ring			
Either	99.7	99.7	99.7
Both	92.8	93.3	94.4
Little			
Either	99.4	99.5	99.5
Both	89.1	89.7	90.8

Table 47: Percentage of segmentation success by hand for combinations of all eight fingers of a EightInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.4	99.4	99.4
At Least Two	98.5	98.5	98.5
At Least Three	95.9	96.0	96.6
All Four	85.4	86.0	86.6
Left			
Any	99.4	99.4	99.5
At Least Two	98.6	98.7	98.7
At Least Three	96.2	96.3	96.6
All Four	84.1	84.7	86.0

Table 48: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either Index or Middle	97.9	97.9	98.0
Both Index and Middle	90.2	90.3	90.8
Left			
Either Index or Middle	97.6	97.6	97.6
Both Index and Middle	90.9	91.0	91.0

Table 49: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.0	99.0	99.0
At Least Two	96.9	96.9	97.2
All Three	89.2	89.7	90.2
Left			
Any	98.9	98.9	98.9
At Least Two	96.8	96.9	97.0
All Three	88.4	88.6	89.2

5.4 Handling Troublesome Images

5.4.1 Capture Failures

Segmentation algorithms may refuse to process an image. This may happen for a technical reason (e.g., the algorithm cannot parse the image data), or for a practical reason (e.g., the hand in the image is placed incorrectly). These failure scenarios are the result of capturing improper image data. In these types of scenarios, it is important to examine the cause of the failure. With many live scan capture setups, segmentation is performed immediately after capture. If an algorithm can detect that it won't be able to segment an image due to a technical or practical issue, it can alert the operator to perform a recapture before the subject leaves.

The SlapSeg III API encourages algorithms to identify these failure reasons by specifying pre-defined *deficiencies* in the image. Algorithms should attempt segmentation even if an image deficiency is encountered if at all possible. Note that SlapSeg III *guarantees* well-formed image data, so failures to parse are **not** an indicator of the data provided.

Reasons for capture-type failures reported by innovatrics+0008 are enumerated in Table 50.

Table 50: Count of self-reported capture-type failure reasoning.

Failure Reason	Images
Request Recapture (Attempt)	51

In situations where the algorithm feels that the presented image should be recaptured (Table 50), one or more image deficiencies must be identified. These deficiencies are enumerated in Table 51. At this point, NIST does not have a groundtruth of image deficiencies, but plans to update this table with the accuracy of deficiency observations in the future.

Table 51: Count of image deficiencies reported when requesting a recapture.

Deficiency	Count
Incomplete	51

5.4.1.1 Recovery

When encountering a segmentation failure, SlapSeg III algorithms are encouraged to provide a *best-effort* segmentation when possible. In some cases, that best-effort may be correct, which reduces the amount of images that need to be manually adjudicated by an operator. The result of such best-effort segmentations are shown in Table 52.

Out of 51 recovery attempts innovatrics+0008 attempted 35 segmentations of fingers and skipped 169 fingers. More information about skipped fingers can be found in Table 53.

Table 52: Results of best-effort segmentation when innovatrics+0008 reported segmentation failure (35 best-effort attempts).

Standard	Ignoring Bottom Y	Ignoring Bottom X and Y
54.5	54.5	54.5

5.4.2 Segmentation Failures

Even if an algorithm accepts an image for processing, it can still fail to process one or more fingers from the image, regardless of if the algorithm requested a recapture and provided best-effort segmentation.

The SlapSeg III API allows algorithms to communicate reasons for failure to process these fingers. In some cases, the distal phalanx in question might not be present in the image due to amputation or being placed outside the platen's capture area. It is imperative that the segmentation algorithm correctly report this as failing to segment the correct friction ridge generalized position without disrupting the sequence of valid positions present in the image. This can help prompt an operator to recapture or record additional information about the subject.

In SlapSeg III, a number of images are missing fingers or otherwise have fingers that will not be able to be segmented. Reasons for segmentation failures reported by innovatrics+0008 are enumerated in Table 53.

Table 53: Count of self-reported segmentation failure reasoning.

Failure Reason	Fingers
Finger Not Found	422
Finger Not Found	169
Finger Found, but Can't Segment	0
Vendor Defined	0

5.4.3 Identifying Missing Fingers

A small portion of the test corpus in SlapSeg III are missing fingers. Table 54 shows how successful innovatrics+0008 was in correctly determining if a finger was missing. The *Missed* row shows when a segmentation position was returned for a missing finger. All possible failure reasons are enumerated, but are not considered *Correctly Identified* because the algorithm specified failure for a reason other than the finger not being found.

Table 54: Performance of innovatrics+0008 at detecting fingers missing from an image.

Result	Percentage
Missed	0.0
Correctly Identified	100.0
Other Failure: Finger Found, but Can't Segment	0.0
Other Failure: Vendor Defined	0.0
Other Failure: Segmentation Not Attempted	0.0

5.4.4 Sequence Error

Sequence error occurs when a fingerprint is segmented from an image but assigned an incorrect finger position (e.g., segmenting a right middle finger but labeling it a right index finger). Table 55 shows cases in which a segmentation position was returned that matched a ground truth segmentation position for a different finger in the same image.

Table 55: Percentage of images in the dataset where one or more segmentation positions correctly matched an incorrect finger position within the same image, indicating sequence error.

Hand	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Left	0.57	0.57	0.57
Right	0.23	0.23	0.23
Combined	0.40	0.40	0.40

5.5 Determining Orientation

An *optional* portion of the SlapSeg III API asked participants to determine the hand orientation of an image. Participants were provided the kind (e.g., full palm) and needed to determine whether the image was of the left or right hand.

Overall Full Palm accuracy: 93.9%

Table 56: Percentage of accuracy when determining hand orientation of an full palm image. The first column indicates the true hand orientation. Subsequent columns indicate the percentage of the time in which the indicated hand orientation was hypothesized.

	Left	Right
Left	94.6	5.4
Right	6.8	93.2

A Tenprint Cards (“TwoInch” Data)

A.1 Bootstrap Confidence for Segmentation Statistics

This section shows the same detailed results of segmentation of TwoInch data from Section 2.3, but with an added bootstrap confidence interval. For each observation, a bootstrap routine with 1 000 replicates was run, and a 95 % confidence interval extracted. The lower and upper confidence from that confidence interval are printed in each column within square brackets.

In Table 57, results are shown of how successful *innovatrics+0008* segmented fingers for each subject in the test corpus. Table 58 shows success for specific finger positions over the entire test corpus. Similarly, Table 59 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers in each slap image. Table 60 shows success for combinations of all fingers, Table 62 for the all except the little finger, and Table 61 for just the index and middle fingers.

Table 57: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	98.6 [98.4, 98.8]	98.7 [98.5, 98.9]	99.4 [99.3, 99.5]
2	97.9 [97.7, 98.2]	98.1 [97.8, 98.3]	98.7 [98.5, 98.9]
3	97.0 [96.7, 97.2]	97.3 [97.0, 97.5]	98.0 [97.8, 98.3]
4	94.0 [93.6, 94.5]	94.9 [94.5, 95.3]	96.4 [96.0, 96.7]
5	84.7 [84.0, 85.3]	85.6 [85.0, 86.2]	89.0 [88.5, 89.5]
6	81.2 [80.5, 81.8]	82.3 [81.6, 83.0]	85.5 [84.9, 86.1]
7	74.7 [74.0, 75.5]	77.4 [76.7, 78.1]	81.2 [80.5, 81.9]
8	57.4 [56.6, 58.3]	64.2 [63.4, 65.0]	68.5 [67.6, 69.3]

Table 58: For all subjects, Percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Index	81.3 [80.8, 81.8]	85.5 [85.0, 85.9]	86.2 [85.8, 86.7]
Middle	87.5 [87.1, 88.0]	88.3 [87.9, 88.7]	89.9 [89.6, 90.3]
Ring	87.8 [87.3, 88.2]	88.6 [88.2, 89.0]	89.8 [89.4, 90.1]
Little	86.8 [86.3, 87.3]	88.2 [87.8, 88.6]	92.0 [91.7, 92.4]
Left			
Index	89.0 [88.6, 89.4]	90.8 [90.4, 91.1]	91.7 [91.3, 92.1]
Middle	91.4 [91.0, 91.8]	92.0 [91.6, 92.4]	93.6 [93.3, 94.0]
Ring	91.2 [90.8, 91.6]	92.3 [91.9, 92.7]	93.6 [93.3, 93.9]
Little	85.6 [85.0, 86.0]	88.4 [87.9, 88.8]	95.3 [94.9, 95.5]

Table 59: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Index			
Either	95.3 [94.9, 95.6]	96.3 [96.0, 96.7]	96.8 [96.5, 97.1]
Both	71.2 [70.4, 72.0]	75.8 [75.0, 76.6]	77.0 [76.3, 77.7]
Middle			
Either	97.0 [96.7, 97.3]	97.3 [97.0, 97.6]	97.8 [97.6, 98.1]
Both	78.1 [77.4, 78.8]	79.2 [78.5, 79.9]	82.0 [81.3, 82.6]
Ring			
Either	97.1 [96.8, 97.4]	97.4 [97.1, 97.7]	97.9 [97.6, 98.1]
Both	78.5 [77.8, 79.2]	80.1 [79.5, 80.8]	82.1 [81.4, 82.8]
Little			
Either	95.5 [95.2, 95.9]	96.3 [95.9, 96.6]	98.4 [98.1, 98.6]
Both	72.8 [72.0, 73.6]	76.1 [75.4, 76.8]	84.7 [84.1, 85.4]

Table 60: Percentage of segmentation success by hand for combinations of all eight fingers of a TwoInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	92.9 [93.9, 94.4]	93.3 [94.3, 94.7]	95.4 [96.4, 96.8]
At Least Two	90.8 [92.0, 92.5]	91.2 [92.4, 92.9]	92.9 [94.1, 94.5]
At Least Three	87.1 [88.3, 88.9]	88.2 [89.4, 90.0]	89.9 [91.5, 92.0]
All Four	72.6 [74.4, 75.2]	77.9 [79.3, 80.1]	79.8 [82.5, 83.2]
Left			
Any	95.6 [93.9, 94.4]	96.0 [94.3, 94.7]	97.9 [96.4, 96.8]
At Least Two	93.9 [92.0, 92.5]	94.3 [92.4, 92.9]	96.0 [94.1, 94.5]
At Least Three	90.4 [88.3, 88.9]	91.5 [89.4, 90.0]	93.9 [91.5, 92.0]
All Four	77.4 [74.4, 75.2]	81.7 [79.3, 80.1]	86.3 [82.5, 83.2]


Table 61: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either Index or Middle	90.6 [91.9, 92.5]	91.1 [92.4, 92.9]	92.6 [93.8, 94.2]
Both Index and Middle	78.2 [81.6, 82.4]	82.6 [85.0, 85.6]	83.6 [86.1, 86.8]
Left			
Either Index or Middle	94.1 [91.9, 92.5]	94.4 [92.4, 92.9]	95.6 [93.8, 94.2]
Both Index and Middle	86.3 [81.6, 82.4]	88.4 [85.0, 85.6]	89.7 [86.1, 86.8]

Table 62: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	92.1 [93.3, 93.7]	92.3 [93.5, 94.0]	93.8 [94.9, 95.3]
At Least Two	88.9 [90.4, 90.9]	89.6 [91.0, 91.5]	90.7 [92.2, 92.7]
All Three	75.6 [79.0, 79.8]	80.5 [83.0, 83.7]	81.4 [84.1, 84.8]
Left			
Any	95.2 [93.3, 93.7]	95.4 [93.5, 94.0]	96.5 [94.9, 95.3]
At Least Two	92.7 [90.4, 90.9]	93.1 [91.0, 91.5]	94.5 [92.2, 92.7]
All Three	83.7 [79.0, 79.8]	86.6 [83.0, 83.7]	88.0 [84.1, 84.8]

A.2 Jaccard Index




13 September 2024, 11:29:44 AM EDT

Figure 23: Boxplot of Jaccard similarity indices as compared to the traditional success metrics. Outliers have been removed for clarity.

Jaccard Similarity by Friction Ridge Generalized Position

Participant: innovatrics/0008, Image Kind: Two Inch



13 September 2024, 11:29:39 AM EDT

Figure 24: Boxplot of Jaccard similarity indices for each friction ridge generalized position. Outliers have been removed for clarity.

Table 63: For each subject, the percentage that at least *Number of Fingers* fingers were segmented with a Jaccard index in the indicated range.

Number of Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
1	100.0	99.9	99.8	98.5	56.2	4.5	0.1
2	99.8	99.8	99.6	97.3	32.6	0.5	0.0
3	99.7	99.6	99.3	95.0	15.1	0.1	0.0
4	99.4	99.1	98.0	89.4	5.4	0.0	0.0
5	95.7	95.5	94.2	81.5	1.7	0	0
6	95.5	95.1	92.9	72.9	0.5	0	0
7	94.7	93.4	88.3	55.5	0.0	0	0
8	91.4	86.2	71.5	27.2	0	0	0

Table 64: For all subjects, percentage that a particular friction ridge generalized position was segmented with a Jaccard index in the indicated range.

Finger	0-0.5	0.5-0.6	0.6-0.7	0.7-0.8	0.8-0.9	0.9-1.0
Right						
Index	1.3	2.0	4.8	17.0	63.6	11.3
Middle	0.5	0.3	1.9	14.8	71.9	10.6
Ring	0.7	0.9	2.2	13.1	71.3	11.8
Little	1.8	1.4	4.4	19.9	62.7	9.8
Left						
Index	0.8	0.9	2.2	9.7	64.8	21.6
Middle	0.5	0.2	1.4	13.8	70.2	13.9
Ring	0.5	0.4	1.5	10.5	67.4	19.7
Little	1.3	1.2	6.5	29.3	50.6	11.1

Table 65: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of all eight fingers of a TwoInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	99.9	99.8	98.9	92.7	30.2	0.8	0.0
At Least Two	99.7	99.5	98.3	89.2	10.6	0.0	0.0
At Least Three	99.2	98.5	96.2	79.8	2.4	0.0	0.0
All Four	96.9	93.3	84.5	51.3	0.3	0.0	0.0
Left							
Any	99.9	99.9	99.5	95.4	39.3	3.4	0.1
At Least Two	99.8	99.7	99.0	92.3	19.1	0.4	0.0
At Least Three	99.4	99.1	97.5	82.8	6.8	0.1	0.0
All Four	97.7	95.6	86.7	48.9	1.2	0.0	0.0

Table 66: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index and middle fingers of a TwoInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Either Index or Middle	99.7	99.5	98.5	90.0	19.3	0.4	0.0
Both Index and Middle	98.5	96.4	90.7	67.5	2.6	0.0	0.0
Left							
Either Index or Middle	99.7	99.7	99.2	93.7	28.9	2.0	0.1
Both Index and Middle	99.0	98.0	94.9	76.8	6.6	0.1	0.0

Table 67: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index, middle, and ring fingers of a TwoInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	99.8	99.7	98.7	91.9	25.8	0.6	0.0
At Least Two	99.5	99.2	97.7	86.0	7.0	0.0	0.0
All Three	98.2	95.4	89.0	62.7	0.8	0.0	0.0
Left							
Any	99.9	99.8	99.4	95.0	36.1	3.0	0.1
At Least Two	99.7	99.5	98.7	90.4	15.2	0.3	0.0
All Three	98.7	97.5	93.5	72.1	3.9	0.0	0.0

B Identification Flats (“ThreeInch” Data)

B.1 Bootstrap Confidence for Segmentation Statistics

This section shows the same detailed results of segmentation of ThreeInch data from Section 3.3, but with an added bootstrap confidence interval. For each observation, a bootstrap routine with 1 000 replicates was run, and a 95 % confidence interval extracted. The lower and upper confidence from that confidence interval are printed in each column within square brackets.

In Table 68, results are shown of how successful innovatrics+0008 segmented fingers for each subject in the test corpus. Table 69 shows success for specific finger positions over the entire test corpus. Similarly, Table 70 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers in each slap image. Table 71 shows success for combinations of all fingers, Table 73 for the all except the little finger, and Table 72 for just the index and middle fingers.

Table 68: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	99.6 [99.5, 99.7]	99.6 [99.5, 99.7]	99.9 [99.8, 99.9]
2	98.9 [98.8, 99.0]	98.9 [98.8, 99.0]	99.4 [99.3, 99.5]
3	98.2 [98.0, 98.4]	98.2 [98.1, 98.4]	98.5 [98.3, 98.6]
4	97.4 [97.2, 97.6]	97.4 [97.2, 97.6]	98.2 [98.0, 98.3]
5	95.0 [94.7, 95.2]	95.0 [94.7, 95.3]	95.9 [95.7, 96.2]
6	93.1 [92.7, 93.4]	93.1 [92.8, 93.4]	95.9 [95.6, 96.1]
7	88.6 [88.2, 89.0]	88.7 [88.3, 89.1]	95.8 [95.5, 96.0]
8	80.0 [79.5, 80.5]	80.2 [79.7, 80.7]	95.3 [95.0, 95.6]
9	62.7 [62.1, 63.2]	63.2 [62.6, 63.8]	93.1 [92.8, 93.5]
10	35.0 [34.4, 35.5]	35.9 [35.3, 36.5]	82.4 [81.9, 82.8]

Table 69: For all subjects, Percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Thumb	84.5 [84.0, 84.9]	85.1 [84.6, 85.5]	96.1 [95.9, 96.4]
Index	93.0 [92.7, 93.3]	93.0 [92.7, 93.3]	98.9 [98.8, 99.1]
Middle	85.8 [85.3, 86.2]	85.8 [85.3, 86.2]	99.2 [99.1, 99.3]
Ring	86.1 [85.6, 86.5]	86.1 [85.7, 86.5]	97.6 [97.4, 97.7]
Little	93.0 [92.6, 93.3]	93.0 [92.7, 93.3]	97.7 [97.5, 97.9]
Left			
Thumb	77.0 [76.4, 77.5]	78.1 [77.6, 78.6]	96.7 [96.5, 96.9]
Index	92.9 [92.6, 93.2]	92.9 [92.6, 93.3]	98.4 [98.3, 98.6]
Middle	83.8 [83.4, 84.3]	83.8 [83.4, 84.3]	99.2 [99.0, 99.3]
Ring	82.6 [82.1, 83.1]	82.6 [82.1, 83.0]	98.6 [98.5, 98.8]
Little	93.8 [93.6, 94.2]	93.9 [93.5, 94.2]	98.1 [98.0, 98.3]

Table 70: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Thumb			
Either	92.9 [92.5, 93.2]	93.1 [92.8, 93.5]	99.3 [99.2, 99.4]
Both	68.6 [68.1, 69.2]	70.1 [69.5, 70.7]	93.7 [93.4, 94.0]
Index			
Either	98.9 [98.8, 99.0]	98.9 [98.8, 99.0]	99.8 [99.7, 99.9]
Both	84.4 [84.0, 84.9]	84.5 [83.9, 84.9]	94.9 [94.6, 95.1]
Middle			
Either	95.4 [95.2, 95.7]	95.4 [95.2, 95.7]	99.8 [99.7, 99.8]
Both	71.6 [71.0, 72.2]	71.6 [71.1, 72.2]	95.8 [95.6, 96.1]
Ring			
Either	94.8 [94.5, 95.1]	94.8 [94.5, 95.1]	99.7 [99.7, 99.8]
Both	71.4 [70.8, 71.9]	71.4 [70.8, 71.9]	93.8 [93.5, 94.1]
Little			
Either	98.7 [98.6, 98.8]	98.7 [98.6, 98.8]	99.7 [99.6, 99.7]
Both	85.5 [85.1, 86.0]	85.5 [85.1, 86.0]	93.6 [93.3, 93.9]

Table 71: Percentage of segmentation success by hand for combinations of all ten fingers of a ThreeInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.2 [99.1, 99.3]	99.3 [99.1, 99.3]	99.6 [99.6, 99.7]
At Least Two	97.9 [97.6, 97.9]	97.9 [97.6, 97.9]	98.5 [98.4, 98.6]
At Least Three	95.2 [94.4, 94.8]	95.2 [94.4, 94.8]	98.3 [98.2, 98.4]
At Least Four	85.0 [83.2, 83.9]	85.1 [83.4, 84.0]	97.1 [97.1, 97.4]
All Five	56.9 [52.7, 53.6]	57.4 [53.4, 54.3]	87.1 [87.3, 87.9]
Left			
Any	99.2 [99.1, 99.3]	99.2 [99.1, 99.3]	99.7 [99.6, 99.7]
At Least Two	97.6 [97.6, 97.9]	97.6 [97.6, 97.9]	98.5 [98.4, 98.6]
At Least Three	93.9 [94.4, 94.8]	94.0 [94.4, 94.8]	98.3 [98.2, 98.4]
At Least Four	82.1 [83.2, 83.9]	82.3 [83.4, 84.0]	97.3 [97.1, 97.4]
All Five	49.5 [52.7, 53.6]	50.3 [53.4, 54.3]	88.1 [87.3, 87.9]


Table 72: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either Index or Middle	97.8 [97.5, 97.8]	97.8 [97.5, 97.8]	99.8 [99.7, 99.8]
Both Index and Middle	80.9 [79.8, 80.5]	81.0 [79.8, 80.5]	98.3 [97.9, 98.2]
Left			
Either Index or Middle	97.5 [97.5, 97.8]	97.5 [97.5, 97.8]	99.8 [99.7, 99.8]
Both Index and Middle	79.3 [79.8, 80.5]	79.3 [79.8, 80.5]	97.8 [97.9, 98.2]

Table 73: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.0 [98.8, 99.0]	99.0 [98.8, 99.0]	99.9 [99.9, 99.9]
At Least Two	93.0 [92.0, 92.5]	93.0 [92.0, 92.5]	99.5 [99.5, 99.6]
All Three	72.8 [70.5, 71.3]	72.8 [70.5, 71.3]	96.3 [96.3, 96.6]
Left			
Any	98.8 [98.8, 99.0]	98.8 [98.8, 99.0]	99.9 [99.9, 99.9]
At Least Two	91.6 [92.0, 92.5]	91.6 [92.0, 92.5]	99.6 [99.5, 99.6]
All Three	69.0 [70.5, 71.3]	69.0 [70.5, 71.3]	96.7 [96.3, 96.6]

B.2 Jaccard Index




12 September 2024, 02:40:39 PM EDT

Figure 25: Boxplot of Jaccard similarity indices as compared to the traditional success metrics. Outliers have been removed for clarity.

Jaccard Similarity by Friction Ridge Generalized Position

Participant: innovatrics/0008, Image Kind: Three Inch



12 September 2024, 02:40:33 PM EDT

Figure 26: Boxplot of Jaccard similarity indices for each friction ridge generalized position. Outliers have been removed for clarity.

Table 74: For each subject, the percentage that at least *Number of Fingers* fingers were segmented with a Jaccard index in the indicated range.

Number of Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
1	100.0	100.0	99.9	98.9	35.0	3.5	0.4
2	99.9	99.9	99.6	97.1	11.3	0.2	0.0
3	98.5	98.5	98.3	93.6	3.4	0.0	0.0
4	98.3	98.3	98.0	87.5	1.1	0.0	0.0
5	95.9	95.9	95.9	77.2	0.3	0.0	0.0
6	95.9	95.9	95.7	64.4	0.1	0	0
7	95.8	95.8	95.3	48.0	0.0	0	0
8	95.7	95.6	94.2	31.9	0	0	0
9	95.4	95.0	90.5	16.6	0	0	0
10	93.6	91.3	76.0	5.9	0	0	0

Table 75: For all subjects, percentage that a particular friction ridge generalized position was segmented with a Jaccard index in the indicated range.

Finger	0-0.5	0.5-0.6	0.6-0.7	0.7-0.8	0.8-0.9	0.9-1.0
Right						
Thumb	0.4	0.4	1.6	13.8	71.6	12.2
Index	0.5	0.1	1.1	29.7	65.2	3.4
Middle	0.2	0.1	1.3	35.0	59.7	3.7
Ring	0.3	0.5	2.7	33.6	58.2	4.7
Little	0.6	0.3	3.6	39.0	52.5	4.0
Left						
Thumb	0.5	0.4	2.0	19.3	69.5	8.3
Index	0.4	0.1	1.5	33.0	60.1	4.9
Middle	0.2	0.2	1.8	40.1	53.7	4.0
Ring	0.3	0.5	4.1	44.8	46.4	3.9
Little	0.6	0.4	4.0	43.8	47.4	3.8

Table 76: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of all ten fingers of a ThreeInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	99.9	99.9	99.8	96.8	22.0	2.0	0.2
At Least Two	98.5	98.5	98.3	86.8	4.2	0.1	0.0
At Least Three	98.4	98.4	97.9	71.2	1.1	0.0	0.0
At Least Four	98.1	97.9	96.3	50.0	0.2	0.0	0.0
All Five	93.8	92.7	85.2	24.0	0.0	0.0	0.0
Left							
Any	100.0	99.9	99.8	95.5	18.7	1.7	0.2
At Least Two	98.5	98.5	98.3	80.6	4.1	0.1	0.0
At Least Three	98.4	98.4	97.9	61.5	1.2	0.0	0.0
At Least Four	98.2	98.0	95.6	40.7	0.2	0.0	0.0
All Five	93.6	92.2	82.3	17.7	0.0	0.0	0.0

Table 77: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index and middle fingers of a ThreeInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Either Index or Middle	99.8	99.8	99.5	81.6	6.3	0.4	0.1
Both Index and Middle	99.5	99.3	97.2	50.5	0.9	0.0	0.0
Left							
Either Index or Middle	99.9	99.9	99.5	77.4	7.5	0.4	0.1
Both Index and Middle	99.5	99.2	96.3	45.3	1.3	0.0	0.0

Table 78: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index, middle, and ring fingers of a ThreeInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	99.9	99.9	99.7	87.7	9.5	0.8	0.1
At Least Two	99.8	99.7	99.1	67.5	2.1	0.0	0.0
All Three	99.3	98.7	94.5	39.8	0.4	0.0	0.0
Left							
Any	99.9	99.9	99.8	82.2	9.6	0.6	0.1
At Least Two	99.8	99.8	98.8	58.1	2.6	0.0	0.0
All Three	99.3	98.6	92.3	32.8	0.5	0	0

C Upper Palm (“FiveInch” Data)

C.1 Bootstrap Confidence for Segmentation Statistics

This section shows the same detailed results of segmentation of FiveInch data from Section 4.3, but with an added bootstrap confidence interval. For each observation, a bootstrap routine with 1 000 replicates was run, and a 95 % confidence interval extracted. The lower and upper confidence from that confidence interval are printed in each column within square brackets.

In Table 79, results are shown of how successful innovatrics+0008 segmented fingers for each subject in the test corpus. Table 80 shows success for specific finger positions over the entire test corpus. Similarly, Table 81 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers in each slap image. Table 82 shows success for combinations of all fingers, Table 84 for the all except the little finger, and Table 83 for just the index and middle fingers.

Table 79: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	100.0 [100.0, 100.0]	100.0 [100.0, 100.0]	100.0 [100.0, 100.0]
2	99.9 [99.6, 100.0]	99.9 [99.6, 100.0]	99.9 [99.6, 100.0]
3	99.1 [98.3, 99.6]	99.1 [98.4, 99.6]	99.2 [98.6, 99.7]
4	98.2 [97.1, 99.1]	98.3 [97.4, 99.1]	98.3 [97.4, 99.1]
5	95.5 [93.9, 97.0]	96.0 [94.6, 97.4]	96.3 [94.9, 97.6]
6	90.6 [88.5, 92.8]	91.0 [88.9, 93.1]	91.6 [89.6, 93.4]
7	78.5 [75.5, 81.3]	80.2 [77.2, 83.3]	81.8 [78.9, 84.6]
8	50.7 [47.3, 54.1]	53.0 [49.4, 56.3]	55.7 [52.2, 59.2]

Table 80: For all subjects, Percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Index	89.6 [87.4, 91.8]	89.6 [87.4, 91.6]	89.8 [87.5, 91.9]
Middle	91.4 [89.4, 93.5]	91.8 [89.9, 93.8]	93.4 [91.6, 95.1]
Ring	93.5 [91.6, 95.2]	94.4 [92.7, 96.0]	94.9 [93.4, 96.4]
Little	89.5 [87.2, 91.6]	89.8 [87.5, 91.8]	90.3 [88.3, 92.3]
Left			
Index	89.0 [86.9, 91.2]	89.4 [87.1, 91.5]	89.8 [87.5, 91.6]
Middle	90.8 [88.9, 93.0]	91.2 [89.3, 93.2]	92.2 [90.2, 94.0]
Ring	92.2 [90.1, 94.0]	93.8 [92.0, 95.4]	94.2 [92.4, 95.9]
Little	82.2 [79.6, 84.9]	83.3 [80.6, 85.9]	84.1 [81.6, 86.7]

Table 81: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Index			
Either	97.6 [96.6, 98.7]	97.6 [96.4, 98.7]	97.6 [96.4, 98.6]
Both	79.6 [76.5, 82.3]	80.0 [76.9, 82.7]	80.5 [77.9, 83.3]
Middle			
Either	97.9 [96.8, 98.8]	97.9 [96.8, 98.9]	98.4 [97.5, 99.3]
Both	82.9 [80.2, 85.5]	83.7 [81.0, 86.3]	85.6 [83.0, 88.1]
Ring			
Either	98.6 [97.6, 99.3]	98.7 [97.8, 99.5]	98.7 [97.9, 99.5]
Both	85.6 [83.1, 88.1]	88.0 [85.6, 90.3]	88.9 [86.7, 91.0]
Little			
Either	97.6 [96.4, 98.7]	97.9 [96.8, 98.8]	98.0 [97.0, 98.9]
Both	72.7 [69.4, 75.8]	73.8 [70.2, 76.9]	75.0 [71.9, 78.0]

Table 82: Percentage of segmentation success by hand for combinations of all eight fingers of a FiveInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.7 [98.8, 99.7]	99.7 [98.9, 99.7]	99.7 [99.0, 99.7]
At Least Two	98.5 [96.7, 98.3]	98.7 [96.9, 98.5]	98.8 [97.1, 98.6]
At Least Three	92.6 [90.7, 93.4]	92.8 [91.3, 93.9]	93.5 [92.0, 94.6]
All Four	73.1 [67.7, 72.4]	74.3 [69.5, 74.2]	76.3 [71.5, 75.8]
Left			
Any	98.8 [98.8, 99.7]	99.1 [98.9, 99.7]	99.1 [99.0, 99.7]
At Least Two	96.7 [96.7, 98.3]	96.9 [96.9, 98.5]	97.1 [97.1, 98.6]
At Least Three	91.6 [90.7, 93.4]	92.4 [91.3, 93.9]	93.1 [92.0, 94.6]
All Four	67.1 [67.7, 72.4]	69.2 [69.5, 74.2]	71.0 [71.5, 75.8]


Table 83: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95% confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either Index or Middle	96.9 [96.5, 98.1]	97.1 [96.5, 98.1]	97.3 [96.6, 98.3]
Both Index and Middle	84.0 [81.3, 84.9]	84.3 [81.8, 85.6]	85.8 [83.3, 86.9]
Left			
Either Index or Middle	97.6 [96.5, 98.1]	97.6 [96.5, 98.1]	97.6 [96.6, 98.3]
Both Index and Middle	82.2 [81.3, 84.9]	83.0 [81.8, 85.6]	84.4 [83.3, 86.9]

Table 84: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.2 [98.3, 99.4]	99.3 [98.5, 99.5]	99.3 [98.6, 99.6]
At Least Two	94.9 [93.8, 96.0]	94.9 [93.9, 96.1]	95.5 [94.4, 96.5]
All Three	80.3 [77.3, 81.5]	81.5 [78.9, 82.7]	83.2 [80.6, 84.4]
Left			
Any	98.5 [98.3, 99.4]	98.8 [98.5, 99.5]	98.9 [98.6, 99.6]
At Least Two	95.0 [93.8, 96.0]	95.2 [93.9, 96.1]	95.4 [94.4, 96.5]
All Three	78.5 [77.3, 81.5]	80.4 [78.9, 82.7]	81.8 [80.6, 84.4]

C.2 Jaccard Index



13 September 2024, 11:47:50 AM EDT

Figure 27: Boxplot of Jaccard similarity indices as compared to the traditional success metrics. Outliers have been removed for clarity.




Figure 28: Boxplot of Jaccard similarity indices for each friction ridge generalized position. Outliers have been removed for clarity.

Table 85: For each subject, the percentage that at least *Number of Fingers* fingers were segmented with a Jaccard index in the indicated range.

Number of Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
1	100.0	100.0	100.0	99.7	77.1	30.8	28.2
2	99.9	99.9	99.9	99.3	49.4	21.7	21.3
3	99.7	99.7	99.3	97.8	30.7	17.9	17.8
4	99.5	99.1	98.4	95.9	18.7	14.6	14.6
5	97.5	97.1	96.4	90.9	13.4	10.9	10.9
6	95.0	94.5	93.8	79.3	9.7	8.3	8.3
7	91.4	90.3	87.0	58.4	7.0	7.0	7.0
8	81.9	78.9	69.2	29.9	4.9	4.9	4.9

Table 86: For all subjects, percentage that a particular friction ridge generalized position was segmented with a Jaccard index in the indicated range.

Finger	0-0.5	0.5-0.6	0.6-0.7	0.7-0.8	0.8-0.9	0.9-1.0
Right						
Index	4.7	0.4	2.1	6.4	60.9	25.5
Middle	3.3	0.1	2.1	11.6	49.9	33.0
Ring	3.5	0.4	1.1	6.0	55.4	33.6
Little	2.3	0.7	1.1	13.0	58.2	24.7
Left						
Index	4.5	1.1	2.1	14.4	56.8	21.1
Middle	3.5	0.9	1.6	10.2	49.1	34.7
Ring	3.8	0.4	1.1	5.8	60.5	28.4
Little	3.4	1.6	4.4	26.0	53.1	11.5

Table 87: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of all ten fingers of a FiveInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	100.0	100.0	100.0	99.2	62.9	23.9	21.8
At Least Two	99.3	99.2	99.1	95.7	31.1	16.6	16.5
At Least Three	96.5	96.3	94.8	85.5	14.5	12.1	12.1
All Four	90.4	89.2	84.4	60.9	8.4	8.0	8.0
Left							
Any	99.6	99.6	99.1	98.3	54.0	23.3	22.4
At Least Two	98.8	98.0	97.6	93.1	22.5	15.4	15.4
At Least Three	96.3	95.6	94.7	79.7	12.5	11.4	11.4
All Four	90.1	87.5	80.2	44.0	6.8	6.4	6.4

Table 88: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index and middle fingers of a FiveInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Either Index or Middle	98.7	98.7	98.1	94.7	43.5	21.5	20.5
Both Index and Middle	93.4	92.8	89.1	74.6	15.0	12.0	12.0
Left							
Either Index or Middle	98.7	98.4	98.0	94.6	41.6	21.6	21.2
Both Index and Middle	93.4	91.6	88.3	67.1	14.2	11.9	11.9

Table 89: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index, middle, and ring fingers of a FiveInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	99.6	99.6	99.5	98.0	55.9	22.5	21.3
At Least Two	97.2	97.2	96.1	90.7	23.8	16.1	16.0
All Three	91.8	90.8	86.7	69.7	12.5	11.4	11.4
Left							
Any	99.6	99.2	98.8	98.3	51.6	22.9	22.0
At Least Two	96.8	96.4	96.3	89.7	20.7	15.0	15.0
All Three	91.8	90.2	85.9	62.6	11.9	11.1	11.1

D Full Palm (“EightInch” Data)

D.1 Bootstrap Confidence for Segmentation Statistics

NOTE: The following segmentation statistics are based on a limited subset (approximately 15%) of the anticipated Full Palm dataset. This analysis will be updated as soon as NIST can obtain the remainder of the dataset.

This section shows the same detailed results of segmentation of EightInch data from Section 5.3, but with an added bootstrap confidence interval. For each observation, a bootstrap routine with 1 000 replicates was run, and a 95 % confidence interval extracted. The lower and upper confidence from that confidence interval are printed in each column within square brackets.

In Table 90, results are shown of how successful innovatrics+0008 segmented fingers for each subject in the test corpus. Table 91 shows success for specific finger positions over the entire test corpus. Similarly, Table 92 shows success for segmenting the same finger position from both hands.

The remainder of the tables show success per subject when considering combinations of subsets of the fingers in each slap image. Table 93 shows success for combinations of all fingers, Table 95 for the all except the little finger, and Table 94 for just the index and middle fingers.

Table 90: For each subject, the percentage that at least *Number of Fingers* fingers were correctly segmented, regardless of hand, for a maximum of eight correctly-segmented fingers. In *Standard Scoring*, scoring rules are followed exactly. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Number of Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
1	100.0 [100.0, 100.0]	100.0 [100.0, 100.0]	100.0 [100.0, 100.0]
2	99.7 [99.2, 100.0]	99.7 [99.3, 100.0]	99.7 [99.2, 100.0]
3	99.7 [99.2, 100.0]	99.7 [99.2, 100.0]	99.7 [99.2, 100.0]
4	99.2 [98.6, 99.8]	99.3 [98.7, 99.8]	99.3 [98.7, 99.8]
5	97.6 [96.4, 98.5]	97.7 [96.7, 98.6]	97.8 [96.8, 98.7]
6	96.2 [94.8, 97.4]	96.3 [95.1, 97.5]	96.4 [95.2, 97.6]
7	91.5 [89.5, 93.2]	91.5 [89.4, 93.3]	92.4 [90.8, 94.1]
8	73.8 [70.8, 76.6]	74.9 [71.8, 77.7]	76.6 [73.8, 79.3]

Table 91: For all subjects, Percentage that a particular friction ridge generalized position was correctly segmented. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Finger	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Index	92.6 [90.9, 94.4]	92.8 [90.9, 94.5]	93.0 [91.4, 94.7]
Middle	95.5 [94.1, 96.8]	95.5 [94.1, 96.9]	95.9 [94.5, 97.1]
Ring	96.9 [95.7, 97.9]	97.2 [96.1, 98.2]	97.6 [96.6, 98.5]
Little	94.1 [92.4, 95.7]	94.4 [92.9, 95.9]	94.6 [93.0, 96.1]
Left			
Index	92.9 [91.3, 94.5]	93.0 [91.3, 94.6]	93.0 [91.1, 94.6]
Middle	95.6 [94.3, 97.0]	95.6 [94.3, 97.0]	95.6 [94.1, 97.0]
Ring	95.5 [94.0, 96.9]	95.7 [94.4, 97.0]	96.4 [95.2, 97.6]
Little	94.4 [92.9, 95.9]	94.8 [93.2, 96.3]	95.7 [94.4, 97.0]

Table 92: Percentage that a particular type of fingerprint was correctly segmented on *Either* or *Both* hands. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Index			
Either	98.5 [97.7, 99.2]	98.6 [97.8, 99.3]	98.6 [97.7, 99.3]
Both	87.0 [84.6, 89.1]	87.1 [84.7, 89.4]	87.4 [84.8, 89.5]
Middle			
Either	98.7 [97.9, 99.4]	98.7 [97.9, 99.4]	98.7 [97.9, 99.4]
Both	92.4 [90.7, 94.1]	92.4 [90.6, 94.1]	92.8 [90.8, 94.5]
Ring			
Either	99.7 [99.2, 100.0]	99.7 [99.2, 100.0]	99.7 [99.2, 100.0]
Both	92.8 [90.9, 94.4]	93.3 [91.7, 95.1]	94.4 [92.8, 95.9]
Little			
Either	99.4 [98.9, 99.9]	99.5 [99.1, 99.9]	99.5 [99.0, 99.9]
Both	89.1 [87.1, 91.1]	89.7 [87.7, 91.8]	90.8 [88.9, 92.6]

Table 93: Percentage of segmentation success by hand for combinations of all eight fingers of a EightInch slap. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.4 [99.0, 99.8]	99.4 [99.0, 99.8]	99.4 [99.1, 99.8]
At Least Two	98.5 [97.9, 99.1]	98.5 [98.0, 99.1]	98.5 [98.0, 99.1]
At Least Three	95.9 [95.1, 97.0]	96.0 [95.2, 97.0]	96.6 [95.7, 97.4]
All Four	85.4 [83.0, 86.4]	86.0 [83.7, 87.0]	86.6 [84.5, 87.8]
Left			
Any	99.4 [99.0, 99.8]	99.4 [99.0, 99.8]	99.5 [99.1, 99.8]
At Least Two	98.6 [97.9, 99.1]	98.7 [98.0, 99.1]	98.7 [98.0, 99.1]
At Least Three	96.2 [95.1, 97.0]	96.3 [95.2, 97.0]	96.6 [95.7, 97.4]
All Four	84.1 [83.0, 86.4]	84.7 [83.7, 87.0]	86.0 [84.5, 87.8]


Table 94: Percentage of segmentation success by hand when only considering combinations of index and middle fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Either Index or Middle	97.9 [97.0, 98.4]	97.9 [97.0, 98.4]	98.0 [97.1, 98.4]
Both Index and Middle	90.2 [89.3, 91.9]	90.3 [89.3, 92.0]	90.8 [89.5, 92.4]
Left			
Either Index or Middle	97.6 [97.0, 98.4]	97.6 [97.0, 98.4]	97.6 [97.1, 98.4]
Both Index and Middle	90.9 [89.3, 91.9]	91.0 [89.3, 92.0]	91.0 [89.5, 92.4]

Table 95: Percentage of segmentation success by hand when only considering combinations of index, middle, and ring fingers. In *Ignoring Bottom Y*, the bottom left and bottom right Y coordinates are ignored. *Ignoring Bottom X and Y* only checks the locations of the top left and top right coordinates. Values in square brackets represent a 95 % confidence interval after bootstrapping with 1 000 replicates.

Fingers	Standard Scoring	Ignoring Bottom Y	Ignoring Bottom X and Y
Right			
Any	99.0 [98.4, 99.4]	99.0 [98.4, 99.4]	99.0 [98.4, 99.4]
At Least Two	96.9 [96.0, 97.6]	96.9 [96.0, 97.7]	97.2 [96.3, 97.9]
All Three	89.2 [87.3, 90.2]	89.7 [87.6, 90.5]	90.2 [88.2, 91.2]
Left			
Any	98.9 [98.4, 99.4]	98.9 [98.4, 99.4]	98.9 [98.4, 99.4]
At Least Two	96.8 [96.0, 97.6]	96.9 [96.0, 97.7]	97.0 [96.3, 97.9]
All Three	88.4 [87.3, 90.2]	88.6 [87.6, 90.5]	89.2 [88.2, 91.2]

D.2 Jaccard Index




13 September 2024, 11:49:28 AM EDT

Figure 29: Boxplot of Jaccard similarity indices as compared to the traditional success metrics. Outliers have been removed for clarity.

Jaccard Similarity by Friction Ridge Generalized Position

Participant: innovatrics/0008, Image Kind: Full Palm



13 September 2024, 11:49:27 AM EDT

Figure 30: Boxplot of Jaccard similarity indices for each friction ridge generalized position. Outliers have been removed for clarity.

Table 96: For each subject, the percentage that at least *Number of Fingers* fingers were segmented with a Jaccard index in the indicated range.

Number of Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
1	100.0	100.0	100.0	100.0	98.6	41.5	0.1
2	99.9	99.9	99.8	99.7	95.3	11.0	0
3	99.8	99.8	99.7	99.2	88.3	2.1	0
4	99.8	99.7	99.5	98.5	77.5	0.7	0
5	98.7	98.7	98.0	97.0	61.0	0.1	0
6	98.2	97.7	97.1	93.0	41.6	0	0
7	95.9	95.4	94.5	86.4	20.0	0	0
8	91.5	90.5	84.8	63.8	4.5	0	0

Table 97: For all subjects, percentage that a particular friction ridge generalized position was segmented with a Jaccard index in the indicated range.

Finger	0-0.5	0.5-0.6	0.6-0.7	0.7-0.8	0.8-0.9	0.9-1.0
Right						
Index	3.1	0.2	1.5	4.4	31.0	59.8
Middle	2.3	0.1	0.8	3.8	24.6	68.4
Ring	1.3	0.2	0.8	4.3	28.5	64.9
Little	1.6	0.1	1.2	4.6	35.6	56.9
Left						
Index	3.6	0.3	0.8	4.9	34.3	56.1
Middle	2.1	0.3	1.0	3.3	27.5	65.8
Ring	1.4	0.3	1.2	4.9	32.4	59.8
Little	1.0	0.4	0.9	5.6	36.9	55.2

Table 98: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of all ten fingers of a EightInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	99.7	99.7	99.5	99.4	93.7	34.0	0.1
At Least Two	98.7	98.7	98.5	97.6	79.9	6.9	0.0
At Least Three	97.7	97.5	97.2	94.0	55.1	0.8	0.0
All Four	95.6	95.2	91.5	78.7	21.4	0.1	0.0
Left							
Any	99.8	99.8	99.5	99.4	92.2	13.0	0.0
At Least Two	99.4	99.4	99.1	98.0	76.3	0.6	0.0
At Least Three	98.0	97.7	97.2	93.4	50.3	0.0	0.0
All Four	94.7	93.7	90.8	76.9	17.9	0.0	0.0

Table 99: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index and middle fingers of a EightInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Either Index or Middle	98.3	98.2	98.0	97.1	82.9	22.1	0.1
Both Index and Middle	96.3	96.1	93.9	86.7	45.3	1.3	0
Left							
Either Index or Middle	98.7	98.5	98.2	97.1	79.3	7.5	0
Both Index and Middle	95.6	95.2	93.7	86.4	42.5	0.1	0

Table 100: Percentage of segmentation obtaining a Jaccard index in the indicated ranges, by hand, for combinations of index, middle, and ring fingers of a EightInch slap.

Fingers	≥0.5	≥0.6	≥0.7	≥0.8	≥0.9	≥0.95	≥0.98
Right							
Any	99.2	99.2	99.0	98.6	90.5	29.3	0.1
At Least Two	97.8	97.7	97.5	95.4	68.2	4.4	0
All Three	96.3	95.9	93.2	83.2	34.5	0.2	0
Left							
Any	99.5	99.5	99.3	98.6	88.9	10.2	0
At Least Two	98.3	97.9	97.5	95.3	64.9	0.3	0
All Three	95.2	94.5	92.2	81.8	27.8	0	0